

LIFTING TABLE 1000kg FOR EV BATTERY AND HEAVY ORGANS

Reference : OH 1301



Item name	LIFTING TABLE 1000kg FOR EV BATTERY AND HEAVY ORGANS
Bar code	3700461499470
Introduction	This table is specially designed for the precise removal and re-installation of heavy components up to a maximum load of 1T (electric vehicle battery and/or powertrain). Versatile, it can be adapted to all your needs thanks to its numerous settings and optional supports on request.
Text	A hydropneumatic control system enables effortless, fast and precise height control. Descent is secured by a "dead man" function requiring 2 simultaneous actions by the operator. In the event of a problem involving the operator, the machine is automatically stopped. The platform is fully mobile in relation to its frame, and features 104 M10x1.5 drilled and tapped points, evenly distributed to accommodate various accessories (available on request).
Product highlight	Precision and maneuverability
Specifications	Specifications : - length: 1680mm - width: 780mm - height: 1000mm - minimum tray height: 725mm - maximum tray height: 1995mm - maximum tray length: 1560mm - minimum platform length: 1340mm - rise time: +/-60s

- lowering time: +/-20s
- 4 swivel castors with brakes: 130mm
- 4 handles placed around the table for optimum comfort of use when adjusting the load at rest.
- weight: 385kg

Adjustments :

- the table top unfolds in three lockable positions for a max. surface area of 1560mmx730mm. It is tapped M10x1.5 to accommodate various accessories (available on request).
- the table's flatness can be adjusted at 2 points for precise positioning (degree of inclination +/- 20%)
- the table top can be moved in translation and pivoted for greater precision when repositioning elements.

Contents

Contents :

Delivered in 4 packages to be assembled

- package n°1: assembled lift table
- package n°2: 4 swivel wheels, 4 platform handles, 2 cables for lowering release, 1 pump support, screws and assembly instructions.
- package 3: handle frame and hardware
- package n°4: pump, hydraulic hose and seals.

Options

Option:

- screwable supports (ex: CO1160)

Warranty period

2 years

Length (mm)

1,680 mm

Width

785 mm

Height

1,000 mm

Product weight (kg)

385 kg

Max. height

1,995 mm

Min. height

725 mm

Maximum load (T)

1 T

Tariff code

Tariff Equipment (TE)

Warranty Procedure

DIAGNOSTIC

Customer benefit

Supports for fork-lift trucks.
Suitable for precision use.



CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h
and from 13h30 to 17h30 (16h30 on
Friday)