Lifting table 1000kg for EV battery and heavy organs

Reference : OH 1301



Item name	Lifting table 1000kg for EV battery and heavy organs
Bar code	3700461499470
Introduction	This table is specially designed for the precise removal and re-installation of heavy components up to a maximum load of 1T (electric vehicle battery and/or powertrain). Versatile, it can be adapted to all your needs thanks to its numerous settings and optional supports on request.
Text	A hydropneumatic control system enables effortless, fast and precise height control. Descent is secured by a "dead man" function requiring 2 simultaneous actions by the operator. In the event of a problem involving the operator, the machine is automatically stopped. The platform is fully mobile in relation to its frame, and features 104 M10x1.5 drilled and tapped points, evenly distributed to accommodate various accessories (available on request).
Product highlight	Precision and maneuverability
Specifications	Specifications : - length: 1680mm - width: 780mm - height: 1000mm - minimum tray height: 725mm - maximum tray height: 1995mm - maximum tray length: 1560mm - minimum platform length: 1340mm - rise time: +/-60s

- lowering time: +/-20s
- 4 swivel castors with brakes: 130mm
- 4 handles placed around the table for optimum comfort of use when adjusting the load at rest.
- weight: 385kg

Adjustments :
- the table top unfolds in three lockable positions for a max. surface area of 1560mmx730mm. It is tapped M10x1.5 to accommodate various accessories (available on request).
- the table's flatness can be adjusted at 2 points for precise positioning (degree of inclination +/- 20%)
- the table top can be moved in translation and pivoted for greater precision when repositioning elements.

Contents	Contents: Delivered in 4 packages; requires self-assembly - Package No. 1: Assembled lift table - Package No. 2: 4 swivel casters, 4 handles for the tabletop, 2 control cables for unlocking the lowering function, 1 pump bracket, mounting hardware, and assembly instructions. - Package No. 3: Handle frame and mounting hardware - Package No. 4: Pump, hydraulic hose, and seals.
Options	Option: - screwable supports (ex: CO1160)
Warranty period	2 years
Length (mm)	1,680 mm
Width	785 mm
Height	1,000 mm
Product weight (kg)	385 kg
Max. height	1,995 mm
Min. height	725 mm
Maximum load (T)	1 T
Tariff code	Tariff Equipment (TE)
Warranty Procedure	DIAGNOSTIC
Customer benefit	Supports for fork-lift trucks. Suitable for precision use.



CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h and from 13h30 to 17h30 (16h30 on Friday)