

## Automatic tire changer 10"-24" 1 speed system 240V

Reference : DM 1522



<b>Item name</b>	Automatic tire changer 10"-24" 1 speed system 240V
<b>Bar code</b>	3700461402609
<b>Introduction</b>	<p>Automatic tire changer with 1-speed plate and mounting aid (assistance arm). Specially designed for effortless mounting and demounting of all passenger car, commercial vehicle and 4x4 tires.</p> <p>Equipped with articulated roller, disc and shoe devices, this assistance arm will enable you to replace even the most recalcitrant tires.</p>
<b>Text</b>	<p>Please consult us for installation and commissioning.</p> <p>Under warranty, installation and commissioning must be carried out by a professional.</p>
<b>Product highlight</b>	Versatile
<b>Specifications</b>	<p>Specifications :</p> <ul style="list-style-type: none"><li>- horizontal arm on roller for easy movement</li><li>- inflator with pressure gauge</li><li>- maximum tire diameter: 1180mm</li><li>- max. tire width: 3 to 12 inches</li><li>- arched platform with anti-pinch safety device</li><li>- outside rim diameter: 10 to 21 inches</li><li>- inner rim diameter: 12 to 24 inches</li><li>- 1 speed without switch: rotation speed 1: 6.5 rpm</li><li>- ergonomic, intuitive pedals</li><li>- 2-position adjustable bead breaker shovel</li><li>- operating pressure: 8-10bar</li></ul>

- air cleaner and oil lubricator
- tubeless inflation safety valve: 3.5bar
- noise < 70dB
- power supply: 240V
- power : 0.75kW
- bead breaker power: 2500kg
- tire changer weight: 315kg
- dimensions: 1850x1800x1980mm

## Contents

Supplied with :

- SA8902: 5 protective pads for steel heads
- SA8903 : 5 protective clips for steel heads
- SA8904 : 1 protection shovel stripper
- SA8906: set of 4 aluminum rim protectors
- 1 tire changer with aluminum rim protector

## Options

Options:

- DM1102: dual head quick fastening connection for alu/steel

**Warranty period** 2 years

**Power** 750W

**Voltage** 240V

**Length (mm)** 1,850 mm

**Width** 1,800 mm

**Height** 1,980 mm

**Product weight (kg)** 315 kg

**Tariff code** Tariff Equipment (TE)

**Warranty Procedure** INTERVENTION

**Pneumatic power supply required** YES

## Quick tip videos

Cliquez sur l'opération qui vous intéresse pour voir la **vidéo**:



[RÉGLAGE DE LA PELLE D'ÉTALONNAGE](#)



[RÉGLAGE DE LA VITESSE DE LA POTENCE](#)

TENSION240V.jpg

CLAS EQUIPEMENTS  
83, chemin de la CROUZA  
73800 CHIGNIN  
France

Tel : +33 (0) 4 79 72 62 22  
Fax :

Monday to Friday - From 8 to 12h  
and from 13h30 to 17h30 (16h30 on  
Friday)