

Tire changer with leverless 13-28" 2 speed system 400V

Reference : DM 1900



Item name	Tire changer with leverless 13-28" 2 speed system 400V
Bar code	3701555311531
Introduction	<p>Automatic 2-speed flatbed tire changer with mounting aid (assistance arm) + pneumatic assistance on leverless stem.</p> <p>Specially designed for effortless mounting and demounting of all passenger car, commercial vehicle and 4x4 tires.</p> <p>Equipped with the leverless doight, this device eliminates the exercise lever for greater working comfort, and prevents RSI (Musculoskeletal Disorders).</p>
Text	<p>Please consult us for installation and commissioning.</p> <p>Under warranty, installation and commissioning must be carried out by a professional.</p>
Product highlight	Effortless
Specifications	<p>Specifications :</p> <ul style="list-style-type: none">- horizontal arm moving on roller for easy translation- jib equipped with a leverless pneumatic finger- inflator with pressure gauge- maximum tire diameter: 1100mm- max. tire width: 3 to 14 inches- arched platform with anti-pinch safety device- outer rim diameter: 13 to 24 inches- inner rim diameter: 15 to 28 inches- 2 speeds without switch : <p>rotation speed 1: 6.5 rpm</p>

- rotation speed 2: 13rpm
- ergonomic, intuitive pedals
 - telescopic, 4-position adjustable take-off scoop (2 open, 2 deep) with double-acting cylinder
 - operating pressure: 8-10bar
 - air cleaner and oil lubricator
 - tubeless inflation safety valve: 3.5bar
 - noise < 70dB
 - power supply: 400V-50Hz
 - power: 0.85-1.1kW
 - bead breaker power: 2800kg
 - dimensions: 1900x1580x2000mm

Contents Supplied with :

- SA8902: 5 protective pads for steel heads
- SA8903 : 5 protective clips for steel heads
- SA8904 : 1 protection shovel stripper
- SA8906: set of 4 aluminum rim protectors
- 1 tire changer with aluminum rim protector

Warranty period 2 years

Power 1100W

Voltage 400V

Length (mm) 1,900 mm

Width 1,580 mm

Product weight (kg) 465 kg

Tariff code Tariff Equipment (TE)

Warranty Procedure INTERVENTION

Pneumatic power supply required YES

Quick tip videos

Cliquez sur l'opération qui vous intéresse pour voir la **vidéo**:



[RÉGLAGE PELLE D'ÉTALONNAGE](#)



[RÉGLAGE DE LA VITESSE DE LA POTENCE](#)

Operation videos

Cliquez sur l'opération qui vous intéresse pour voir la **vidéo**:



[UTILISATION DOIGT PNEUMATIQUE](#)



TE

CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h
and from 13h30 to 17h30 (16h30 on
Friday)