6/12/24V vehicle battery tester with printer

Reference : AC 5254



Item name	6/12/24V vehicle battery tester with printer
Bar code	3701555313115
Introduction	The battery tester with integrated printer is compatible with 6V / 12V / 24V battery tests. Light vehicles, commercial vehicles, trucks, motorcycles, boats, farm machinery.
Text	Capable of efficiently analyzing and reading battery data such as voltage, internal resistance, cold-start amp, battery health and state-of-charge. With a 3.2-color lcd display, reading is quick and easy. Test results are displayed in both text and diagram form. 4 test modes available, including 1 new one: - battery test - start-up test - load test - new: oscilloscope mode. Thanks to this graphical mode, you can measure voltage drops in real time. Designed for 6v, 12 v or 24 v batteries from 100 to 2000 CCA. with an intelligent 3.2 lcd display, reading access is fast and convenient Languages: English, French, German, Spanish, Italian, Portuguese, Polish, Russian, Dutch, Japanese, Korean, Persian, Chinese,

Product highlight	Oscilloscope mode Color display
Specifications	Specifications: - Capacity (CCA): Cold Cranking Amps: 100 to 2000 CCA - Cables: 2.5 m - Pliers: insulated - Battery type: standard, AGM (flat or spiral), GEL, EFB, LITHIUM - Languages: 12 - Printer: SA 5245 roll - Weight: 2.07 kg (with carrying case) - Dimensions: L 255 mm x W 104 mm x H 36 mm. Battery Standards: - Cold Cranking Amps (CCA) - International Electrotechnical Commission (IEC) - European Standard (EN) - German Industrial Standard (DIN) - Cranking Amps (CA) - Battery Council International (BIC) - Marine Cranking Amps (MCA) - Society of Automotive Engineers (SAE) - Japanese Industrial Standard (JIS)
Contents	Contents: - testing device - USB cable - user manual - 2 rolls of paper
Warranty period	2 years
Voltage	6-12-24V
Cable length	2.50 m
Tariff code	Tariff Normal (TN)
Warranty Procedure	DIAGNOSTIC
Customer benefit	Print license plate on ticket



CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h and from 13h30 to 17h30 (16h30 on Friday)