

Body repair lift table dual cylinder 400V 3T on/in-ground

Reference : PE 8101T



Item name	Body repair lift table dual cylinder 400V 3T on/in-ground
Bar code	3701555318196
Text	<p>Lifting table, free-standing or built-in, selected by micro-switch in the console. Underbody preparation table for bodybuilders, enables the vehicle to be lifted to the desired height for an ergonomic working position, protects against RSI. Ideal for minor dent removal, underbody work, sanding, painting, etc. Free-standing or built-in, electro-hydraulic operation. Pneumatic arm opening and closing. Reversible pad storage on console.</p>
Product highlight	Pneumatic arm opening and closing
Specifications	<p>Specifications :</p> <ul style="list-style-type: none">- lifting height: 120-1230mm- tray height: 120mm- closed dimension: L. 1840xl. 640mm- max. open dimension l 1837mm- control panel- drive power: 3kw- drive voltage: (3 phases + Neutral) 400V/50Hz- air supply 6-8bar- double-cylinder version, with mechanical position-holding safety device (rack)- 124° opening of 4 arms with reversible buffers- Epoxy paint

- emergency lowering system in case of power failure
- intermediate stop at 30 cm from the floor if free-standing and 19 cm if built-in, for user safety and anti-crushing audible signal

Advice Installation et mise en service, nous consulter.
 Dans le cadre de la garantie, l'installation et la mise en service doivent être effectuées par un professionnel.
 Frais de transport non inclus.

Warranty period	2 years
Power	3000W
Voltage	400V
Height	120 mm
Max. height	1,230 mm
Min. height	120 mm
Maximum load (T)	3 T
Tariff code	Tariff Equipment (TE)
Composition of nomenclature	1 x PE 8101T-1 - Body repair lift table dual cylinder 400V 3T 1/4 1 x PE 8101T-2 - Body repair lift table dual cylinder 400V 3T 2/4 1 x PE 8101T-3 - Body repair lift table dual cylinder 400V 3T 3/4 3 x SA 3012 - Hv46 hydraulic oil 5l 1 x PE 8101T-4 - Body repair lift table dual cylinder 400V 3T 4/4

Warranty Procedure INTERVENTION

Customer benefit	Supplied with HV46 hydraulic oil and ground fixing kit
Pneumatic power supply required	YES
Circuit breaker/Cable section	16A D / 5x2.5mm ²
Soil quality	>20cm Béton C20/25



CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h
and from 13h30 to 17h30 (16h30 on
Friday)