

Body repair lift table dual cylinder 400V 3T on/in-ground

Reference : PE 8101T



Item name	Body repair lift table dual cylinder 400V 3T on/in-ground
Bar code	3701555318196
Text	<p>Lifting table, free-standing or built-in, selected by micro-switch in the console. Underbody preparation table for bodybuilders, enables the vehicle to be lifted to the desired height for an ergonomic working position, protects against RSI. Ideal for minor dent removal, underbody work, sanding, painting, etc. Free-standing or built-in, electro-hydraulic operation. Pneumatic arm opening and closing. Reversible pad storage on console.</p>
Product highlight	Pneumatic arm opening and closing
Specifications	<p>Specifications :</p> <ul style="list-style-type: none">- lifting height: 120-1230mm- tray height: 120mm- closed dimension: L. 1840xl. 640mm- max. open dimension l 1837mm- control panel- drive power: 3kw- drive voltage: (3 phases + Neutral) 400V/50Hz- air supply 6-8bar- double-cylinder version, with mechanical position-holding safety device (rack)- 124° opening of 4 arms with reversible buffers- Epoxy paint

- emergency lowering system in case of power failure
- intermediate stop at 30 cm from the floor if free-standing and 19 cm if built-in, for user safety and anti-crushing audible signal

Advice Installation et mise en service, nous consulter.
 Dans le cadre de la garantie, l'installation et la mise en service doivent être effectuées par un professionnel.
 Frais de transport non inclus.

Warranty period 2 years

Power 3000W

Voltage 400V

Height 120 mm

Max. height 1,230 mm

Min. height 120 mm

Maximum load (T) 3 T

Tariff code Tariff Equipment (TE)

Composition of nomenclature 1 x PE 8101T-1 - Body repair lift table dual cylinder 400V 3T 1/4
 1 x PE 8101T-2 - Body repair lift table dual cylinder 400V 3T 2/4
 1 x PE 8101T-3 - Body repair lift table dual cylinder 400V 3T 3/4
 3 x [SA 3012 - Hv46 hydraulic oil 5l](#)
 1 x PE 8101T-4 - Body repair lift table dual cylinder 400V 3T 4/4

Warranty Procedure INTERVENTION

Customer benefit Supplied with HV46 hydraulic oil and ground fixing kit

Pneumatic power supply required YES

Circuit breaker/Cable section 16A D / 5x2.5mm²

Soil quality >20cm Béton C20/25



***Public price Exl. Tax : €6,999**

*Applicable user fees from 01/09/2025 to 31/08/2026

CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h
and from 13h30 to 17h30 (16h30 on
Friday)