

## 2 COLUMN HIGH PASSAGE DECK 5.10m 400V 6T 4 ARM ARTICULES

Reference : PE 2350T



<b>Item name</b>	2 COLUMN HIGH PASSAGE DECK 5.10m 400V 6T 4 ARM ARTICULES
<b>Bar code</b>	3701555318042
<b>Text</b>	<p>Particularly suited to repair work on extended utility vehicles, 4x4s, microcars, hybrids and electrics.</p> <p>Electro-hydraulic post lift.</p> <p>Direct push cylinder on carriage.</p> <p>Arms with adjustable joints.</p> <p>Hose and cable routing from the top for optimum working comfort, allowing free access to equipment under the vehicle (cylinders, oil recuperator, battery removal, etc.), facilitating workshop cleaning.</p> <p>Hydraulic power pack: equipped with a position safety device for precise intervention, gearbox assembly, nut alignment, etc.</p> <p>Multiple lifting capacities thanks to 4 multi-adjustable articulated arms.</p> <p>Cylinder and cable protection strip included on each column.</p>
<b>Product highlight</b>	6T capacity Multi-position arm
<b>Specifications</b>	Specifications: - lifting height: 95-1850mm - drive power: 2.2kW - drive voltage: 400V/50 V/Hz - concrete strength/quality: 200mm-C20/25 - adjustable screw pads, stroke 70-140mm

- electrical release of safety catches
- emergency lowering system in the event of power failure
- system synchronization: by cable
- intermediate stop 20cm above ground for user safety and anti-crushing audible signal
- engine protection cover
- door protection on columns
- 240V electrical socket on electrical box
- cylinder and cable protection strip included on each column
- supplied with 4 x 70mm risers and supports
- Epoxy paint

**Advice**

Installation et mise en service, nous consulter.

Mise à disposition d'une nacelle impérative.

Dans le cadre de la garantie, l'installation et la mise en service doivent être effectuées par un professionnel.

Frais de transport non inclus.

**Warranty period** 2 years

**Power** 2200W

**Voltage** 400V

**Length (mm)** 4,000 mm

**Height** 5,000 mm

**Product weight (kg)** 1,114 kg

**Max. height** 1,850 mm

**Min. height** 95 mm

**Drive through width** 3,190 mm

**Maximum load (T)** 6 T

**Tariff code** Tariff Equipment (TE)

**Composition of nomenclature**

- 1 x PE 2340 - 2 COLUMNS HIGH PASSAGE 400V 6T WITHOUT ARMS
- 1 x PE 2355T - ENGINE BLOC 2 COLUMNS POST LIFT 6T
- 2 x PE 2341 - PAIR OF ARTICULATED ARMS FOR 6T
- 1 x PE 2343 - HIGH PASSAGE EXTENSION 5m00 FOR 6T
- 2 x [SA 3012 - HV46 HYDRAULIC OIL 5L](#)

**Warranty Procedure** INTERVENTION

**Customer benefit** Supplied with HV46 hydraulic oil and ground fixing kit

**Pneumatic power supply required** NO

**Circuit breaker/Cable section** 10A D / 5x2.5mm<sup>2</sup>

Soil quality

>20cm Béton C20/25



**\*Public price Exl. Tax : €10,990**

\*Applicable user fees from 01/09/2025 to 31/08/2026

CLAS EQUIPEMENTS  
83, chemin de la CROUZA  
73800 CHIGNIN  
France

Tel : +33 (0) 4 79 72 62 22  
Fax :

Monday to Friday - From 8 to 12h  
and from 13h30 to 17h30 (16h30 on  
Friday)