

2 COLUMNS POST LIFT HIGH PASSAGE 3.90m 400V 6T 4 ARTICULATED ARMS

Reference : PE 2339T



Item name	2 COLUMNS POST LIFT HIGH PASSAGE 3.90m 400V 6T 4 ARTICULATED ARMS
Bar code	3701555318035
Text	<p>Particularly suited to repair work on extended utility vehicles, 4x4s, microcars, hybrids and electrics.</p> <p>Electro-hydraulic post lift.</p> <p>Direct push cylinder on carriage.</p> <p>Arms with adjustable joints.</p> <p>Hose and cable routing from the top for optimum working comfort, allowing free access to equipment under the vehicle (cylinders, oil recuperator, battery removal, etc.), facilitating workshop cleaning.</p> <p>Hydraulic power pack: equipped with a position safety device for precise intervention, gearbox assembly, nut alignment, etc.</p> <p>Multiple lifting capacities thanks to 4 multi-adjustable articulated arms.</p> <p>Cylinder and cable protection strip included on each column.</p>
Product highlight	<p>6T capacity</p> <p>Multi-position arm</p>
Specifications	<p>Specifications:</p> <ul style="list-style-type: none"> - lifting height: 95-1850mm - drive power: 2.2kW - drive voltage: 400V/50V/Hz - adjustable screw buffers, stroke 70-140mm

- electrical release of safety catches
- emergency lowering system in case of power failure
- system synchronization: by cable
- intermediate stop 20cm above ground for user safety and anti-crushing audible signal
- engine protection cover
- door protection on columns
- 240V electrical socket on electrical box
- cylinder and cable protection strip included on each column
- supplied with 4 x 70mm risers and supports
- Epoxy paint

Advice

Installation et mise en service, nous consulter.

Mise à disposition d'une nacelle impérative.

Dans le cadre de la garantie, l'installation et la mise en service doivent être effectuées par un professionnel.

Frais de transport non inclus.

Warranty period 2 years

Power 2200W

Voltage 400V

Length (mm) 4,000 mm

Height 3,900 mm

Max. height 1,850 mm

Min. height 95 mm

Drive through width 3,190 mm

Maximum load (T) 6 T

Tariff code Tariff Equipment (TE)

Composition of nomenclature

- 1 x PE 2340 - 2 COLUMNS HIGH PASSAGE 400V 6T WITHOUT ARMS
- 1 x PE 2355T - ENGINE BLOC 2 COLUMNS POST LIFT 6T

2 x PE 2341 - PAIR OF ARTICULATED ARMS FOR 6T

1 x PE 2342 - 2 COLUMNS POST LIFT HIGH PASSAGE 6T

2 x [SA 3012 - HV46 HYDRAULIC OIL 5L](#)

Warranty Procedure INTERVENTION

Customer benefit Supplied with HV46 hydraulic oil and ground fixing kit

Pneumatic power supply required NO

Circuit breaker/Cable section 10A D / 5x2.5mm²

Soil quality >20cm Béton C20/25

2
WARRANTY

2200
W

400V



TE

CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h
and from 13h30 to 17h30 (16h30 on
Friday)