

2 columns post lift high passage 3.90m 400V 6T 4 articulated arms

Reference : PE 2339T



Item name	2 columns post lift high passage 3.90m 400V 6T 4 articulated arms
Bar code	3701555318035
Text	<p>Particularly suited to repair work on extended utility vehicles, 4x4s, microcars, hybrids and electrics.</p> <p>Electro-hydraulic post lift.</p> <p>Direct push cylinder on carriage.</p> <p>Arms with adjustable joints.</p> <p>Hose and cable routing from the top for optimum working comfort, allowing free access to equipment under the vehicle (cylinders, oil recuperator, battery removal, etc.), facilitating workshop cleaning.</p> <p>Hydraulic power pack: equipped with a position safety device for precise intervention, gearbox assembly, nut alignment, etc.</p> <p>Multiple lifting capacities thanks to 4 multi-adjustable articulated arms.</p> <p>Cylinder and cable protection strip included on each column.</p>
Product highlight	<p>6T capacity</p> <p>Multi-position arm</p>
Specifications	<p>Specifications :</p> <ul style="list-style-type: none">- lifting height: 95-1850mm- drive power: 2.2kW- drive voltage: (3 phases + Neutral) 400V/50Hz- screw-adjustable buffers, stroke 70-140mm- electrical release of safety catches

- emergency lowering system in case of power failure
- system synchronization: by cable
- intermediate stop 20cm above ground for user safety and anti-crushing audible signal
- engine protection cover
- door protection on columns
- 240V electrical socket on electrical box
- cylinder and cable protection strip included on each column
- supplied with 4 x 70mm risers and supports
- Epoxy paint

Advice Installation et mise en service, nous consulter.
 Mise à disposition d'une nacelle impérative.
 Dans le cadre de la garantie, l'installation et la mise en service doivent être effectuées par un professionnel.
 Frais de transport non inclus.

Warranty period	2 years
Power	2200W
Voltage	400V
Length (mm)	4,000 mm
Height	3,900 mm
Max. height	1,850 mm
Min. height	95 mm
Drive through width	3,190 mm
Maximum load (T)	6 T
Tariff code	Tariff Equipment (TE)
Composition of nomenclature	1 x PE 2340 - 2 columns high passage 400V 6T without arms 1 x PE 2355T - Engine bloc 2 columns post lift 6T 2 x PE 2341 - Pair of articulated arms for 6T 1 x PE 2342 - 2 columns post lift high passage 6T 2 x SA 3012 - Hv46 hydraulic oil 5l

Warranty Procedure INTERVENTION

Customer benefit	Supplied with HV46 hydraulic oil and ground fixing kit
Pneumatic power supply required	NO
Circuit breaker/Cable section	10A D / 5x2.5mm ²
Soil quality	>20cm Béton C20/25

2
WARRANTY

2200
W


400V



TE

CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h
and from 13h30 to 17h30 (16h30 on
Friday)