



3.5T Double-Scissor Lift, H160, 240V—Free-standing or built-in

Reference : PE 6400M160



Item name	3.5T Double-Scissor Lift, H160, 240V—Free-standing or built-in
Bar code	3701555331034
Text	Particularly well-suited for painting, body repair, and quick-service operations. Installation options: free-standing or built-in. Easy access: low ground clearance of 105 mm, lockable access ramps to extend the

platforms.

Maximum comfort and safety: controlled by a dual master-slave hydraulic safety system.

Height: 160 cm; lift eligible for Carsat certification.

Product highlight Carsat-Eligible

Specifications Specifications:
- Lifting height: 105–1,600 mm
- Width/length of bearing rails: 650/1,547–2,077 mm
- System synchronization: photocell
- Control panel
- Drive power: 2.2 kW
- Aluminum motor
- Drive voltage: (1 ~ + N) 240 V/50 Hz
- Emergency lowering system in case of power failure
- Intermediate stop 20 cm above the ground for user safety and an anti-crushing audible alarm
- Comes with 4 35-mm bumpers

Advice For installation and setup, please contact us.
Under the terms of the warranty, installation and setup must be performed by a professional.
Shipping costs not included.

Warranty period 2 years

Power 3000W

Voltage 240V

Length (mm) 2,077 mm

Width 1,990 mm

Height 1,600 mm

Maximum load (T) 3.50 T

Tariff code Tariff Equipment (TE)

Composition of nomenclature 1 x PE 6400M-1 - Double scissors post lift 3.5T 240V to be installed or recessed 1/2
1 x PE 6400M-2 - Double scissors post lift 3.5T 240V to be instal. or flush-mounted 2/2
3 x [SA 3012 - Hv46 hydraulic oil 5l](#)

Warranty Procedure INTERVENTION

Customer benefit Comes with HV46 hydraulic oil and a floor mounting kit

Pneumatic power supply required YES

Circuit breaker/Cable section 16A D tetra / 3x2.5mm² (1 PH + N + T)

2
WARRANTY



TE



240V

CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h
and from 13h30 to 17h30 (16h30 on
Friday)