Motorized wheel balancer with digital display

Reference : EQ 1000



Item name	Motorized wheel balancer with digital display
Bar code	3700461458842
Introduction	Motorized wheel balancer for passenger cars, LCVs, and 4x4s, featuring a large digital display and manual measurement of three parameters. Its numerous programs and two-operator function allow for simple balancing tailored to each user. Its long shaft enables work on rims with a large offset.
Text	Features: - Automatic cycle - Multifunction keys - Static and dynamic programs (2 planes) in a single run - 9 programs: 7 Aluminum (hidden mass) + Optimization + Static Moto - Auto-calibration: 50g mass - Self-diagnostics: error code - Multi-operator function - Simultaneous display of weights and mass positions - Measurement accuracy: ±1g - Display accuracy: 1g/5g
Product highlight	Optimized productivity for heavy-duty use.
Specifications	Specifications: - Power supply: 240V-50Hz - Power: 90W - Dimensions with cover open: 1550x1160x1490mm

- Digital display (5-minute standby)
- Maximum wheel diameter: 1,100 mm
- Maximum wheel weight: 70 kg
- Maximum rim diameter: 28 inches
- Rim width: 1.5 to 20 inches
- Manual measurement of 3 parameters: offset, diameter, width
- Safety enclosure with automatic start
- Measurement cycle time: 7 s
- Rotation speed: 140 rpm
- Shaft: L.210 mm × Ø40 mm × 4 mm
- Compartmentalized tray for cones and weights
- 4 storage brackets
- Weight positioning pliers
- Noise level < 69 dB
- Weight: 149 kg

Contents

Includes:
- EQ6521BL: 4 cones ranging from 42 to 137 mm, Ø 40 mm
- 12 mm Allen wrench
- SA8305: rim width gauge
- SA8905: 50 g calibration weight
- OC8034: multifunctional pliers
- EQ6404BL: quick-release nut, Ø 40 x 4 mm, with cup, seal, and retaining ring

Advice

Installation et mise en service, nous consulter.
Toutes nos équilibreuses sont livrées déjà étalonnées en usine.

Warranty period 2 years

Power 90W

Voltage 240V

More Products with electrical plug

Product weight (kg) 149 kg

Tariff code Tariff Equipment (TE)

Warranty Procedure INTERVENTION

Quick tip videos

Cliquez sur l'opération qui vous intéresse pour voir la **vidéo**:

 REMPLACEMENT CARTE ALIMENTATION

 REMPLACEMENT CPU

 REMPLACEMENT CAPTEURS PICK-UP

Operation videos



Cliquez sur l'opération qui vous intéresse pour voir la **vidéo**:

- MISE EN SERVICE
- CALIBRATION
- EQUILIBRAGE JANTE TÔLE
- EQUILIBRAGE JANTE ALU

CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h and from 13h30 to 17h30 (16h30 on Friday)