

Motorized wheel balancer with digital display

Reference : EQ 1000



Item name Motorized wheel balancer with digital display


Bar code 3700461458842

Introduction Motorized wheel balancer with large digital display and manual measurement of all 3 parameters for fast, simple and accurate balancing of light, medium and 4x4 wheels. Balancing can be performed in dynamic or static mode, with unbalance optimization and the hidden weight program available. A large number of programs will enable you to work on any type of rim, according to the user's needs and habits. It will also be possible to work with 2 operators at the same time for greater speed, and the great length of its shaft will enable it to cover even rims with very large offsets.

Text Features :

- European software
- automatic cycle
- multifunction keys
- static and dynamic program (2 planes) in a single run
- 9 programs: 7 Alu (hidden weight)+Optimization+Static Moto
- self-calibration: 50g mass
- self-diagnosis: fault code
- multiple operator function
- simultaneous display of weights and mass positions
- measurement accuracy: $\pm 1g$
- display accuracy: 1g/5g

Product highlight Multiple programs

Specifications	<p>Specifications :</p> <ul style="list-style-type: none"> - power supply: 240V-50Hz - power: 90W - dimensions open housing: 1550x1160x1490mm - digital display (5min standby) - maximum wheel diameter: 1100mm - max. wheel weight: 70kg - max. rim diameter: 28 inches - rim width: from 1.5 to 20 inches - manual measurement of 3 parameters: offset-diameter-width - safety housing with automatic start - measuring cycle time: 7s - rotation speed: 140 rpm - shaft: L.210mm-Ø40mmx4mm - compartmentalized tray for cones and masses - 4 storage supports - weight positioning clamp - noise level < 69dB - weight: 149kg
Contents	<p>Supplied with :</p> <ul style="list-style-type: none"> - EQ6521BL: 4 cones from 42 to 137mm Ø40mm - 12mm hexagonal wrench - SA8305: rim width compass - SA8905: 50g calibration weight - OC8034: multifunction weight clamp - EQ6404BL: Ø40x4mm quick nut with bowl/joint/compression ring
Advice	<p>Installation et mise en service, nous consulter. Toutes nos équilibreuses sont livrées déjà étalonnées en usine.</p>
Warranty period	2 years
Power	90W
Voltage	240V
More	Products with electrical plug
Product weight (kg)	149 kg
Tariff code	Tariff Equipment (TE)
Warranty Procedure	INTERVENTION
Quick tip videos	<p>Cliquez sur l'opération qui vous intéresse pour voir la vidéo:</p> <div style="display: flex; align-items: center; margin-top: 10px;">  REPLACEMENT CARTE ALIMENTATION </div>




[REPLACEMENT CPU](#)



[REPLACEMENT CAPTEURS PICK-UP](#)

Operation videos

Cliquez sur l'opération qui vous intéresse pour voir la **vidéo**:



[MISE EN SERVICE](#)



[CALIBRATION](#)



[EQUILIBRAGE JANTE TÔLE](#)



[EQUILIBRAGE JANTE ALU](#)

***Public price Exl.**

Tax : €1,799

*Applicable user fees
from 01/09/2025 to
31/08/2026

CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h
and from 13h30 to 17h30 (16h30 on
Friday)