Automatic wheel balancers 3d digital display + laser pointer

Reference : EQ 2100



Item name	Automatic wheel balancers 3d digital display + laser pointer
Bar code	3700461482137
Introduction	Motorized wheel balancer for LV passenger cars, LCVs, and 4x4s, featuring a large digital display and automatic measurement of three parameters. Its numerous programs and two-operator function enable fast, user-specific operation. An integrated electromagnetic brake, laser, and lighting ensure precise positioning of the weights. Its long shaft also allows for work on rims with a large offset.
Text	Features: - Automatic cycle - Multifunction keys - Static and dynamic programs (2 planes) in a single run - 9 programs: 7 Aluminum (hidden mass) + Optimization + Static Moto - Auto-calibration: 50g mass - Self-diagnostics: error code - Multi-operator function - Simultaneous display of weights and mass positions - Automatic stop at weight position with LED lighting inside the rim - Electromagnetic brake, lockable as desired - Measurement accuracy: ±1g - Display accuracy: 1g/5g
Product highlight	Laser pointer Electro-magnetic brake

	Automatic rigging
Specifications	Specifications: - Power supply: 240V-50Hz - Power: 90W - Dimensions with cover open: 1550x1160x1490mm - Noise level < 69dB - Digital display (5-minute standby) - Maximum wheel diameter: 1,100 mm - Maximum wheel weight: 70 kg - Maximum rim diameter: 28 inches - Rim width: 1.5 to 20 inches - Automatic measurement of 3 parameters: offset, diameter, width - Laser pointer for positioning weights - Safety guard with automatic start - Measurement cycle time: 7s - Rotation speed: 140 rpm - Shaft: L.210 mm × Ø40 mm × 4 mm - Compartmentalized tray for cones and weights - 4 storage brackets - Weight positioning pliers - Weight: 149 kg
Contents	Includes: - EQ6521BL: 4 cones ranging from 42 to 137 mm, Ø 40 mm - 12 mm hex socket wrench - SA8305: rim width gauge - SA8905: 50 g calibration weight - OC8034: multifunctional pliers - EQ6404BL: quick-release nut, Ø 40 x 4 mm, with cup, seal, and pressure ring
Options	Installation et mise en service, nous consulter. Dans le cadre de la garantie, installation et mise en service doivent être effectuées par un professionnel.
Advice	Electromagnetic brake
Warranty period	2 years
Power	90W
Voltage	240V
More	Products with electrical plug
Product weight (kg)	149 kg
Tariff code	Tariff Equipment (TE)
Warranty Procedure	INTERVENTION
Quick tip videos	Click on the operation you are interested in to watch the **video**:

☒ POWER SUPPLY BOARD REPLACEMENT


☒ CPU REPLACEMENT

☒ MEASUREMENT ARM CALIBRATION

☒ PICK-UP SENSOR REPLACEMENT

Operation videos

Click on the operation you are interested in to watch the video:



COMMISSIONING
CALIBRATION
SHEET METAL RIM BALANCING
ALUMINUM RIM BALANCING

CLAS EQUIPEMENTS
83, chemin de la CROUZA
73800 CHIGNIN
France

Tel : +33 (0) 4 79 72 62 22
Fax :

Monday to Friday - From 8 to 12h and from 13h30 to 17h30 (16h30 on Friday)