

CLAS[®]

Selection SUMMER



FROM 01/04 TO 31/07/2024

AIR CONDITIONING OIL RANGE

Find the complete range of air conditioning oils on clas.com.



PAG 60 Not compatible with other oils

GRADE/ GAS	Universal	SANDEN compressor	Buy x 1	Buy x12
Universal (R134a & R1234yf)	CO 4080 (250 mL)	YES	13 ^{€VAT Excl.*}	11 ^{€VAT Excl. per unit}
	CO 4081 (1L)	YES	37 ^{€VAT Excl.*}	32 ^{€VAT Excl. per unit}



PAO Fully synthetic (polyalphaolefin)
Compatible with mineral oils

GRADE	Universal	SANDEN compressor	Buy x 1	Buy x12
Universal (R134a & R1234yf)	CO 6137 (1L)	OUI	30 ^{€VAT Excl.*}	26 ^{€VAT Excl. per unit}

POE 80 Electric compressors (dielectric lubricant)

GRADE/ GAZ	Universal	SANDEN compressor	Buy x 1	Buy x12
Universal (R134a & R1234yf)	CO 4099 (250 mL)	NO	27 ^{€VAT Excl.*}	23 ^{€VAT Excl. per unit}



TRACER RANGE FOR OILS

	PAG base oil	Buy x 1	Buy x12	Other oils	Buy x 1	Buy x12	Hybrid vehicle	Buy x 1	Buy x12
R134a	CO 6262 (350mL)	27 ^{€VAT EXCL.*}	23 ^{€VAT Excl. per unit}	CO 6265 (250 mL)	28 ^{€VAT EXCL.*}	24 ^{€VAT Excl. per unit}			
				CO 6264 (1L)	68 ^{€VAT EXCL.*}	60 ^{€VAT Excl. per unit}			
R1234yf	CO 6161 (5L)	123 ^{€VAT EXCL.*}	115 ^{€VAT Excl. per unit}	CO 6263 (1L)	31 ^{€VAT EXCL.*}	27 ^{€VAT Excl. per unit}			
Universal				CO 4068 (250 mL)	33 ^{€VAT EXCL.*}	28 ^{€VAT Excl. per unit}	CO 4069 (250 mL)	34 ^{€VAT EXCL.*}	30 ^{€VAT Excl. per unit}
				CO 6266 (1L)	90 ^{€VAT EXCL.*}	79 ^{€VAT Excl. per unit}			

Syringes :

	Other oils Batch x12	Buy x 1	Buy x12	Hybrid vehicle	Buy x 1	Buy x12
R134a	CO 4077	33 ^{€VAT EXCL.*}	29 ^{€VAT EXCL. per unit}			
R1234yf	CO 4078	37 ^{€VAT EXCL.*}	35 ^{€VAT EXCL. per unit}			
Universal	CO 6253	33 ^{€VAT EXCL.*}	29 ^{€VAT EXCL. per unit}			



VACUUM PUMP OIL RANGE

GRADE/ GAZ	32	Buy x 1	Buy x12	46	Buy x 1	Buy x12	68	Buy x 1	Buy x12
Universal (R134a & R1234yf)	CO 6138 (1L)	20 ^{€VAT Excl.*}	17 ^{€VAT Excl. per unit}	CO 6140 (500mL)	12 ^{€VAT Excl.*}	10 ^{€VAT Excl. per unit}	CO 6023 (500 mL)	13 ^{€VAT Excl.*}	11 ^{€VAT Excl. per unit}
				CO 6139 (1L)	20 ^{€VAT Excl.*}	17 ^{€VAT Excl. per unit}	CO 6141 (1L)	21 ^{€VAT Excl.*}	18 ^{€VAT Excl. per unit}



AIR CONDITIONING STATION

Very easy to use machine, the maintenance of the air conditioning system becomes fun.

+
Integrated data vehicles
Environmentally friendly use



Scan to see the video!

AUTOMATIC AIR CONDITIONING STATION R134a

AC 8544

R134a

2899€VAT Excl.*

Specifications:

- 128x64 pixel LCD graphic display
- 10cc compressor / 50l/min pump / 400g/min recuperator
- 2 hermetically sealed 250ml bottles (used oil, new oil) with anti-moisture filtration system, equipped with male quick connectors with plunger
- 3m hose kit
- HP/BP quick couplers
- internal cylinder 9Kg / operational limit 1Kg
- heating belt
- scale precision +/- 5g
- calibration/locking tool
- automatic air purge system
- internal cleaning of station circuit
- factory-assembled and tested

AUTOMATIC AIR CONDITIONING STATION R1234yf

AC 8344

R1234yf

2999€VAT Excl.*



*Recommended user price applicable from 01/09/2023 to 31/08/2024. Illustrations non-contractual. Offer valid from 01/04 to 31/07/2024. In the event of stock shortage, CLAS reserves the right to deliver a gift of equivalent value.

**FILLING KIT FOR NITROGEN/HYDROGEN (N2-H2)
LEAK DETECTION 50bar**

AC 1017

The tooling contained in the case is used to «pressurize» the refrigeration and air conditioning systems in order to «simulate», inside the systems, at which pressure it will have to operate.

Compatible with small and large bottles

+ Compatible with R134a and R1234yf gas



R134a

R1234yf

Contents:

- carrying case
- SA4062: pressure relief valve block with safety valve up to 50bar
- SA4060: insulation pressure gauge + flexible 12cm
- SA4063: reducer for 1kg bottle
- SA1090: hydrogenated nitrogen bottle (N2-H2)1kg
- SA4061: 150cm piping system
- SA4029: high pressure connection
- SA4052: gas-specific high pressure fitting R1234yf

449€VAT Excl.

Instead of 495€VAT Excl.*



1kg NITRO-TRACE CYLINDER (N2-H2)

TN

SA 1090

Component of AC 1017/AC 1014/AC 1015/AC 1016/AC 1023



59€VAT Excl.

Instead of 69,90€VAT Excl.*

Specifications:

1kg: Nitrogen 95% and hydrogen 5%



2.2kg NITRO-TRACE CYLINDER (N2-H2)

TN

SA 1092



82€VAT Excl.

Instead of 99,90€VAT Excl.*

Specifications:

Nitrogen 95% and hydrogen 5%



UNIVERSAL ELECTRONIC LEAK DETECTOR R134a/1234YF/HYDROGEN

TN

AC 7495

This leak detector with a sensor designed to detect the smallest concentrations of hydrogen nitrogen and other gases. Compatible with Hydrogen Nitrogen (N2-H2), R134a, R1234YF, R404-A, R410-A, R407-C, R22, Freon...
When a concentration is detected, an audible alarm is emitted and the display indicates the size of the leak (from 1 to 7).

Specifications:

- sensitivity adjustable on 3 levels
- automatic calibration
- sensor type: semi-conductor
- integrated fan
- power supply: 4 x AA alkaline batteries
- battery life: 4-6h continuously
- low battery indicator
- preheating time 45 s
- probe length: 40cm
- delivered in a suitcase with batteries

459€VAT Excl.

Instead of 480€VAT Excl.*



Multi-gas, self-calibration



R134a

R1234yf



INFRARED THERMOMETER -38°/520°

TN

OE 5036



75€VAT Excl.

Instead of 89€VAT Excl.*

Specifications:

- temperature range: -38°C/520°C (-36.4°F/968°F)
- accuracy: ± 2°C
- response time: 1s
- resolution: 0.1°C/0.1°F
- illuminance automatic stop after 15s
- automatic switch off after 60s if no action taken
- power source: 1.5V battery (x2)



DIGITAL THERMOMETER

TN

AC 4223

49€VAT Excl.

Instead of 60€VAT Excl.*



Specifications:

- digital display
- temperature range: - 40° to 250°C
- stainless steel sensor
- automatic stop
- power supply: LR44 battery (included)
- accurate to:
 - ±2% (between -40°C and 200°C)
 - ±3% (between 200°C and 250°C)



DIGITAL ELECTRONIC THERMOMETER

TN

AC 4224

54€VAT Excl.

Instead of 75€VAT Excl.*



Specifications:

- digital display
- temperature range: -50° to 300°C
- stainless steel sensor
- pressure ±1°C
- battery power 1.5V AAA
- cable length: 900mm
- probe length (chromed part): 170mm
- cable + probe (with handle): 1200mm



AIR CONDITIONING MAINTENANCE TOOL SET FOR FRENCH VEHICLES (214 PCS)

AC 4024

Set of seals, plugs and valves for all basic maintenance of air conditioning systems.

152€VAT Excl.

Instead of 166€VAT Excl.*



Components available at retail.



VALVE/CONNECTOR/PLUG AIR CONDITIONING MAINTENANCE SET

AC 4034

Set of connectors, plugs and valves for all basic maintenance of R134a air conditioning systems.

109€VAT Excl.

Instead of 120€VAT Excl.*



Components available at retail.



AIR CONDITIONING MAINTENANCE SET FOR GERMAN VEHICLES (171 PCS)

AC 4025

Set of seals, plugs and valves for all basic maintenance of air conditioning systems.

119€VAT Excl.

Instead of 132€VAT Excl.*



Components available at retail.



O-RING STANDARD KIT

TN

AC 4056

114€VAT Excl.

Instead of 139€VAT Excl.*



AIR CONDITIONING VALVE CORE KIT

TN

AC 4057

114€VAT Excl.

Instead of 129€VAT Excl.*



4 COMPARTMENTS ORGANIZER FOR AIR CONDITIONING MAINTENANCE BOX

TN

AC 4021

Ideal for grouping aircon maintenance sets.
Can accommodate up to 4 sets.



42€VAT Excl.*



BLACK PULLTAP'S
CORKSCREW
(PUB 6004) 8€VAT Excl.

FREE



AIR CONDITIONING MAINTENANCE KIT R1234YF

TN

AC 4054

Assortment of plugs and shells for all basic maintenance of R1234yf air conditioning systems.

119€VAT Excl.

Instead of 145€VAT Excl.*



AIR CONDITIONING LEAK STOP FOR R134a 30ml

CO 4065

TN

R134a

BUY X1

31€VAT Excl.*



BUY X12

25€VAT Excl.
per unit

Allows plugging micro-leaks in metal parts, hoses and joints.
Saves time on hard-to-access leaks.

AIR CONDITIONING LEAK STOP FOR R1234yf 30ml

CO 4070

R1234yf

BUY X1

36€VAT Excl.



BUY X12

30€VAT Excl.
per unit

NO
WARRANTY

DETECTION KIT / AIR CONDITIONING IMPURITIES FILTRATION SYSTEM R134a

AC 1018

TN

R134a

349€VAT Excl.

Instead of 399€VAT Excl.*



DETECTION KIT / AIR CONDITIONING IMPURITIES FILTRATION SYSTEM R1234YF

AC 1019

R1234yf

399€VAT Excl.

Instead of 429€VAT Excl.*



2
WARRANTY

2-WAY PRESSURE CONTROL MANOMETER SET R134a

AC 9153

Suitable for filling and inspection of air conditioning systems by providing system pressure readings.

TN

TN

190€VAT Excl.

Instead of 200€VAT Excl.*



2
WARRANTY

THINK ABOUT IT!

ELECTRONIC SCALE 100kg

OE 9200 399€VAT Excl.



2
WARRANTY

AIR CONDITIONING WASHING KIT

TN

AC 1023

An economical way to remove contaminants and limescale from air conditioning system components.



349€VAT Excl.

Instead of 359€VAT Excl.*



GUN AND SPRAY CLEANING SET FOR AIR CON SYSTEM 600ml

TN

AC 9156

BUY x1

82 €HT*
Per unit

BUY x3

67 €HT
Per unit

Instead of 82 €HT*



		Promotional offer	Catalog price*
CO 6258	AIR CON CLEANING SPRAY 600ml	18€VAT Excl.	20€VAT Excl.



A/C FLUSHING ADAPTER KIT

TN

AC 4061

Conical adapters kit for the connection of washing equipment to A/C systems.

122€VAT Excl.*



BLACK PULLTAP'S CORKSCREW

PUB 6004 8€VAT Excl.

FREE



Contents:

- 2 clamping cones with 1/4 SAE adapter
- 5 sets of plates
- 3 sets of cones
- 1 storage case



LIQUID CANISTER WASHING AIR CONDITIONING 5L

TN

CO 1070

Approximately 20 washes



59€VAT Excl.

Instead of 63€VAT Excl.*



AIR CONDITIONING R134a CONTROL SET BY TRACER

AC 4052

R134a

69€VAT Excl.

Instead of 79€VAT Excl.*

Contents:

OE0396: 1 x rechargeable mini uv inspection lamp
SA1002 : 1 x uv goggles
CO4077 : 1 x bag of 12 7.5ml tracer syringes for r134a gas



AIR CONDITIONING R1234yf CONTROL SET BY TRACER

AC 4053

R1234yf

69€VAT Excl.

Instead of 81€VAT Excl.*

Contents:

OE0396: 1 x rechargeable mini uv inspection lamp
SA1002 : 1 x uv goggles
CO4078 : 1 x bag 12 tracer syringes 7,5ml for gas r1234yf



PURIFIER | SMELL SPRAY



		Promotional offer x12	Catalog price*
CO 6254	ANTI ANIMAL SMELL SPRAY 200ml	6€VAT Excl.	9€VAT Excl.
CO 6255	ANTI-SMOKING SMELL SPRAY 200ml	6€VAT Excl.	9€VAT Excl.
CO 1076	CAR CABIN PURIFIER 400ml MINT	8€VAT Excl.	10€VAT Excl.
CO 1075	CAR CABIN PURIFIER 400ml MUSK	8€VAT Excl.	10€VAT Excl.
CO 1074	CAR CABIN PURIFIER 400ml LEMON	8€VAT Excl.	10€VAT Excl.
CO 6216	CABIN PURIFIER 400ml LAVENDER	8€VAT Excl.	10€VAT Excl.
CO 6218	CABIN PURIFIER 400ml PINE	8€VAT Excl.	10€VAT Excl.
CO 6217	CABIN PURIFIER 400ml FOAMING	8€VAT Excl.	10€VAT Excl.
CO 6220	CABIN PURIFIER 400ml VANILLA	8€VAT Excl.	10€VAT Excl.



ENGINE OIL TREATMENT TN
300ml
 CO 1009



BUY X1
14€VAT Excl.*

BUY X24
13€VAT Excl.
 per unit



300 ml ENGINE LEAK STOP TN
 CO 1014



BUY X1
13€VAT Excl.*

BUY X24
11€VAT Excl.
 per unit



300ml ENGINE CLEANER BEFORE DRAINING TN
 CO 1015



BUY X1
13€VAT Excl.*

BUY X24
12€VAT Excl.
 per unit



SET OF 24 PLUGS + NUT WRENCHES PLASTIC DRAIN TN
 CO 1095



99€VAT Excl.
 Instead of 166€VAT Excl.*

Composition :
 CO1090 : 6 x bouchon de vidange plastique ford/psa
 CO1091 : 6 x bouchon de vidange plastique ford
 CO1092 : 6 x bouchon de vidange plastique bmw
 CO1093 : 6 x bouchon de vidange plastique vag
 HU2029 : 1 x coffret 4 clés écrous de vidange plastique



13 BLOCK DRAIN PLUGS KIT TN
 HU 2019



69€VAT Excl.
 Instead of 79€VAT Excl.*



3/8" DRAIN BIT SET (18PCS) TN
 HU 2002



29€VAT Excl.
 Instead of 39€VAT Excl.*

Contents:

- hex: 8-9-10-12-14-17mm
- 3-sided: 10mm
- XZN tamperproof: 16mm
- square: 7-8-10-11-12-13-14-5/16"-3/8"
- square female: 10mm



2
 WARRANTY

FILTER WRENCH OIL/PETROL 3/8" MANN/MAHLE/KNECHT TN
 HU 2258



14€VAT Excl.
 Instead of 16€VAT Excl.*

BLACK PULLTAP'S CORKSCREW
 PUB 6004 8€VAT Excl.

Waist width: 36mm
 Drive: 3/8"

FREE



DIESEL FILTER WRENCH HYUNDAI/KIA TN
 OM 0554



14€VAT Excl.
 Instead of 20€VAT Excl.*

BLACK PULLTAP'S CORKSCREW
 PUB 6004 8€VAT Excl.

Specifications:

- 1/2" drive
- 15pans
- Ø108mm

FREE



DIGITAL PRESSURE CONTROL UNIT MASTER KIT

AC 0800

The instrument is equipped with a sound and visual safety device to identify the sensor according to the measurement, the calibration is simple and integrated into the instrument.
Registration for expertise.

+ Clear and precise reading of live values

1615€VAT Excl.*



OIL PRESSURE ADAPTERS
AC 0815 229€VAT Excl.

FREE



THINK ABOUT IT!

CYLINDER LEAK TESTER

AC 0816 289€VAT Excl.



TN



OIL PRESSURE GAUGE

AC 4111

99€VAT Excl.

Instead of 112€VAT Excl.*

Contents:

- 1x 0-10bar manometer with pressure reducer
- 1300mm line with fast connector
- fast connector elbow (90°)
- 10 oil pressure switch activated adaptors
- for all engines (diesel and petrol)



TN



FLUID COLLECTION CONTAINER

HU 0031

149€VAT Excl.*

Instead of 159€VAT Excl.*

Specifications:

- dimensions: 780x495x120mm
- max. wheelbase: 920mm
- equipped with 4 swiveling wheels
- 2 carry handles
- pouring spout



TN



BRAKE FLUID TESTER PROBE TN

AC 5004

17€VAT Excl.

Instead of 21€VAT Excl.*

Dot 3-4-5





5L CONTAINER OF BRAKES CLEANER TN

CO 1530

39€VAT Excl.

Instead of 46€VAT Excl.*




THINK ABOUT IT! TN

HIGH PRESSURE RECHARGEABLE SPRAY 650ml

EG 1532 79€VAT Excl.




DIGITAL CALIPER FOR BRAKE DISCS TN

AC 0521

This aluminum caliper measures the thickness of the brake discs. The wear of the disc forms an external burr which prevents the use of a traditional caliper: this one is specially designed for this problem. Equipped with a save button to keep the reading of the measurement made.




69€VAT Excl.

Instead of 89€VAT Excl.*

Specifications:

- measuring range: 0 to 80mm
- resolution: 0.01mm
- offset: 28mm
- zeroing in any position
- double unit of measurement: mm and inch

+ Accurate measurement Clear reading

BRAKE CALIPER SOCKET SET (18 PCS) TN

OM 0180

105€VAT Excl.*

Contents:

- 3/8" d. hex socket bits
 - H7 recessed length 45mm
 - H7 recessed length 65mm
 - H9 recessed length 23mm
 - H11 recessed length 73mm
- 1/2" hex socket bit:
 - H10 recessed length 12mm
- 3/8" hex sockets L.25mm: H7, H8
- 1/4" hex socket L.20mm H9
- 1/2" 5 pin sockets: 10, 12.5, 14 and 19mm
- gear lock sockets (7pins) 14 and 22mm
- gear lock sockets (10 pins) 9, 11.5, 15 and 20mm

DUAL-WALL STAINLESS STEEL WINE COOLER (PUB 5051) 24€VAT Excl.

FREE





BRAKE CALIPER RIGID SPRING PULLER TN

OM 2121

This tool is specially designed to remove and reinstall rigid brake springs smoothly and in security.

79€VAT Excl.

Instead of 109€VAT Excl.*

+ Save time and increased safety during operation

BLACK PULLTAP'S CORKSCREW (PUB 6004) 8€VAT Excl.

FREE





Scan to see the video!



8 BRAKE BLEEDER PLUG SET

TN

HU 1213



249€VAT Excl.

Instead of 429€VAT Excl.*




PNEUMATIC VACUUM BRAKE BLEEDER

TN

OP 0501

Vacuum kit capacity 800ml
Powered by compressed air



139€VAT Excl.


Instead of 219€VAT Excl.*



SET OF 6 BRAKE/CLUTCH BLEED WRENCHES

TN

OM 0501



85€VAT Excl.*

Instead of 95€VAT Excl.*

Specifications:

- wrenches 7, 8, 9, 10, 11 and 12mm
- SA2113: hose L.105cm



FLARE NUT WRENCH INSERT 8-19mm (6 PCS)

TN

OS 0070

44€VAT Excl.*

Instead of 54€VAT Excl.*

Specifications:

- angle: 13°
- hex socket
- CRV steel

Contents:

- 8x10mm
- 9x11mm
- 12x13mm
- 14x15mm
- 16x18mm
- 17x19mm



SMOKE LEAK DETECTOR

AC 0410

+ Integrated compressor
Leak rate reading

1275€VAT Excl.*

Instead of 1375€VAT Excl.*



TN

PETROL TECHNICAL CONTROL PACK

CO 1007

Contents:

CO1005: 1 x petrol injector cleaner 300ml
CO1009 : 1 x engine oil treatment 300ml
EM1043 : 1 x gasoline technical inspection pass package



DIESEL TECHNICAL CONTROL PACK

CO 1008

Contents:

CO1009 : 1 x engine oil treatment 300ml
CO1010 : 1 x diesel injector cleaner 300ml
EM1042 : 1 x diesel test pass packaging



24€VAT Excl.

Instead of 31€VAT Excl.*

+ Optimum results after 300 km.

24€VAT Excl.

Instead of 31€VAT Excl.*

+ Optimal result after 300km



TN

PETROL INJECTOR CLEANER 300ml

CO 1005

+ Treats up to 80 liters of fuel



		Promotional offer	Catalog price*
CO 1005	PETROL INJECTOR CLEANER 300ml	11€VAT Excl.	14€VAT Excl.
CO 1010	DIESEL INJECTOR CLEANER 300ml	11€VAT Excl.	14€VAT Excl.
CO 1085	250ml BIOETHANOL INJECTOR CLEANER	19€VAT Excl.	29€VAT Excl.



TN

5 IN 1 ENGINE CLEANER



Treats up to 80 liters with a 375ml dose
Preventive and curative formula
Does not damage injection circuit seals

+ No disassembly, mix directly with fuel

		Promotional offer	Catalog price*
CO 1080	5 IN 1 DIESEL ENGINE CLEANER	19€VAT Excl.	29€VAT Excl.
CO 1081	5 IN 1 PETROL ENGINE CLEANER	19€VAT Excl.	29€VAT Excl.



TN

*Recommended user price applicable from 01/09/2023 to 31/08/2024. Illustrations non-contractual. Offer valid from 01/04 to 31/07/2024. In the event of stock shortage, CLAS reserves the right to deliver a gift of equivalent value.

COOLING LINE TESTER + REFILLING DEVICE SET 28PCS

TN

AC 1160

239€VAT Excl.

Instead of 309€VAT Excl.*



Contents:

- 1 test pump with air release valve
- 0 to 2,5bar manometer
- 17 ABS screw plugs (coded by color and number)
- 3x1/4 turn metal plugs
- 1 plug screwing wrench
- 1 thermometer 0 to 200°C
- 2 R123/R124 and R123/R125 connectors
- 1 vacuum cooling line refilling kit
- 1 conical adaptor 15-44mm



300ml RADIATOR LEAK SEALER

TN

CO 1012

Allows almost the full circuit to be repaired. This product, which is composed of gel and aluminum flakes, permits you to carry out repairs by creating a patch on non-rigid parts (water container, hoses...) and the aluminum flakes repair the radiator by sealing the leak using the flakes.

Treats 4 to 8L of liquid.

9,50€VAT Excl.

Instead of 12€VAT Excl.*



Exclusive gel formula with flakes of aluminum incorporated

300 ml COOLING SYSTEM CLEANER

TN

CO 1013

Removes deposits and limescale from pipes, hoses and radiators. Removes a protective layer against rust and corrosion. Renovates thermostat gaskets and relieves water pumps.

Dilution: 6 to 7.5% (one bottle for 4 to 5L of coolant)

9,50€VAT Excl.

Instead of 12€VAT Excl.*



TN

MINI DIGITAL COMPRESSOR 12V

EG 6020

22€VAT Excl.

Instead of 53€VAT Excl.*



Specifications:

- different measures: PSI, Bar, KPA, Kg/m2
- voltage 12V
- power 120W
- cable 3.8m
- noise <50db
- max. pressure 150 PSI (10 bar)



READER DEFAULT CODE OBDII

AC 5247

Allows the reading and deletion of most basic defect codes (engine defects, pollutant emissions).
Allows real-time control of ECU values.

TN

49€VAT Excl.

Instead of 89€VAT Excl.*



BLACK PULLTAP'S CORKSCREW

PUB 6004 €VAT Excl.

FREE



6/12/24V VEHICLE BATTERY TESTER WITH PRINTER

AC 5254

The battery tester with integrated printer is compatible with 6V / 12V / 24V battery tests. Light vehicles, commercial vehicles, trucks, motorcycles, boats, farm machinery.

TN

299€VAT Excl.

Instead of 339€VAT Excl.*

NEW



Composition :

- tester
- clip cable
- usb cable
- user manual
- paper reel x2 refill

+ oscilloscope mode color screen



*Recommended user price applicable from 01/09/2023 to 31/08/2024. Illustrations non-contractual. Offer valid from 01/04 to 31/07/2024. In the event of stock shortage, CLAS reserves the right to deliver a gift of equivalent value.

2 COLUMNS ASYMETRIC POST LIFT 400V 4T

PE 2001T

+ 4T load

4500€VAT Excl.*



Specifications:


- lifting height : 105-1890mm
- lifting time : +/- 40s
- lowering time : +/- 40s
- driving power: 2.2kW
- drive voltage: (3 ~) 400/50 V/Hz
- concrete strength/quality: 200mm-C20/25
- adjustable buffers on screw 55mm stroke.
- electromagnetic release of the safety catches
- overload and pipe breakage safety
- system synchronization: by cable.
- protection strip for cylinder, chain and cables included on each column
- made in Europe
- epoxy paint

FREE SHIPPING**
to france only



4T **2** WARRANTY

ROUND RUBBER PAD | RECTANGULAR



		Promotional offer	Catalog price*
EG 1141	ROUND RUBBER PAD Ø124x26mm	15€VAT Excl.	16€VAT Excl.
EG 1137	RECTANGULAR RUBBER PAD 160x120x30mm	16€VAT Excl.	19€VAT Excl.
EG 1136	RECTANGULAR RUBBER PAD 160x120x60mm	21€VAT Excl.	25€VAT Excl.
EG 1143	RECTANGULAR RUBBER PAD 160x120x115mm	36€VAT Excl.	43€VAT Excl.
EG 0607	LV BLOCK - vendues par 2	11€VAT Excl.	13€VAT Excl.

Hardness 85° SHORE A
Only sold per 4

NO WARRANTY

PAD FIAT 500E/500X/JEEP RENEGADE Ø100 X H.55

EG 1154

19€VAT Excl.
Instead of 20€VAT Excl.*



TESLA PAD 3 Ø76/26 x h.51/25

EG 1153

19€VAT Excl.
Instead of 20€VAT Excl.*



Specifications:

- Ø out. 76mm
- Ø fitting 26mm
- total height 53mm
- shaft height 25mm




NO WARRANTY

2 WARRANTY

MOBILE SCISSOR LIFT DUAL CYLINDER LOW RAISE 230V 3T

PE 6000M

 Outdoor intervention possible



4350€VAT Excl.*



Specifications:

- lifting height : 105-960mm
- lifting time: +/- 20s
- lowering time: +/- 20s
- track width/length: 530/1450-2036mm
- system synchronization: photo cell
- drive power: 2.2kW
- drive voltage: (3 -) 400/50 V/Hz
- Scissor control: double hydraulic master-slave system
- full power lifting at the lowest point 105mm.
- maximum safety: double hydraulic safety system (without mechanical detent or compressed air)
- emergency lowering system in case of power failure
- anti-crushing intermediate stop to CE standards and sound signal
- European origin

FREE SHIPPING**
to france only



3T 

DOUBLE SCISSOR LIFT DUAL CYLINDER 400V 3T

PE 6001T



6350€VAT Excl.*



FREE SHIPPING**
to france only

Specifications:

- lifting height : 100-1950mm
- lifting time: +/- 40s
- lowering time: +/- 35s
- width/length of tracks: 650/1420-2000mm
- system synchronization: photo cell
- width/length of floor required for installation: 2000/2030mm
- drive power: 2.2kW
- drive voltage: (3 -) 400/50 V/Hz
- concrete strength/quality: 200mm-C20/25
- Maximum safety: double hydraulic safety system (without mechanical lock and compressed air), emergency lowering system in case of power failure, anti-crushing intermediate stop according to CE standards and sound signal
- made in Europe



3T 

BOTTLE JACK 2T

TN

OH 4502

29€VAT Excl.

Instead of 33€VAT Excl.*



Specifications:

- soleplate adjustable from 0 to 48mm
- base: 99x93mm



2T



BOTTLE JACK 4T

TN

OH 4504

36€VAT Excl.

Instead of 39€VAT Excl.*



Specifications:

- soleplate adjustable from 0 to 60mm
- base: 110x103mm



4T




PIT JACK 600kg

TN

OH 0266

299€VAT Excl.

Instead of 319€VAT Excl.*



A (mm)	B (mm)	C (mm)
1180	2000	800

Specifications:

- foot control
- chromed rod diameter 30mm
- overload safety
- deadman lowering control
- 4 swiveling wheels



600KG



EXTRA FLAT TROLLEY JACK 2T 85mm

TN

OH 5304



+ Extra low profile




Handle storage

Specifications:

- rotating saddle
- safety overload system

89€VAT Excl.

Instead of 99€VAT Excl.*



2T




TN

EXTRA FLAT ALUMINUM TROLLEY JACK 1.25T 85mm

OH 5309



+ Ultra-light, ultra-flat



Fast lifting dual pump system




Quick-release handle

299€VAT Excl.*

Specifications:

- rubber pad
- safety overload system
- twin pump design
- protective foam on the handles
- swivelling rear castors

Max. T **1.25** ↑ **375** ↓ **85 mm** QUICK LIFT METAL **11.5** KG



1.25T

10 WARRANTY

EXTRA FLAT TROLLEY JACK 3T 75mm

OH 7014

TN



+ Extra low profile



Foot pedal



Fast lifting dual pump system


279€VAT Excl.

Instead of 299€VAT Excl.*

Specifications:

- control lowering system
- safety overload system
- swiveling rubber saddle
- foam protection on handle
- PU front and rear wheels

Max. T **3** ↑ **510** ↓ **75 mm** EXTRA FLAT QUICK LIFT PU **32.5** KG



3T

10 WARRANTY

*Recommended user price applicable from 01/09/2023 to 31/08/2024. Illustrations non-contractual. Offer valid from 01/04 to 31/07/2024. In the event of stock shortage, CLAS reserves the right to deliver a gift of equivalent value.

1/2" D. IMPACT WRENCH 2230Nm DOUBLE HAMMER

OP 1504

The perfect balance between size and power.

1/2"



+ Powerful One-hand clamping/unclamping reversal

Features:

- 4-position variator
- exhaust handle
- one-hand reverser

EN ISO 15744:2008
EN ISO 4871
EN ISO 11148-6:2012

Supplied with connector



Specifications:

- double hammer technology
- loosening torque: 2230Nm
- max tightening torque: 1000Nm
- speed: 7.500rpm
- connection: 1/4"
- recommended hose Ø: 10mm
- supply pressure: 6.2bar
- consumption: 170l/min
- length: 185mm

149€VAT Excl.*



MAGNETIC TOOL HOLDER
EG 0070 42€VAT Excl.

FREE



2330Nm



1/2" WHEEL INTERVENTION SOCKET SET (10 PCS)

OM 7027

Content:

- SA0660: 17mm helical socket
- SA0661: 19mm helical Socket
- SA0662: 21mm helical Socket
- SA7022: 17mm sheated socket (Blue)
- SA5017: 19mm sheated socket (Gold)
- SA5023: 21mm sheated socket (Red)
- OM7028 : 18.5 and 19.5mm reversible socket
- OM7029 : 20.5 and 21mm reversible socket
- OS6999 : 1/2" impact extension 75mm
- SA 8074 : pin driver Ø8-12mm

+ FORD compliant

65€VAT Excl.*

Instead of 75€VAT Excl.*



120Nm PRESET 1/2" D. TORQUE WRENCH

TN

OM 0765

59€VAT Excl.

Instead of 75€VAT Excl.*

+ Delivered with calibration certificate

1/2"

Specifications:


- release accuracy ± 4%
- weight: 825g
- length: 375mm



DIN ISO standard: 6789



TN



+ Delivered with calibration certificate

	Square	Tightening torque	Length	Weight	Accuracy	Promotional offer	Prices*
OM 0791	1/4"	1-6 Nm	197 mm	260 g	+/- 3 % (serrage)	59€VAT Excl.	69€VAT Excl.
OM 0794	1/4"	5-25 Nm	240 mm	320 g		64€VAT Excl.	74€VAT Excl.
OM 0795	3/8"	10-60 Nm	295 mm	410 g	+/- 6 % (desserrage)	79€VAT Excl.	89€VAT Excl.
OM 0796	3/8"	20-120 Nm	420 mm	1000 g		89€VAT Excl.	99€VAT Excl.



**1/2" CROSS TORQUE WRENCH 70-170Nm
490mm + 3 SOCKETS**

TN

OM 0755

Combines the precision of a torque wrench with the ease of use of a cross wrench, quick tightening and loosening.



Scan to see the video!

69€VAT Excl.

Instead of 109€VAT Excl.*

+ Torque wrench and cross wrench 2 in 1

1/2"



Specifications:

- dimensions: L.540Xl.80.5xH.50mm
- torque: 70 - 170Nm
- accuracy: high release ± 4%
- delivered with calibration certificate



*Recommended user price applicable from 01/09/2023 to 31/08/2024. Illustrations non-contractual. Offer valid from 01/04 to 31/07/2024. In the event of stock shortage, CLAS reserves the right to deliver a gift of equivalent value.

METAL TOOLBOX 3 STOREY/6 COMPARTMENT

TN

EG 0061

Specifications:

- 6 compartments:
- 2 x L.210xW.97xH.97xH.44mm
- 3 x L.425xW.97xH.44mm
- 1 x L.425xW.198xH.104mm
- Padlock locking device (not included)
- 2 handles Ø14mm
- Anti-tipping device
- Dimensions: L.450xW 206xH 222mm



49€VAT Excl.

Instead of 59€VAT Excl.*



TN



1/2" RATCHET INSERT (23 PCS)

OS 3000

79€VAT Excl.

Instead of 89€VAT Excl.*



3/8" RATCHET INSERT 21 PCS

OS 3600

59€VAT Excl.

Instead of 69€VAT Excl.*



ADJUSTABLE RATCHETING COMBINATION WRENCH INSERT 8-19mm (12 PCS)

OS 4020

139€VAT Excl.

Instead of 149€VAT Excl.*



COMBINATION WRENCH INSERT 6-24mm (17 PCS)

OS 4100

99€VAT Excl.

Instead of 109€VAT Excl.*



7 PCS T-HANDLE WRENCH INSERT TORX T10-T40

OS 2100

64€VAT Excl.

Instead of 74€VAT Excl.*



PLIER INSERT (4 PCS)

OS 5000

69€VAT Excl.

Instead of 79€VAT Excl.*



TN

TN



RATCHET INSERT 1/4" (59 PCS)

OS 3200

79€VAT Excl.

Instead of 89€VAT Excl.*



SPECIAL BIT INSERT (43PCS)

OS 6000

65€VAT Excl.

Instead of 75€VAT Excl.*



TN

7 DRAWERS ROLLER CABINET

EG 0087

689€VAT Excl.*

Instead of 749€VAT Excl.*



+ 400kg load

Supplied with a wooden plate and 8mm thick foam worktop

Specifications:

- overall dimensions: 688x459x1035mm (height without wheels 858mm)
- 5x75mm high drawers (580x400x61mm)
- 2 drawers H:154mm (580x400x141mm)
- full extension ball bearing slides
- lockable drawers
- ABS drawer handles
- 2 fixed casters Ø125mm
- 2 swiveling casters with side brakes Ø125mm
- locks with a key (2 keys provided)
- 2.5mm of EVA foam in each drawer
- permissible load in each drawer: 45kg
- permissible load on the tray: 300kg
- total permissible load: 400kg
- empty weight: 68kg



METAL WORKSHOP WASTE FOR DRAWER

TN

EG 8001

22€VAT Excl.*

Instead of 24€VAT Excl.*



Specifications:

- capacity: 7L
- width: 265mm
- height: 250mm
- depth: 125mm



MAGNETIC SPRAY CAN AND SCREWDRIVER HOLDER

TN

EG 8006

19€VAT Excl.*

Instead of 21€VAT Excl.*



4PCS MAGNETIC TOOL TRAY SET

TN

EG 8004

29€VAT Excl.*

Instead of 33€VAT Excl.*



Contents:

- 1 tray 310x110x120mm, load capacity 1.17kg
- 1 tray 270x110x120mm, load capacity 1kg
- 1 tray 210x110x120mm, load capacity 0.77kg
- 1 tray 150x110x120mm, load capacity 0.6kg



20 MAGNETIC HOOKS SET

TN

EG 8008

21€VAT Excl.*

Instead of 23€VAT Excl.*



Max. load: 800gr per hook



1/4"-1/2" US-INCH TOOL SET (52 PCS)

OS 3055

TN

119€VAT Excl.

Instead of 159€VAT Excl.*



T-HANDLE WRENCH SET TORX T10-T40 (7 PCS)

OS 2199

SVCM steel blade
PP+TPV Dual material handle

39€VAT Excl.

Instead of 56€VAT Excl.*

Contents:

- OS2101: T-handle wrench T10x110
- OS2102: T-handle wrench T15x110
- OS2103: T-handle wrench T20x110
- OS2104: T-handle wrench T25x160
- OS2105: T-handle wrench T27x160
- OS2106: T-handle wrench T30x160
- OS2107: T-handle wrench T40x185



BLACK PULLTAP'S CORKSCREW
(PUB 6004) 8€VAT Excl.



FREE



ADJUSTABLE CRV WRENCH

OS 0060

TN

19€VAT Excl.

Instead of 29€VAT Excl.*



Specifications:

- opening 34mm
- length 300mm
- CRV



3/8" T-TYPE UNIVERSAL CRV WRENCH

OS 0058

TN

9€VAT Excl.

Instead of 16€VAT Excl.*



Specifications:

- length 412mm
- Ø10mm
- CRV



PH - FLAT SCREWDRIVER SET (8 PCS)

TN

OS 1099

SVCM steel blade
PP+TPV Dual material handle
DIN ISO 2380
DIN ISO 8764



Contents:

- OS1001: phillips screwdriver 0x75
- OS1002: phillips screwdriver 1x38
- OS1003: phillips screwdriver 2x125
- OS1004: slotted screwdriver 3x75
- OS1005: slotted screwdriver 5.5x38
- OS1006: slotted screwdriver 5.5x100
- OS1007: slotted screwdriver 6.5x150
- OS1008: slotted screwdriver 8x200

32€VAT Excl.

Instead of 37€VAT Excl.*



SCREWDRIVER TORX SET T10-40 (7 PCS)

TN

OS 1199

29€VAT Excl.

Instead of 34€VAT Excl.*



Contents:

- OS1101: torx screwdriver T10x100
- OS1102: torx screwdriver T15x100
- OS1103: torx screwdriver T20x100
- OS1104: torx screwdriver T25x100
- OS1105: torx screwdriver T27x100
- OS1106: torx screwdriver T30x100
- OS1107: torx screwdriver T40x100



FOAM STORAGE TRAY

TN

EG 0080

BUY X3

6,50€VAT Excl.

Instead of 8€VAT Excl.*



Specifications:

- Format: 1/3 drawer
- External dimensions: 390x185x55mm
- Internal dimensions: 320x140x43mm



SAFETY STEERING WHEEL COVER

EG 0031

Allows you to lock the steering wheel of vehicles subject to inspection.

9€VAT Excl.

Instead of 15,50€VAT Excl.*



Specifications:

- diameter: 400mm



SIGNAGE BANNER «WORK ZONE BOUNDARY» 100x20cm

EG 0015

Compatible with authorizations: B1L, B1VL, B1TL, B2L, B2VL, B2TL, BCL, BEL, BRL, B1XL, B2XL.

32€VAT Excl.

Instead of 35€VAT Excl.*



Specifications:

- 4 eyelets + 2 fixing cords
- coated fabric
- dimensions: 100x20cm



FOLDING SAFETY FENCE

EG 0032

Allows to limit a work area or a safety area. Option to load the fence with weights.

39€VAT Excl.*



ELECTRICAL SAFETY STAND

EG 0033 10€VAT Excl.

FREE



Specifications:

- range of application: 80cm to 250cm
- barrier with reflecting stripes



EGR VALVE AND CATALYST CLEANER FOR HYBRID VEHICLES

CO 1084

17€VAT Excl.

Instead of 19€VAT Excl.*



INJECTOR CLEANER FOR HYBRID PETROL VEHICLES

CO 1082



Ideal before technical inspection

11€VAT Excl.

Instead of 19€VAT Excl.*



LIFTING TABLE 1000kg FOR EV BATTERY AND HEAVY ORGANS

OH 1301

This table is specially designed for the removal and re-installation of heavy components with a maximum load of 1T (electric vehicle battery and/or drive train).

Versatile, it will be able to adapt to all your needs thanks to its many adjustments and its optional supports on request.

+ Handling precision

5390€ VAT Excl.*

+




SET OF 12
ADJUSTABLE ROUND
RUBBER FOR LIFT
TABLE 48MM

CO 1160 210€ VAT Excl.


FREE



Hydropneumatic foot pump



Tilt adjustment
+/- 5%



*Recommended user price applicable from 01/09/2023 to 31/08/2024. Illustrations non-contractual. Offer valid from 01/04 to 31/07/2024. In the event of stock shortage, CLAS reserves the right to deliver a gift of equivalent value.

CHARGING CABLE
T2-T2 7.2kW 5m

OE 2041

169€VAT Excl.

Instead of 179€VAT Excl.*

Specifications:

- 7.2KW
- 16 A
- 1 phase
- length : 5m
- plug : type 2



7.2kW

NO WARRANTY

TN

CHARGING CABLE
T2-T2 22kW 5m

OE 2043

219€VAT Excl.

Instead of 229€VAT Excl.*

Specifications:

- 22KW
- 32 A
- 3 phases
- length : 5m
- plug : type 2



22kW

NO WARRANTY

TN

CHARGING STATION
11kW REEL 6m

OE 2047

plug-and-play charging unit.
For both private and public use.
For your installation requirements, please do not hesitate to contact us.

+ Easy to use

Specifications:

- height: 437mm
- width: 217mm
- thickness: 74mm
- IP66
- standard EN 61851-1

699€VAT Excl.*



2 WARRANTY

TN

TYPE 2 WALLBOX WIFI REEL FOR ELECTRIC VEHICLE POWER SUPPLY

OE 2001

1967€VAT Excl.

Instead of 2967€VAT Excl.*

+ Charging status via wifi connection

- blue: in charge
- green: charging finish
- red: error



1 DRAWER TOOLBOX- FRIDGE 50l
AP 0080 450€VAT Excl.

FREE



2 WARRANTY

TN

WHITE TIRE MOUNTING PASTE 5KG

DM 1320

NEW

+ Does not freeze (in the pot)



BUY x1

19,90 €VAT Excl.*

BUY x2

14,50 €VAT Excl. per unit

Instead of 20 €HT*

TN

Specifications:

- non-irritant (chemically neutral)
- flame-retardant
- does not damage rubber
- does not affect paintwork
- for all types of vehicles

NO WARRANTY

LOWER BALL JOINT REMOVAL SOCKET 6-SIDED 27 mm 1/2"

OM 2515



10 €VAT Excl.*

+



BLACK PULLTAP'S CORKSCREW

PUB 6004 €VAT Excl.

Allows the ball joint to be rotated after releasing the screw
Drilling Ø18mm
Length 36mm

FREE

TN

5 WARRANTY

DUAL-CONTROL HYDRAULIC PRESS 30T SLIDING CYLINDER

OH 0931



+ Protective polycarbonate grille to shield the operator




1920 €VAT Excl.

Instead of 1999 €VAT Excl.*

Specifications:

- hydraulic pump
- manual override or hydropneumatic pedal
- chrome piston with adjusting screw
- sliding cylinder jack with handle and rating scale
- polycarbonate protection to protect the operator from splinters
- table height adjustable 12 positions
- winch-assisted up and down movement of the table
- 2 oversized pins to hold the table in place
- 226x136x55mm sliding drip tray
- large manometer
- reversible V-shaped support block, including punch kit and protective polycarbonate



TN

Max. T 30
198

30T

5 WARRANTY

PNEUMATIC SPRING COMPRESSOR WITH ARTICULATED JAWS

TN

OP 2031


+ Conformity 2006/42CE

1790€VAT Excl.

Instead of 1999€VAT Excl.*

Specifications:

- height: 1400mm
- base: Length: 650mm Width: 400mm
- working pressure: 6bar/max. 8bar
- compression strength 1226kg
- use and maintenance instruction book.
- color: blue
- weight: 62kg



1.2T



REINFORCED PNEUMATIC SPRING COMPRESSOR WITH ARTICULATED JAWS

TN

OP 3221

+ Conformity 2006/42CE

2699€VAT Excl.

Instead of 2799€VAT Excl.*



Specifications:

- height: 1600mm
- base: length: 847mm width: 628mm
- working pressure 6bar/max 10bar
- compression strength 2452kg
- use and maintenance instruction book.
- color: grey
- 2 position adjustable lower cup (e.g. Chrysler, Dodge RAM long travel shock absorber...)
- weight: 70kg



+ **SPRING LOCKING CLAMP 27mm**
OM 1180 127€VAT Excl.

FREE



2.4T




STRUT COMPRESSION TOOL

TN

OM 2033

Tool to be installed on a pit jack, specifically designed to work effortlessly, safely and easily.

+ **Safety of the intervention. Easy to set up**



UNIVERSAL Ø 25-35mm
Ideal for all types of pit jacks.



Specifications:

- maximum capacity: 600kg
- POM (polyoxymethylene) clamping jaws to avoid damaging the shock absorber
- 3 depth adjustments
- adjustable in inclination
- specific jaws in option



369€VAT Excl.

Instead of 490€VAT Excl.*



MUSHROOM PLUG TIRE REPAIR KIT 8mm WITH DRILL

TN

EG 0265

149€VAT Excl.*

Instead of 159€VAT Excl.*



Options:

- SA0258: 20 mushrooms Ø11mm
- SA2601: insertion nozzle Ø11mm

Contents:

- SA0260: insertion gun
- SA2608 x2: insertion nozzle Ø8mm
- SA2602: 1 preparation rasp
- SA2603: nozzle insertion tip
- SA0257 x2: 50 vulcanizing mushrooms Ø8mm
- SA0259: 1 bottle of vulcanizer 250ml
- SA1265: 6mm drill for tires



12L ALUMINUM AIR BLASTER/BAZOOKA

TN

OP 0679

+ Light and ergonomics

315€VAT Excl.*


Instead of 349€VAT Excl.*



Supplied with PU barrel and metal barrel

Specifications:

- aluminum tank 12L
- PU barrel, does not damage rims
- barrel width: 80mm
- 45° ergonomic handle
- pressure gauge 0-15bar
- 7.5bar safety valve
- operating pressure: 7.5bar
- weight: 4,05kg



WORKSHOP CLEANING WIPES (80 PCS)

CO 0502

+ Double-sided: soft & rough
Hypoallergenic and paraben-FREE

Specifications:

- Double-sided: soft & rough
- Removes dirt, grease and grime
- Hypoallergenic and paraben-FREE
- Protects the epidermis: enriched with Aloe vera
- Citrus fragrance

24€VAT Excl.

Instead of 29€VAT Excl.*



CAR CLEANING WIPES (80PCS)

CO 0503

+ Cleans, protects, antistatic, water-repellent, high-gloss

Specifications:

- cleanses
- protects
- antistatic
- water-repellent
- high gloss
- biodegradable

44€VAT Excl.

Instead of 49,90€VAT Excl.*



**MINI DIE GRINDER
Ø6mm 25,000rpm**

OP 1203

99€VAT Excl.*

+




**PNEUMATIC GRINDER
ACCESSORY SET 11PCS**
(OP 1231) 39€VAT Excl.

FREE



Specifications:

- speed: 25,000rpm
- length: 159mm
- connection: 1/4"
- supply pressure: 6.2bar
- consumption: 113l/min



DUAL LASER HEADLIGHT ADJUSTMENT DEVICE

AC 2013



Graduation



+ Precise laser adjustment to the optics

929€VAT Excl.

Instead of 999€VAT Excl.*

Specifications:

- laser-type aligner (SA2037) compliant with standard EN 60825
- digital luxmeter
- alu column (collapsible) graduated from 20 to 150cm
- sliding regulating mechanism
- thermoplastic housing with tilt adjustment
- laser aligner power supply: 3 1.5V batteries (supplied)
- dimensions: L.712xW.580xH.1810mm
- UTAC NFR 63801 standard

Functions:

- control and measurement of the closing mechanism 0-4%
- control of the lateral adjustment $\pm 5\text{cm}/10\text{m}$
- measurement of the illumination intensity 0-150klux/1m, 0-240lux/25m
- intervention on headlights (xenon, halogen, LED...), anti-fog



*Recommended user price applicable from 01/09/2023 to 31/08/2024. Illustrations non-contractual. Offer valid from 01/04 to 31/07/2024. In the event of stock shortage, CLAS reserves the right to deliver a gift of equivalent value.

**CORDLESS THERMAL STAPLER
+ 300 STAPLES KIT**

TN

OC 6070

129€VAT Excl.

Instead of 149€VAT Excl.*



Specifications:

- length (without electrode): 220mm
- total length: 255 mm
- width: 35mm
- heating temperature: 600°C
- input current: DC 5V 2A
- output current: 3.7 8A Max
- battery: 3.7V 4000mAh Li-ion
- charging time : 3H
- capacity 400 staples with battery in one charge (hot stapler)

+ Speed of intervention



VERTICAL POLISHER Ø150mm

TN

OP 1213

199€VAT Excl.


Instead of 285€VAT Excl.*



Connector supplied

Specifications:

- speed: 3,500rpm
- plate: Ø150mm
- length: 165mm
- connector: 1/4"
- supply pressure: 6.2bar
- consumption: 110l/min



BODYWORK DEGREASER

TN



Specifications:

- compatible with all surfaces
- dries quickly, leaving no residue
- easy to use

- cleans and degreases all types of dirt
- liquid Fluid
- dilutable
- PH in aqueous solution: at 15% = 13.1

		Promotional offer	Catalog price*
CO 0506	BODYWORK DEGREASER 1L	11€VAT Excl.	12€VAT Excl.
CO 0507	BODYWORK DEGREASER 5L	25€VAT Excl.	26€VAT Excl.



STRIPPER

TN

Dissolves rust
Special soaking
Highly effective



+ Precise application

+ Special soaking

		Promotional offer	Catalog price*
CO 1087	500ml STRIPPING GEL	14€VAT Excl.	15€VAT Excl.
CO 1086	STRIPPING LIQUID 1L	18€VAT Excl.	19€VAT Excl.



5 CHROME RENOVATION WIPES

CO 0504

Specifications:

- restores metal shine
- eliminates traces of oxidation
- easy to use
- impregnated wipe PH 9.00 Low base

+ Easy to use



11€VAT Excl.

Instead of 15€VAT Excl.*

5 PLASTIC RENOVATION WIPES

CO 0505

Specifications:

- restores the original appearance of plastics
- effective on all types of ABS
- safe for painted parts
- compatible with all shades
- impregnated wipe

+ Easy to use



8€VAT Excl.

Instead of 10€VAT Excl.*

TN

NO WARRANTY

500ml PHOSPHATE TREATMENT

CO 1078

High bonding
Insulates the surface
Fast action

BUY x1

19€VAT Excl.*

BUY x12

18€VAT Excl.
per unit

Instead of 19€HT*



+ Best before painting

TN

400ml RUST REMOVER SOLVENT

CO 1088

Chemical reaction
Dissolves rust
Makes deglazing easier

+ 2 in 1

25€VAT Excl.

Instead of 29€VAT Excl.*



TN



NO WARRANTY



NO WARRANTY

SCREEN ADHESIVE CARTRIDGE 290ml

CO 1041

+ Use without primary



BUY x1

16 €VAT Excl.*

BUY x12

15€VAT Excl.
per unit

Instead of 16 €VAT Excl.*

Specifications:

- MS polymer
- integrated primer
- application width 10 to 14mm
- drying: 2 hours at heart (at 20°C)
- hardness: SHORE 60



TN

NO WARRANTY

SQUARE CUTTING WIRE

TN

OC 3100

BUY x1

31 €VAT Excl.*

BUY x4

25 €VAT Excl.
per unit

Instead of 31 €VAT Excl.*



Specifications:

- resistance: 95kg / 931N



SAWING WIRE

TN

OC 2100

BUY x1

20 €VAT Excl.*

BUY x4

18 €VAT Excl.*
per unit

Instead of 20 €VAT Excl.*



Specifications:


- resistance: 110kg / 1078N



WIRE THREADER

TN

OC 4100



39 €VAT Excl.

Instead of 44 €VAT Excl.*



BLACK PULLTAP'S CORKSCREW

PUB 6004 8 €VAT Excl.

FREE



6 BODYWORK SUCTION CUP SET Ø85mm

TN

OC 0667



41 €VAT Excl.*



BLACK PULLTAP'S CORKSCREW

PUB 6004 8 €VAT Excl.

FREE

Specifications:

- suction cup Ø85mm
- stand L.180mm
- holding width: 50mm
- bearing surface width: 80mm
- height of the stand adjustable to 32mm
- material: polyethylene and rubber
- adjustment using thumb screw system.



TRIANGULAR WIRE REEL 50m

TN

OC 3401

BUY x1

29 €VAT Excl.*

BUY x4

18 €VAT Excl.*
per unit

Instead of 29 €VAT Excl.*



PAIR OF SUCTION CUPS Ø120mm

TN

OC 0600



124 €VAT Excl.*

Instead of 134 €VAT Excl.*

Specifications:

- swappable suction cups to suit various glass shapes
- lever lock
- carrying handle
- capacity: 120kg
- suction cups Ø120mm
- supplied with fast-ratchet sling
- sling length: 5m

WINDSCREEN REPAIR KIT

TN

OC 2203



439 €VAT Excl.

Instead of 449 €VAT Excl.*



Flash to the
video !

Contents:

- SA4104: UV Lamp 12V rechargeable
- OC2202: Repair resin 10ml
- OC8064: Finish resin 5ml
- SA4108: 1 polish
- SA4109: 1 gel for suction cups
- SA4105: 1 box UV sheets
- SA4107: 1 inspection lens
- 1 scraper
- SA4106: 1 injector support
- OC2205x2: injectors
- 1 box of 10 blades
- 1 lighter
- 1 user guide



UNIVERSAL TELESCOPIC BODYWORK STAND
23-138cm

TN

OC 0716

+ Does not scratch paintwork

239€VAT Excl.

Instead of 249€VAT Excl.*



Specifications:

- width: 22.5 à 138cm
- height: 84 à 132cm
- anti-slip rubber-sheathed support arm
- support arm length: 86cm
- support arm width: 8cm
- capacity: 100kg
- 4 swiveling wheels, 2 of which have brakes



PAIR OF MECHANICAL DOLLIES 1180kg

TN


OM 2034

NEW

+ Single operator

289€VAT Excl.

Instead of 299€VAT Excl.*



Specifications:

- mechanical rack-and-pinion assisted lifting
- aluminum rollers L.280mm
- 4 wheels, 2 with brakes
- capacity: 1180kg
- max capacity width: 11" (280mm)
- weight: 15.9kg



1.18T



12 PIECE AIRBAG MAINTENANCE TOOL SET

TN

OM 0200

Depending on the application, the removal tools are to be used in pairs.

65€VAT Excl.*

Instead of 75€VAT Excl.*



**1/2" IMPACT WRENCH 620Nm 20V BRUSHLESS
+ 2 BATTERIES 4Ah + CHARGER**

PW 0620

+ Compact and lightweight

1/2"

MAX **1** **2**

620 Nm 290 Nm 450 Nm

AUTO STOP MODE

Aluminum body

Ultra short - 130 mm



BRUSHLESS Motor

2 speeds



1-hand reverser



LED lighting



Battery level indicator



4Ah high-performance lithium-ion battery

319€VAT Excl.*

Limited quantity available in May

Specifications:

- max. power output (MWO): 500W
- stroke rate: 3600/2500 (imp/min)
- idle speed: 2700/1700 (rpm)
- max. bolt Ø: M20
- voltage: 20V
- vibration: ah=2.5m/s², K=1,5m/s².
- sound power level: Lw=107dB(A), K=3dB(A)
- sound pressure: Lp=99dB(A), K=3dB(A)
- weight: 1.10Kg (without battery) / 1.75Kg (with battery)
- dimensions LxWxH: 130x80x260mm

NEW

Supplied in transportable case with 2 4.0Ah batteries and 2.3A charger



1/2" 20V 4Ah 107 dB 2,50 m/s² BRUSHLESS MOTOR 1.75

620Nm **3** WARRANTY

1/2" IMPACT WRENCH 620Nm 20V BRUSHLESS WITHOUT BATTERY

PW 0621

149€VAT Excl.*

+ Compact and lightweight

NEW



- Contents:**
- sturdy case with handle
 - 1/2" impact spanner 620nm

1/2" 107 dB 2,50 m/s² BRUSHLESS MOTOR 1.75

620Nm **3** WARRANTY

**1/2" IMPACT WRENCH 1080Nm 20V
BRUSHLESS + 2 BATTERIES 4Ah + CHARGER**

PW 1080

+ Strong torque

1/2"

MAX



**AUTO STOP
MODE**

1



2



3



Aluminum
body

3 speeds



LED lighting



BRUSHLESS
Motor



1-hand reverser



Battery level
indicator

4Ah high-performance
lithium-ion battery

449€VAT Excl.*

Limited quantity
available in May

NEW

Specifications:

- max. power output (MWO): 800W
- stroke rate: 2200/1900/1500 (imp/min)
- idle speed: 2400/1900/1500 (rpm)
- max. bolt Ø: M24
- voltage: 20V
- vibration: ah=9.3m/s², K=1.5m/s²
- sound power: Lw=109dB(A), K=3dB(A)
- sound pressure: Lp=98dB(A), K=3dB(A)
- weight: 1.90Kg (without battery) / 2.55Kg (with battery)
- dimensions (LxWxH): 170x85x280mm

Supplied in transportable
case with 2 4.0Ah
batteries and 2.3A charger



1080Nm **3** WARRANTY

**1/2" IMPACT WRENCH 1080Nm 20V
BRUSHLESS WITHOUT BATTERY**

PW 1081

279€VAT Excl.*

+ Powerful torque

Contents:

- sturdy case with handle
- 1/2" 1080Nm impact wrench

NEW





1080Nm **3** WARRANTY

*Recommended user price applicable from 01/09/2023 to 31/08/2024. Illustrations non-contractual. Offer valid from 01/04 to 31/07/2024. In the event of stock shortage, CLAS reserves the right to deliver a gift of equivalent value.

**20V BRUSHLESS HAMMER DRILL
+ 2 BAT 4Ah + CHARGER**

PW 2013

3 MODES



NEW

+ Self-tightening steel chuck


13mm



BRUSHLESS Motor



1-hand reverser



LED lighting




Battery level indicator

369€VAT Excl.*

Limited quantity available in May

Specifications:

- max. power output (MWO): 900W
- stroke rate: 0/36000 (imp/min)
- idle speed: 0-600/0-2250 (rpm)
- self-tightening chuck: 13mm
- chuck capacity: 1.5 / 13mm drill bit
- torque settings: 20 + 3
- voltage: 20V
- weight: 2.0Kg (without battery) / 2.65Kg (with battery)
- vibration: ah=1.4m/s², K=1.5m/s².
- sound power level: Lw=91.8dB(A), K=3dB(A)
- sound pressure: Lp=80.8dB(A), K=3dB(A)
- dimensions (LxWxH): 205x65x260mm



Supplied in transportable case with 2 4.0Ah batteries and 2.3A charger

160Nm **3** WARRANTY

**20V BRUSHLESS HAMMER DRILL
WITHOUT BATTERY**

PW 2014


199€VAT Excl.*



NEW

Contents :

- sturdy case with handle
- drill percussion screwdriver
- belt clip



160Nm **3** WARRANTY

**ANGLE GRINDER 125mm 20V BRUSHLESS
+ 2 BATTERIES 4Ah + CHARGER**

PW 3125

125mm



M14



35mm



8500
tr/min

STOP 3s

269€VAT Excl.*

NEW



+ Stop in 3 seconds



Supplied in transportable case with 2 4.0Ah batteries and 2.3A charger



3 WARRANTY

Specifications:

- max. power output (MWO): 800W
- disc diameter: 125mm
- idle speed: 6500/7500/8500 (rpm)
- spindle size: M14
- soft start
- voltage: 20V
- grinding vibration: ah=5.5m/s², K=1.5m/s².
- sanding vibration: ah=1.9m/s², K=1.5m/s².
- sound power: Lw=93.4dB(A), K=3dB(A)
- sound pressure: Lp=82.4dB(A), K=3dB(A)
- weight: 1.20Kg (without battery) / 1.85Kg (with battery)
- dimensions (LxWxH): 300x105x80mm



**ANGLE GRINDER 125mm 20V BRUSHLESS
WITHOUT BATTERY**


PW 3126

99€VAT Excl.*

NEW

Contents :

- sturdy case with handle
- angle grinder
- side handle (removable)
- wrench for disc



3 WARRANTY

*Recommended user price applicable from 01/09/2023 to 31/08/2024. Illustrations non-contractual. Offer valid from 01/04 to 31/07/2024. In the event of stock shortage, CLAS reserves the right to deliver a gift of equivalent value.

MAINTENANCE STATION FOR AUTOMATIC GEARBOX

HU 8011

This assisted maintenance station is a prevention tool. Its role is to extend the life of automatic gearboxes, which are difficult to repair and have a very heavy financial cost in case of replacement. The role of oil in an automatic transmission is fundamental, the majority of problems can be avoided with proper preventive maintenance. Contrary to a traditional gravity oil change which will remove 60% of the residues, it has been specially designed by our team of specialists to clean the entire interior of the automatic gearbox without any dismantling. Easy to use, fully automatic, and thanks to its included technical data (12,000 models) and its 18 pairs of fittings compatible with the majority of vehicles on the market, it assists you at each step of the procedure. You can easily follow, update and control the machine through the included removable LCD tablet.



2 storage drawers for fittings

6700€VAT Excl.*

X2
300 ml ANTI-FRICTION ENGINE/GEARBOX
(CO 1017) 18,50€VAT Excl.

FREE

Connected touchscreen tablet

Automatic flow detection

Ergonomic handle

LED indicator for operation status

2 x 20L cans

Automatic filtering and separation of used oil

+ Warning light, for working in hidden time



Swivel wheels

Contents:

- automatic station
- LCD shelf
- integrated drawer with 18 pair of hydraulic connections
- access to technical procedures

Features:

- 100% ATF oil replacement
- internal washing of the automatic gearbox
- internal flushing with additives
- internal washing of the heat exchanger



+ More than 80 fittings available by vehicle (delivery within 48 hours)

