

CLAS[®]

GARAGE SOLUTIONS



Fall

SELECTION



SEPT 1ST

DEC 31ST

clas.com

Fall **SELECTION**

The CLAS Autumn 2025 Selection Exceptional opportunities this season !

This autumn edition of The CLAS Selection is our most comprehensive yet, bringing together a curated Best Of our top-performing products, across every category in the annual catalogue. It's designed to support your year-end purchasing decisions.

A seamless transition toward 2026

We've updated our editorial calendar: starting next year, our Annual Catalogue will be published on January 1st. To ensure a smooth transition, The Autumn Selection will serve as your reference guide until the new catalogue is available in January 2026.

Great news - current pricing remains valid up to December 31st, 2025.

Industry highlights

This edition arrives just before a major industry milestone: **the 50th anniversary of the EQUIP AUTO-Paris trade show**. We warmly invite you to visit us in **Hall 1 - Booth P073**, to discover what's new and to connect with the CLAS team.

Focus on heavy-goods vehicles

In response to your feedback, this edition features a dedicated section for heavy-goods vehicles. And, as the winter season approaches, we've also included a tailored selection of winter equipment to help you stay one step ahead.

We hope you enjoy discovering the Autumn 2025 CLAS Selection !



2

WORKSHOP EQUIPMENT



2 - LIFTS



8 - WHEEL SERVICE EQUIPMENT



15

GENERAL TOOLS



14 - LIGHTING



16 - CLEANING



20 - REELS



23 - PNEUMATICS TOOLS



30 - PORTABLE POWER TOOLS



28 - WORKSHOP DEVICES



35 - DRILLING THREADING



36 - LIFTING



43 - PRESS SHOP



44 HAND TOOLS



44 - EQUIPPED TOOL CABINETS



48 - HUB SOCKETS



46 - TOOL CASES



49 - TORQUE WRENCHES



50 MECHANICS



50 - TIRE & WHEEL



80 - STEERING & SUSPENSION



101 - ACCESSORY BELT



52 - BRAKING



85 - SILENT BLOCK



103 - TIMING TOOLS



62 - OIL DRAINING



86 - CARDAN



123 - INJECTORS



70 - COOLING SYSTEM



88 - BEARING



129 - PISTON & CYLINDER



73 - ELECTRONIC DIAGNOSTICS



97 - HUB



131 - ENGINE STANDS



76 - CHARGING SYSTEM



98 - CLUTCH



132 - FUEL




79 - AIR CONDITIONING



100 - GEARBOX



133 - EXHAUST SYSTEM



137 HYBRID & ELECTRIC



137 - PROTECTION



141 - HYBRID & ELECTRIC LIFTING



139 - ISOLATED TOOLS



142 - HYBRID & ELECTRIC LOADING



143 BODY REPAIR



143 - HEADLIGHTS



150 - PULLING & RESTRAINING



144 - AUTO GLASS



153 - PLASTIC REPAIRING



147 - BODYWORK HANDLING



155 - BODYWORK PAINTING



157 CLOTHING & ACCESSORIES

Fall SELECTION

2 COLUMNS ASYMETRIC POST LIFT WITH BASEMENT 400V 4T 2ARMS 1.10+1.50m

TE

PE 2100T



Low-thickness passage


3990 €VAT Excl.*



FREE SHIPPING

Instead of 350€VAT EXCL.


LOW PASSAGE



Specifications:

- lifting height: 100-2100mm
- drive power: 2.2kW
- drive voltage: (3 - + N) 400V/50/Hz
- adjustable screw buffers, stroke 70-140mm
- automatic release of safety catches
- emergency lowering system in case of power failure
- system synchronization: by cable
- intermediate stop 20cm above ground for user safety and anti-crushing audible signal
- engine protection cover
- door protection on columns
- 230V electrical socket on electrical box
- protective strip for cylinder, chain and cables included on each column
- supplied with 4 x 70mm risers and brackets
- Epoxy paint

OPTION: 2 LEAN SCREED REINFORCEMENT FOR 2 COLUMNS POST LIFT BASEMENT 4T (PE 2101) 269 €HT*



Max. T 4	↑ 2100 ↓ 100 mm	400V	2200 W
-------------	--------------------	------	--------

4T

2 WARRANTY

2 COLUMNS POST LIFT HIGH PASSAGE 3.80m 400V 4T 4 ARMS 1.50m

TE

PE 2238T



Free movement
between columns

4299 €VAT Excl.*

+
FREE SHIPPING

Instead of 350€VAT EXCL.

Motor
protection cover

Runner-guided
carriage: limits
mechanical play



Safety punch stop



Reinforced
electromagnetic safety
latch on toothed rack



Electrical
control

Door protection


Anti-crushing foot safety
device with stop and alarm

Visual of PE 2241T

OPTION: 2 LEAN SCREED
REINFORCEMENT FOR 2
COLUMNS POST LIFT HIGH
PASSAGE 4T
(PE 2280) 650 €HT*

Specifications:

- lifting height: 95-1990mm
- drive power: 2.2kW
- drive voltage: (3 - + N) 400V/50/Hz
- adjustable screw buffers, stroke 70-140mm
- electrical release of safety catches
- emergency lowering system in case of power failure
- system synchronization: by cable
- intermediate stop 20cm above ground for user safety and anti-crushing audible signal
- engine protection cover
- door protection on columns
- 230V electrical socket on electrical box
- cylinder and cable protection strip included on each column
- supplied with 4 x 70mm risers and supports
- Epoxy paint



4T



Fall SELECTION

4 COLUMNS POST LIFT FLAT OSCILLATION TRACK 400V 5.T

TE

PE 4101T

7499 €VAT Excl.*

+
FREE SHIPPING

Instead of 550€^{VAT EXCL.}

FOR GEOMETRY



Electric control with 230V outlet

Safety punch stop



Motor protection cover

Anti-crushing safety device with intermediate stop at 20 cm from the ground and alarm

Under-rail air supply for PE 7100 sleeper

Position for swivel trays



Oscillating plates manual locking



equipped with an air supply under the rails

Specifications:

- lifting height: 220-1850mm
- track width/length: 500/5160mm
- adjustable distance between runways: 820/920mm
- air supply 8bar
- drive power: 3kW
- drive voltage: (3 -) 400V/50 V/Hz
- maximum safety: single-cylinder lifting, synchronization driven by 4 cables
- pneumatic release of safety catches
- safety system in case of cable breakage,
- emergency lowering system in the event of power failure
- intermediate stop at 20 cm from the ground for user safety and anti-crushing audible signal
- air outlet with pneumatic connector in the middle of one of the inner platforms, under the rails
- motor protection cover
- 230V electrical socket on electrical box
- manual oscillating plates
- Epoxy paint



5T





MOBILE SCISSOR LIFT DUAL CYLINDER LOW RAISE 230V 3T

TE

PE 6102M


Particularly well-suited to paint, bodywork and quick service operations.
 Easy access: low ground clearance of 115mm, lockable access ramps to extend platforms.
 Working comfort: easy to move thanks to removable wheels and drawbar. Easy storage of components on the console.

+ Supplied with mobility kit 100% electric

3199 €VAT Excl.*

+ FREE SHIPPING


Instead of 350€VAT EXCL.



Electric rack lock, no pneumatic power supply required



115mm
Extra flat



3T



DOUBLE SCISSOR LIFT 400V 3.6T LOW PROFILE ON/IN-GROUND

TE

PE 6236T

Particularly suited to paint, bodywork and quick-service activities.
 Choice of installation: free-standing or built-in.
 Easy access: low ground clearance of 110mm, lockable access ramps to extend platforms.
 Maximum comfort and safety: double hydraulic master-slave safety system, combined with a rack and pinion system, to maintain the lift in position for a long time.

+ Can be used free-standing or built-in



5799 €VAT Excl.*

+ FREE SHIPPING

Instead of 350€HT



Rack safety



110mm
Extra flat



3.6T



Fall SELECTION

EXTRA LOW PROFILE SCISSOR LIFT AUXILIARY LIFT 400V 5T ON-GROUND

PE 6250T


TE

+ Low ground clearance: 140mm

15990 €VAT Excl.*

+ FREE SHIPPING


Instead of 550^{€HT}



Anti-crushing safety feature with intermediate stop at 20 cm from the ground and alarm



Rack safety



Specifications:

- lifting height: 140-1850mm
- track width/length: 655/5200mm
- total length with access ramps: 6600mm
- system synchronization: photo cell
- control panel
- drive power: 3kw
- drive voltage: (3 ~) 400V/50 V/Hz
- air supply required 6-8 bar.
- oscillating plates pneumatic locking
- 2 extra-flat turntables included
- Epoxy paint
- emergency lowering system in case of power failure
- intermediate stop 20 cm above ground for user safety and anti-crushing audible signal



5T



RUBBER PAD

TN

Hardness 85° SHORE A
Sold in multiples of 4 only

Detailed diagrams and dimensions available at clas.com

	Libellés	Ref.	Prix unitaire	Prix sélection
	RECTANGULAR RUBBER PAD 160x120x30mm	EG 1137	19€VAT Excl.*	15€VAT Excl.
	RECTANGULAR RUBBER PAD 160x120x60mm	EG 1136	25€VAT Excl.*	21€VAT Excl.
	PAD FIAT 500E/500X/JEEP RENEGADE Ø100 X H.55	EG 1154	20€VAT Excl.*	18€VAT Excl.
	RECTANGULAR RUBBER PAD 160x120x115mm	EG 1143	43€VAT Excl.*	39€VAT Excl.
	ROUND RUBBER PAD Ø124x26mm	EG 1141	16€VAT Excl.*	39€VAT Excl.
	RECTANGULAR RUBBER PAD 160x120x20mm	EG 1138	17€VAT Excl.*	39€VAT Excl.
	REINFORCED ROUND RUBBER PAD (METALLIC PLATE) Ø125x24mm	EG 1147	20€VAT Excl.*	39€VAT Excl.

Sold individually

	TESLA PAD 3 Ø76/26 x h.51/25	EG 1153	20€VAT Excl.*	18€VAT Excl.
---	------------------------------	---------	---------------	--------------

NO WARRANTY

HYDROPNEUMATIC MOBILE LIFTING COLUMN 1500kg

TN

OH 9150

+ Lifts the vehicle in less than a minute



1349 €VAT Excl.*

OFFERED
PAIR OF MECHANICAL DOLLIES 1180kg
OM 2034 299€VAT Excl.*




1500KG **2** WARRANTY

Max. T
1.5
735
100 mm

Fall SELECTION

SEMI-AUTOMATIC TIRE CHANGER 10"-21" 1 SPEED 230V

DM 0600BL

Semi-automatic tire changer specially designed for effortless mounting and demounting of car, van and 4x4 tires.

Specifications:

- maximum tire width: 3 to 12 inches
- outer rim diameter: 10 to 18 inches
- inside rim diameter: 12 to 21 inches
- rotation speed: 6.5 rpm
- ergonomic, intuitive crankset
- operating pressure: 8-10bar
- air cleaner and oil lubricator
- tubeless inflation safety valve: 3.5bar
- power: 0.85-1.1kW
- bead breaker power: 2500kg
- weight: 177kg

Please consult us for installation and commissioning. Under warranty, installation and commissioning must be carried out by a professional.

Supplied with :

- SA0172: 1 protective plate for steel heads
- SA8903: 5 protective clips for steel heads
- SA8906: set of 4 aluminum rim protectors
- 1 tire changer with aluminum rim protector



1699 €VAT Excl.

Instead of 1899 €VAT Excl.*

240V 1100 W

2 WARRANTY

WHITE TIRE MOUNTING PASTE 5KG

DM 1320

WHITE



DM 1330

BLACK

13,90 €VAT Excl.
Instead of 16,90 €VAT Excl.*



12,90 €VAT Excl.
Instead of 15,90 €VAT Excl.*

+ Does not freeze in the pot

Specifications:

- Ensures fast, precise centering of the tire on the rim thanks to its superior lubricity.
- Easy, precise brush application.
- Retains its lubricity even when open.
- Quick-drying to prevent rotation on the rim.
- Limits corrosion and tire sticking to the rim.
- non-irritating (chemically neutral)
- hardly flammable
- does not damage rubber
- does not alter paintwork
- for all vehicle types

TN

NO WARRANTY

Ø30MM ELBOW BRUSH FOR MOUNTING PASTE

DM 1306

Allows more precise application during bead breaking.

Specifications:

- length: 270mm
- stiff vegetable hair
- wooden handle



+ Greater application precision

12 €VAT Excl.

Instead of 15 €VAT Excl.*

TN

NO WARRANTY

AUTOMATIC TIRE CHANGER 10"-24"

TE

1 SPEED 230V

DM 1522

3990 €VAT Excl.

Instead of 4299€VAT Excl.*

2 SPEEDS 400V




DM 1501

3890 €VAT Excl.

Instead of 4190€VAT Excl.*



+ Ideal for Run Flat or low-profile tires



Specifications:

- horizontal arm on roller for easy movement
- inflator with pressure gauge
- maximum tire diameter: 1180mm
- max. tire width: 3 to 12 inches
- arched platform with anti-pinch safety device
- outside rim diameter: 10 to 21 inches
- inner rim diameter: 12 to 24 inches
- 2 speeds without switch :
rotation speed 1: 6.5 rpm
rotation speed 2: 13rpm
- ergonomic, intuitive pedals
- 2-position adjustable bead breaker shovel
- operating pressure: 8-10bar
- air cleaner and oil lubricator
- tubeless inflation safety valve: 3.5bar
- noise < 70dB
- power supply: 400V-50Hz
- power: 0.85-1.1kW
- bead breaker power: 2500kg
- dimensions: 1900x1580x2000mm

TIRE CHANGER + WHEEL BALANCER BLINE

PACK BF DM EQ BL

TE

B.LINE
BUDGET SOLUTION

2750 €VAT Excl.

Instead of 2950€VAT Excl.*

Specifications :

- power supply: 230V-50Hz
- motor power: 180W
- dimensions open housing: 880x980x1420mm
- LED display
- maximum wheel weight: 65kg
- minimum rim diameter: 10 inches
- max rim diameter: 24 inches
- rim width: from 1 to 20 inches
- manual measurement of 3 parameters: offset-diameter-width
- safety housing
- rotation speed: 200 rpm
- shaft: L.210mm-Ø40mmx4mm
- compartmentalized tray for cones and weights
- 4 storage supports
- noise level <70dB
- weight: 87kg

Features :


- automatic cycle
- multifunction keys
- static and dynamic program (2 planes) in a single run
- 6 dynamic programs and one static program
- self-calibration
- self-diagnosis: fault code
- simultaneous display of weights and mass positions
- measurement accuracy: ±1g
- display accuracy: 5g



EQ 0600BL



DM 0600BL



Specifications :

- maximum tire width: 3 to 12 inches
- outer rim diameter: 10 to 18 inches
- inside rim diameter: 12 to 21 inches
- rotation speed: 6.5 rpm
- ergonomic, intuitive crankset
- operating pressure: 8-10bar
- air cleaner and oil lubricator
- tubeless inflation safety valve: 3.5bar
- power: 0.85-1.1kW
- bead breaker power: 2500kg
- weight: 177kg



Fall SELECTION

INFLATING GUN 0-12bar

TN

OP 0046BL



19 €VAT Excl.

Instead of 21€VAT Excl.*

Graduation from 0 to 12bar
Flexible length: 350mm

B.LINE
BUDGET SOLUTION



EURODAINU INFLATOR GUN 0.7-11BAR

TN

OP 0149



89 €VAT Excl.

Instead of 99€VAT Excl.*



18L ALUMINUM AIR BLASTER/BAZOOKA

TN

OP 0689

Specifications:

- 18L Aluminum tank
- 1 PU Nozzle length 200mm, does not damage rims
- 1 metal Nozzle length 300mm
- barrel width: 250mm
- height: 680mm
- ergonomic 45° handle
- pressure gauge 0-16bar
- 10.0bar safety valve
- operating pressure: between 6 and 8 bar
- weight: 5.5kg



349 €VAT Excl.

Instead of 399€VAT Excl.*

+ Lightweight
and ergonomic



19I TIRE BEAD BLASTER CAR/LCV/HGV

TN

OP 0659

Allows the tire bead to be positioned on the rim
before inflation.

Specifications:

- 19l steel tank
- barrel width: 80mm
- discharge: 1.5" 1/4-turn valve
- handle in upper position
- pressure gauge 0-16bar
- safety valve 6.0bar
- operating pressure: 7.5bar
- weight: 12kg



249 €VAT Excl.*

OFFERED
EURODAINU INFLATOR
GUN 0.7-11BAR

OP 0149 99€VAT Excl.*



MANUAL MOTORIZED WHEEL BALANCER LED SCREEN

EQ 0600BL

TE

B.LINE
BUDGET SOLUTION



1399 €VAT Excl.

Instead of 1599€VAT Excl.*

Specifications:

- power supply: 230V-50Hz
- motor power: 180W
- dimensions open housing: 880x980x1420mm
- LED display
- maximum wheel weight: 65kg
- minimum rim diameter: 10 inches
- max rim diameter: 24 inches
- rim width: from 1 to 20 inches
- manual measurement of 3 parameters: offset-diameter-width
- safety housing
- rotation speed: 200 rpm
- shaft: L.210mm-Ø40mmx4mm
- compartmentalized tray for cones and weights
- 4 storage supports
- noise level <70dB
- weight: 87kg



MOTORIZED WHEEL BALANCER WITH DIGITAL DISPLAY

EQ 1000

TE


+ Multiple programs

1990 €VAT Excl.

Instead of 2190€VAT Excl.*

Specifications:

- power supply: 230V-50Hz
- power: 90W
- dimensions open housing: 1550x1160x1490mm
- digital display (5min standby)
- maximum wheel diameter: 1100mm
- max. wheel weight: 70kg
- max. rim diameter: 28 inches
- rim width: from 1.5 to 20 inches
- manual measurement of 3 parameters: offset-diameter-width
- safety housing with automatic start
- measuring cycle time: 7s
- rotation speed: 140 rpm
- shaft: L.210mm-Ø40mmx4mm
- compartmentalized tray for cones and masses
- 4 storage supports
- weight positioning clamp
- noise level < 69dB
- weight: 149kg



AUTOMATIC WHEEL BALANCER 3D DIGITAL DISPLAY+LASER POINTER

TE

EQ 2100




Laser pointer
Electro-magnetic brake
Automatic rigging

2750 €VAT Excl.

Instead of 2950€VAT Excl.*

Specifications:

- power supply: 230V-50Hz
- power: 90W
- dimensions open housing: 1550x1160x1490mm
- noise level < 69dB
- digital display (5min standby)
- max. wheel diameter: 1100mm
- max. wheel weight: 70kg
- max rim diameter: 28 inches
- rim width: from 1.5 to 20 inches
- automatic measurement of 3 parameters:
offset-diameter-width
- laser pointer for weight positioning
- safety housing with automatic start
- measurement cycle time: 7s
- rotation speed: 140rpm
- shaft: L.210mm-Ø40mmx4mm
- compartmentalized tray for cones and masses
- 4 storage supports
- weight positioning clamp
- weight: 149kg



ELECTRIC & RECHARGEABLE WHEEL LIFTER MAX. 60kg

TE

OE 9000

2299 €VAT Excl.

Instead of 2499€VAT Excl.*



Scissor lift
compatible

Lifts and lowers light, medium and 4x4 wheels effortlessly to vehicle height on the lift.
Facilitates wheel transport in the workshop.
Low center of gravity for enhanced stability.



DOUBLE HEADBAND HEADLAMP

TN

OE 0199BL

B.LINE
BUDGET SOLUTION

10€ VAT Excl.


Instead of 12€ VAT Excl.*

Hands-free sensor



2 MODES
100%/50%

2 MODES
100%/50%



WORKSHOP HAND LAMP

TN

OE 0099BL

B.LINE
BUDGET SOLUTION

13€ VAT Excl.

Instead of 16€ VAT Excl.*

164 mm



Headlight



Pocket clip and hook



MINI HAND LAMP

TN

OE 0299

20€ VAT Excl.

Instead of 23€ VAT Excl.*

+ Compact, pocket-sized!

2 MODES
100%/50%



97 mm



Head lighting



EXTRA-FLAT INSPECTION LAMP

TN

OE 0399

33€ VAT Excl.

Instead of 35€ VAT Excl.*

Hook

3 MODES
100%/50%/Flash

250 mm

+ Ultra-thin! Only 10mm thick



10mm



Fall SELECTION

ULTRATHIN CORDLESS RECHARGEABLE LAMP WITH VARIABLE INTENSITY

TN

OE 0145BL

B.LINE
BUDGET SOLUTION



377 mm

+ Economical

17,90 €VAT Excl.
Instead of 19,90€VAT Excl.*



ULTRATHIN CORDLESS RECHARGEABLE LAMP WITH VARIABLE INTENSITY 7W IK07

TN

OE 0143



385 mm

57 €VAT Excl.
Instead of 65€VAT Excl.*

+ Light intensity accuracy



Dimmer switch




MOBILE SPOTLIGHT COB 1000LUMENS

TN

OE 0499

+ Long 7-hour autonomy



29 €VAT Excl.
Instead of 34€VAT Excl.*



Tripod + magnet attachment



DECK RAMP LAMP

TN

OE 0901

+ Powerful and perfectly aligned

29 €VAT Excl.
Instead of 77€VAT Excl.*



Double hook



0.2l SYRINGE

TN

HU 0637



11€VAT Excl.

Instead of 29€VAT Excl.*



TRANSFER PUMP FOR DRUMS 200L

TN

HU 0011

Side lever pump ideal for transferring many types of (non-corrosive) liquids such as oil, diesel, antifreeze and windshield washer fluid from a standard 200l drum.



24€VAT Excl.

Instead of 59€VAT Excl.*

Specifications:

- Viton® seals
- 3 flow positions: 310/330/350 mL per pumping stroke
- extendible tube to reach bottom of barrel
- 2-in-1 mounting: Ø59mm thread 200-Ø63 thread 400



DRY AND WET VACUUM CLEANER 2x1000W

TN

EG 0040

+ 2 Engines
air & water

Specifications:

- stainless steel bowl mounted on 4-wheel cart
- 2 1000W engines
- 80-litre tank Ø420mm
- 500mm drain hose on tank
- vacuum 21kPa
- air flow: 108l/s
- noise level: 73dB
- power supply 230V 4m
- power: 2000W
- dimensions (lengthxdepthxheight): 540x595x940mm



Accessories included :

- SA0442: flat spout Ø42mm internal connector
- SA0443: brush Ø60mm inner socket Ø42mm
- handle Ø42mm accessory socket Ø37mm
- SA0440: hose 2200mm Ø42mm
- SA0444: scraper Ø37mm
- SA0445: brush Ø37mm length 400mm
- SA0441: fabric filter

379€VAT Excl.

Instead of 429€VAT Excl.*



Fall SELECTION

1.5l PRESSURE SPRAYER

TN

BLUE
OC 1502



RED
OC 1501



7€VAT Excl.

Instead of 8,50€VAT Excl.*

Specifications:
• adjustable nozzle



NO WARRANTY

HIGH PRESSURE RECHARGEABLE SPRAY 620ml

TN

EG 1532

Ideal for lubricants, degreasing agents, brake cleaners, air dusting. Long nozzle for hard-to-reach areas.

62€VAT Excl.

Instead of 79€VAT Excl.*

+ 12 bar



Specifications:
• trigger release
• Aluminum bottle
• 2-in-1 nozzle (mist and jet)
• Schrader®-type pressurization valve
• 12-bar safety valve



5L CONTAINER OF BRAKES CLEANER

TN

CO 1530

39€VAT Excl.

Instead of 46€VAT Excl.*

+ Ecological



Ideal for no-rinse cleaning of brake components (discs, pads, drums, shoes...). Use with sprayer or high-pressure spray.



ULTRASONIC CLEANER 3I 100W 40KHz

OE 7200

335 €VAT Excl.*

TN

Specifications:

- heating temperature adjustable from 0 to 80°C
- timer from 1 to 99 minutes
- ultrasonic power: 100W
- heating power: 100W
- digital display
- tank drain valve
- tank capacity: 3L
- tank dimensions: 240x140x100mm
- outside dimensions: 270x240x170mm



ULTRASONIC CLEANER 9I 200W 40KHz

OE 7201

699 €VAT Excl.*

Specifications:

- heating temperature adjustable from 0 to 80°C
- timer 1 to 99 minutes
- power: 200W
- digital display
- tank drain valve
- bowl capacity: 9l
- bowl dimensions: 300x240x150mm
- external dimensions: 330x310x270mm



OFFERED

TUB OF ULTRASOUND
CLEANING SOLUTION
CONCENTRATE 25% 2L

SA 7070 49€VAT Excl.*



CLEANING GUN EVOLUTION

OP 0024

TN

For use on seats, gearshifts, air vents, license plates, rims...
Handy and compact

Specifications:

- nozzle rotation speed: 4000-8000 rpm
- operating pressure: 5 to 8 bar
- consumption: 180L/min
- bowl capacity: 1L
- supplied with fitting



149 €VAT Excl.

Instead of 169€VAT Excl.*



ROTATING NOZZLE CLEANING GUN

OP 0025

TN

This blowgun with rotating nozzle has been specially designed for thorough cleaning. Removes dirt and dust from carpets, seats and dashboard. Can be used in the engine compartment.



35 €VAT Excl.

Instead of 39€VAT Excl.*



Fall SELECTION

CAR WASH SET (7PCS)

EG 0011BL

B.LINE
BUDGET SOLUTION

TN



Contents:

- 4 soft-bristle brushes: 10-14-16-18mm
- 3 brushes, stiff bristles, for screwdriver mounting: 2 flat (45-120mm) and 1 with rounded head (85mm)

12€VAT Excl.

Instead of 14€VAT Excl.*



WIRE BRUSH

EG 0056

TN



7€VAT Excl.

Instead of 8€VAT Excl.*

Wire brush with carbon steel wire for a multitude of uses.



WORKSHOP CLEANING WIPES (80 PCS)

CO 0502

TN



20€VAT Excl.

Instead of 29€VAT Excl.*

Specifications:

- Double-sided: soft & rough
- Removes dirt, grease and grime
- Hypoallergenic and paraben-free
- Protects the epidermis: enriched with Aloe vera
- Citrus fragrance



CAR CLEANING WIPES (80PCS)

CO 0503

TN



35€VAT Excl.

Instead of 49,90€VAT Excl.*

Specifications:

- cleanses
- protects
- antistatic
- water-repellent
- high gloss
- biodegradable



BODY REPAIR DEGREASING/ CLEANING SPRAY 500ml

CO 1029

TN



8€VAT Excl.

Instead of 9€VAT Excl.*

Degreases and cleans bodywork components before painting or bonding.
Removes residues of glue, grease, oil and silicone.



EXPRESS PAINT REMOVER SPRAY 500ml

CO 1027

TN



14€VAT Excl.

Instead of 15,50€VAT Excl.*

Applications : Acrylic, Glycerol, Alkyd, Pliolite...



AIR REEL Ø8mm 10m

OP 0083BL

B.LINE
BUDGET SOLUTION




Automatic cable
distribution during
winding

TN

8 mm

69€VAT Excl.

Instead of 79€VAT Excl.*



Specifications:

- pipe: Øint. 8mm - Øext. 12mm, PU (polyurethane)
- resistant PP housing
- cable guide with automatic distribution/sweep
- shut-off device every 50cm (can be deactivated)
- 1/4" connector
- 180° swiveling wall bracket
- operating pressure: 10bar
- high-resistance spring tension



10M



HGV AIR REEL Ø13mm 20m


OP 1628

TN

13 mm

359 €VAT Excl.

Instead of 389€VAT Excl.*



Specifications:

- painted steel support
- automatic hose shut-off
- hose Øint. 13mm
- max. pressure 20bar
- 1/2" connection



20M



AIR REEL Ø10mm 15m

OP 1118

10 mm

115€VAT Excl.

Instead of 134€VAT Excl.*

Specifications:

- hose: Ø int. 10mm, braided PU hose (polyurethane)
- braked winding
- cable guide with automatic distribution/sweeping
- stopping device every 50cm (can be deactivated)
- PP (polypropylene) housing
- 1/4" connection
- 180° swiveling wall bracket
- operating pressure: 10bar

AIR REEL Ø13mm 15m

OP 1119

13 mm

149€VAT Excl.

Instead of 179€VAT Excl.*

Specifications:



- hose: Ø int. 13mm, braided PU hose (polyurethane)
- braked winding
- cable guide with automatic distribution/sweeping
- stopping device every 50cm (can be deactivated)
- PP (polypropylene) housing
- 1/4" connection
- 180° swiveling wall bracket
- operating pressure: 10bar



Supplied with a connector.
Ready to use!

Braided hose

+ Automatic cable distribution during winding



15M



ELECTRICAL WIRE REEL 3x1.5mm² 10m

OE 0053BL

3x1.5



99€ VAT Excl.


Instead of 119€ VAT Excl.*



Automatic cable
distribution during
winding

Specifications:

- 3x1.5mm² HO7RN-F-10m+1m cable
- capacity: 1000W-3000W
- cable guide with automatic distribution/scanning
- automatic 40cm locking (can be deactivated)
- adjustable stop
- 180° adjustable wall bracket
- overtemperature and overvoltage protection
- -5°/+56° operating temperature
- polypropylene housing
- UV protection



10M

2
WARRANTY



CABLE REELS 3x2,5mm² 20m

OE 0428

3x2.5



189 € VAT Excl.


Instead of 229€ VAT Excl.*



Automatic cable
distribution during
winding

Specifications:

- 3x2.5mm² HO7RN-F-20m+1m cable
- capacity: 1000W-3000W
- cable guide with automatic distribution/scanning
- free stop at desired length
- adjustable stop
- 180° rotatable wall bracket
- overtemperature and overvoltage protection
- -5°/+56° operating temperature
- polypropylene housing
- UV protection



20M

2
WARRANTY



Fall SELECTION

1/2" D. IMPACT WRENCH SET 1600Nm FOR WHEELS (19 PCS)

OP 1650BL




OP 1622BL

Specifications:

- loosening torque: 1600Nm
- max. tightening torque: 880Nm
- speed: 8,500 rpm
- connection: 1/4"
- recommended hose diameter: 3/8" - 10mm
- supply pressure: 6.3bar
- consumption: 184l/min
- length: 159mm
- net weight: 1.8kg
- supplied with fitting

Contents:

- OP1622BL: 1/2" impact wrench
- 3 special alloy wheel impact sockets: 17-19-21mm
- 10 1/2" hex impact sockets: 9-10-11-13-14-17-19-22-24-27mm
- 1/2" extension 125mm
- 4mm hex key
- oiler
- oiler
- supplied with fitting



B.LINE
BUDGET SOLUTION



One-hand
reverser

TN

1/2"

99€ VAT Excl.

Instead of 119€ VAT Excl.*

1600Nm



1/2" D. IMPACT WRENCH 1600Nm

OP 1622BL

Ergonomic, compact, lightweight and powerful!

B.LINE
BUDGET SOLUTION

Specifications:

- loosening torque: 1600Nm
- max. tightening torque: 880Nm
- speed: 8,500 rpm
- connection: 1/4"
- recommended hose diameter: 3/8" - 10mm
- supply pressure: 6.3bar
- consumption: 184l/min
- length: 159mm
- net weight: 1.8kg
- supplied with fitting

Features:

- 4-position variator
- exhaust handle
- one-hand reverser

EN ISO 11148-6:2012



Supplied with fitting



One-hand
reverser

TN

1/2"

69€ VAT Excl.

Instead of 75€ VAT Excl.*



6-blade rotor



Removable air
intake grille for easy
cleaning

1600Nm



Ø13mm REVERSIBLE DRILL

TN

OP 1451

99€VAT Excl.

Instead of 149€VAT Excl.*



Supplied with fitting

Specifications:

- Engine: 0.5hp
- speed: 800rpm
- length: 218mm
- connection: 1/4"
- supply pressure: 6.2bar
- consumption: 113l/min



AIR RIVETER KIT

TN

OP 1475

179 €VAT Excl.

Instead of 212€VAT Excl.*

+ 900Kg pulling force



Supplied with fitting

Specifications:

- for rivets up to 4.8mm depending on Nozzle
- pulling force: 900kg
- stroke: 14mm
- nozzles included: 2.4-3.2-4-4.8mm
- connection: 1/4"
- feed pressure: 6.2bar
- consumption: 1.4 to 1.8l/min



STRAIGHT BLOWGUN PEN

TN

OP 0099

12€VAT Excl.

Instead of 15€VAT Excl.*

+ Always at hand



- pocket blower
- adjustable flow rate
- Duralumin body
- length 110mm
- opening/closing by rotation



PNEUMATIC CHISEL TOOLS

TN

OP 1480

Chisel hammer set for easy disassembly of rusted, seized or crimped components.

220 €VAT Excl.

Instead of 250€VAT Excl.*



Specifications:

- capacity: 2200bpm
- operating pressure: 5 to 8bar
- consumption: 114l/min
- noise level 100dB

Contents:

- SA1480: chipping hammer/knife
- SA1481: 1/2" adapter for impact sockets
- SA1482: holder for Ø38-63-74mm pile
- SA1483: Ø38mm round pile
- SA1484: round hollow pile Ø63mm
- SA1485: round stack Ø74mm
- SA1486: round heap Ø25mm
- SA1487: round hollow heap Ø25mm
- SA1488: 10 O-rings to hold heaps in place



1" D. IMPACT WRENCH 3300Nm

TN

OP 1680

1"



390 €VAT Excl.

Instead of 409€VAT Excl.*

Specifications:

- double hammer technology
- release torque: 3300Nm
- speed: 4,000 rpm
- connection: 1/2"
- recommended hose diameter: 1/2" - 12.7mm
- supply pressure: 6.3bar
- consumption: 396l/min
- length: 480mm
- chuck length: 155mm
- net weight: 11.5kg

Features:

- 3+3 position variator
- handle exhaust
- second-hand reverser

EN ISO 11148-6:2012



3300Nm

1/2" IMPACT WRENCH 680Nm 20V BRUSHLESS + 2 BATTERIES 4Ah + CHARGER

TN

PW 0680

1/2"

+ Compact and lightweight 1.78Kg

299 €VAT Excl.

Instead of 319€VAT Excl.*

MAX



AUTO STOP MODE

1



2



3



LED lighting



BRUSHLESS motor



One-hand reverser

3 speeds



Supplied in transportable case with 2 4.0Ah batteries and 2.5A charger

400 Autonomy bolts (M12)*
*[indicative value]



680Nm



1/2" IMPACT WRENCH 1180Nm 20V BRUSHLESS + 2 BATTERIES 4Ah + CHARGER

TN

PW 1180

1/2"

+ Powerful torque

419 €VAT Excl.

Instead of 449€VAT Excl.*

MAX



AUTO STOP MODE

1



2



3



LED lighting



BRUSHLESS motor



One-hand reverser

3 speeds



Supplied in transportable case with 2 4.0Ah batteries and 2.5A charger

320 Autonomy bolts (M18)*
*[guide value]



1180Nm



Fall SELECTION

20V BRUSHLESS HAMMER DRILL + 2 BAT 4Ah + CHARGER

PW 2013


+ Ø13mm self-clamping steel chuck

TN

13mm

349 €VAT Excl.
Instead of 379€VAT Excl.*

3 MODES



MAX

1

2

160 Nm

0-600 rpm

0-2250 rpm

Supplied in transportable case with 2 4.0Ah batteries and 2.3A charger

50-hole autonomy (Ø10mm / 3mm sheet metal)* *[indicative value]



BRUSHLESS motor



One-hand reverser



Battery level indicator



High-performance 4Ah lithium-ion battery

160Nm



ANGLE GRINDER 125mm 20V BRUSHLESS + 2 BATTERIES 4Ah + CHARGER

PW 3125

TN

125mm

249 €VAT Excl.
Instead of 269€VAT Excl.*



M14



35mm



8500

Removable handle

Dead man's switch and hold action

Button lock

Handle location

Swivel aluminium casing



3 speeds

BRUSHLESS motor



Battery level indicator



Supplied in transportable case with 2 4.0Ah batteries and 2.3A charger

50 cuts autonomy (Ø10mm steel bar)* *[indicative value].



ELECTROPORABLE TOOL HOLDER & ACCESSORIES


PW 9150

TN

22€VAT Excl.
Instead of 30€VAT Excl.*

Ideal for storing and keeping your tools close at hand!

Holds 4 tools, plus charger and batteries on the shelf. Supplied with fixing kit (screws/plugs).



METAL WORKBENCH WOODEN TRAY 1.5m

TN

EG 0335

499 €VAT Excl.

Instead of 529€VAT Excl.*

+ High load-carrying
capacity 700kg



Dimensions :

- wooden top: L.1500xW.750xH.30mm
- frame: L.1410xW.692xH.855mm
- storage (metal tray) : L.1410xl.610mm
- weight: 95kg
- possibility of attaching 1 single drawer EG0337 (not included)



METAL WORKBENCH WOODEN TRAY 2m

TN

EG 0336

649 €VAT Excl.

Instead of 699€VAT Excl.*

+ High load-carrying
capacity 700kg



Dimensions :

- wooden top: L.2000xW.740xH.30mm
- frame: L.1900xl.692xH.855mm
- storage (metal tray) : L.1900xl.610mm
- weight: 120kg
- possibility of attaching 2 drawers EG 0337 (not included)



900W INDUSTRIAL BENCH GRINDER Ø200x32x32mm WHEEL+BRUSH

TN

EG 0225

299 €VAT Excl.

Instead of 349€VAT Excl.*



PARALLEL JAW CLAMPS 150mm QUICK TUBE HOSE APPROACH

OM 4066

229 €VAT Excl.

Instead of 249€VAT Excl.*

+ Quick approach

TN



PARALLEL JAW CLAMPS 205mm QUICK TUBE HOSE APPROACH

OM 4068

299 €VAT Excl.

Instead of 349€VAT Excl.*

Disengageable jaw system for immediate jaw adjustment.



BODYWORK 3 TRAY STORAGE TROLLEY

OC 0711

Allows storage of dismantled parts such as headlamps, seat cushions, dashboards, bumpers...

Specifications:

- 3 trays (2 wood and 1 mesh)
- tray heights: 260-810-1390mm
- mesh bottom
- 4 swivel wheels, 2 with brakes
- dimensions : L.630xI.1110xH.1625mm



TN

259 €VAT Excl.

Instead of 299€VAT Excl.*



3 TRAY ROLLER CABINET

TN

EG 0083

189 €VAT Excl.



Specifications:

- dimensions: 766x415x840mm
- tray dimensions: 760x410x60mm
- 2 fixed wheels Ø100mm
- 2 swivel wheels Ø100mm with brakes
- 2.5mm EVA foam tray protection
- load capacity per tray: 30kg
- total load capacity: 90kg



TOOL-STORAGE STOOL

TN

OM 0099

69€VAT Excl.

Instead of 79€VAT Excl.*



Specifications:

- height-adjustable
- 2 tool storage levels
- allows work on all lower parts
- minimum height: 440mm
- max height: 560mm
- max load: 113kg



FOLDABLE INSPECTION CREEPER

EG 0113BL

B.LINE
BUDGET SOLUTION

TN

Can be disassembled into 2 parts, with 4 swivel castors for easy transport in a trunk.
Comfortable, padded cushion and headrest.

37€VAT Excl.

Instead of 45€VAT Excl.*



Specifications:

- dimensions: 92x38x9.5cm



6-WHEEL BUCKET-SEAT INSPECTION CREEPER

EG 0106

TN

79€VAT Excl.

Instead of 84€VAT Excl.*



Specifications:

- fitted with 2 tool holders
- carrying handle
- hydrocarbon-resistant material
- dimensions: 100x48x11cm
- Ø wheels: 60mm
- high-pressure washable



INSPECTION CREEPER 150kg

EG 0109

TN

119€VAT Excl.

Instead of 139€VAT Excl.*



Specifications:

- 2 tool holders
- carrying handle
- hydrocarbon-resistant material
- dimensions: 100x47x13cm
- Ø wheels: 75mm
- high-pressure washable
- reinforced wheel support



Fall SELECTION

HOT AIR GUN 50-650°C

TN

OE 6047

Specifications:

- LCD display
- last temperature stored
- 5 airflow options from 250 to 500l/min
- CHC = constant heat control (protects against overheating and ensures continuous operation)
- handle for comfortable working
- temperature range: 50-650°C

Supplied with :

- 1 protective nozzle
- 1 flat nozzle
- 1 reduction nozzle
- 1 reflective nozzle
- 1 scraper



99€VAT Excl.

Instead of 129€VAT Excl.*



SOLDERING IRON 30W WITH STAND

TN

OE 0811

This soldering iron is the ideal tool for a multitude of jobs. The high-quality tip is suitable for lead-free soldering.

The work support is equipped with two crocodile clips for holding printed plates.
Weight: 560g

Supplied with tin, tip and sponge



22€VAT Excl.

Instead of 27€VAT Excl.*



MINI TORCH WITH RETRACTABLE TUBING + GAS REFILL

TN

EG 0541

69€VAT Excl.

Instead of 80€VAT Excl.*



NUT SPLITTER

TN

OM 0623

34€VAT Excl.

Instead of 139€VAT Excl.*



Contents:

- SA0624: nut splitters for 9 to 12mm nuts
- SA0625: nut splitters for nuts from 12 to 16mm
- SA0626: nut splitters for nuts from 16 to 24mm
- SA0627: nut splitters for nuts from 22 to 27mm



Fall SELECTION

LUBRICANT SILICONE UNIVERSAL SPRAY 500ml

TN

CO 1030



7€VAT Excl.

Instead of 8€VAT Excl.*

Lubricates mechanical parts, stabilizes rubber at varying temperatures, eliminates leakage currents and short circuits, protects battery terminals.



LUBRICANT TEFLON SPRAY 500ml

TN

CO 1031



9€VAT Excl.

Instead of 10€VAT Excl.*

Lubricates parts that cannot be greased to prevent dust from sticking. Also enables maintenance of rubber and plastics.



SUPER RELEASING GRAPHITE SPRAY 400ml

TN

CO 1026



10€VAT Excl.

Instead of 12€VAT Excl.*

Thanks to its graphite formula with very low surface tension, the super-degrepper penetrates deep into the rust, leaving a protective graphite film. Facilitates future dismantling.



MASTIC REPAIR BAR TO MODEL METAL 57g

TN

CO 1046



9€VAT Excl.

Instead of 11€VAT Excl.*

Repairs broken metal, seals radiators, recreates fastener tabs, rebuild threads on all types of metal...



FLEXIBLE INSTANT GLUE 20g

TN

CO 1032



7€VAT Excl.

Instead of 8€VAT Excl.*

Particularly suitable for bonding interior mirrors. Fast setting.



BLACK STRUCTURAL GLUE 50ml

TN

CO 1024



15€VAT Excl.

Instead of 17€VAT Excl.*

Specifications:

- structuring time: 1min
- drying time: 5min
- 2K polyurethane adhesive



INDUCTION HEATER

OE 0800

Heats a part at a precise point, making it easy to release screws, nuts, bolts, connecting rods, hubs (even rusty ones), lambda probes, ball bearings... It also makes it easy to remove stickers, glued door strips or truck wheel nuts.

Specifications:

- frequency: 25-60kHz
- automatic overtemperature shutdown
- short-circuit and open-circuit protection, overload alarm
- dimensions: 200x140x75mm

Contents:

- remote central induction unit with 3m power cord and 70cm connection cable (for accessibility)
- SA0819: rigid induction coil Ø19mm L.220mm
- SA0832: rigid induction coil Ø32mm L.220mm
- SA0818: flexible induction coil L.800mm
- SA0817: induction pad Ø50mm L.220mm
- shoulder strap
- plastic case with foam



TN

+ Increased safety
Time saving

895 €VAT Excl.

Instead of 949€VAT Excl.*



Control and command

Coil lock

2
WARRANTY

HGV INDUCTION HEATER

OE 0900

This tool heats a part at a precise point, making it easy to release screws, nuts, bolts, connecting rods, hubs (even rusty ones), lambda probes, ball bearings... It also makes it easy to remove stickers, glued door strips or truck wheel nuts.

Specifications:

- frequency: 18-60kHz
- power: 3.7kVA
- power regulator: 10-100
- control display and timer
- LED lighting of work area
- liquid-cooled
- dimensions: 240x200x440mm
- weight: 11.5kg

Contents:

- remote central induction unit with 3m power cord and 2m connection cable (for accessibility)
- side-heating induction coil



TN

+ Increased safety
Time saving

2999 €VAT Excl.

Instead of 4499€VAT Excl.*



Filling

Tank

Heating control

LED

2
WARRANTY

CAT.I DIGITAL MULTIMETER

TN

OE 3008BL



12€VAT Excl.

Instead of 15€VAT Excl.*

B.LINE
BUDGET SOLUTION



DIGITAL MULTIMETER CAT. III

TN

OE 3004



69€VAT Excl.

Instead of 80€VAT Excl.*



INFRARED THERMAL CAMERA

TN

AC 5120

NEW



349 €VAT Excl.*

Specifications:

- screen size 30x30mm
- 1024 pixel resolution
- temperature range - 20/650°C
- tolerance +/- 2%
- working temperature 0/50
- supplied with 4 x 1.5V AAA batteries
- charge indicator
- 1 USB/mini-USB cable
- SD card not included
- carrying pouch

Application, temperature setting :

- engine environment
- air conditioning
- exhaust
- electric vehicle batteries
- industrial environment

+ Information backup



CLAMP METER 1000A

TN

OE 5020



129€VAT Excl.

Instead of 149€VAT Excl.*

Specifications:

- current test
- ammeter test
- diode test
- continuity test
- data storage
- IEC-61010 CATII with overload protection
- 3-digit 16mm LCD digital display
- automatic scales
- supplied with battery and cord
- clamp opening: 55mm
- dc voltage: 600V±(0.5%+5)
- AC voltage: 600V±(1%+5)
- direct current: 200/1000A±(2.5%+5)
- alternating current: 200/1000A±(2.5%+5)
- resistance: 200ohms ±(1.2%+5)
- frequency: 2kHz±(2%+5)
- power supply: 9Vx1



Fall SELECTION

TAP & DIE SET (52 PCS)

OM 9222

TN

179€VAT Excl.

Instead of 205€VAT Excl.*



Contents:

- 7 Dies: M3x0.5-M4x0.7-M5x0.8-M6x1.0-M8x1.25-M10x1.50-M12x1.75
- 5 Threading dies UNF 1/4", 5/16", 3/8", 1/2".
- 2 BSP 1/8", 1/4" dies
- 14 Taps in indicated pitches
- 13 HSS drills: 2.5-3.3-4.2-5-5.5-6.8-6.9-8.5-8.8-9.9-10.3-11.4-11.8mm
- 5 Pigtail extractors N°1-2-3-4-5
+ accessories

NO
WARRANTY

M5-M12 INSERT SET

OM 0450

TN

69€VAT Excl.

Instead of 144€VAT Excl.*

For repairing worn or damaged threads.

Stainless steel inserts for excellent resistance to breakage, corrosion and temperature.

Set includes inserts from M5 to M12, twist drills, taps, assembly tools and thread breakers.

Contents:

- twist drills
- taps
- assembly tools
- tongue breaker
- 12 inserts M5x0.8
(OM0452 : 25 inserts)
- 12 inserts M6x1
(OM0453 : 25 inserts)
- 12 inserts M8x1.25
(OM0454 : 25 inserts)
- 12 inserts M10x1.50
(OM0455 : 25 inserts)
- 12 inserts M12x1.75
(OM0456 : 10 inserts)



NO
WARRANTY

DRILL SET HSS4241 (170 PCS)

TN

EG 0671BL

69€VAT Excl.

Instead of 90€VAT Excl.*



B.LINE
BUDGET SOLUTION

NO
WARRANTY


DRILL SET HSS4241 (25 PCS)

TN

EG 0670BL

19€VAT Excl.

Instead of 23€VAT Excl.*



Contents:

- drill bits from 1.0 to 13.0mm, every 0.5mm

B.LINE
BUDGET SOLUTION

NO
WARRANTY

TROLLEY JACK 2T

OH 6302BL

B.LINE
BUDGET SOLUTION


TN

47€VAT Excl.

Instead of 64€VAT Excl.*

Specifications:

- rotating sole
- overload protection
- carrying handle
- handle length (bent in 2 parts): 740mm
- weight: 8.7kg



2T



EXTRA FLAT TROLLEY JACK 2T 85mm

OH 5304

+ Extra flat

79€VAT Excl.


Instead of 99€VAT Excl.*



Handle storage

Specifications:

- rotating sole
- overload protection
- weight: 13kg



2T




EXTRA FLAT ALUMINUM TROLLEY JACK 1.25T 85mm

OH 5309

+ Ultra-light, ultra-flat

279€VAT Excl.

Instead of 299€VAT Excl.*



Foam protection

Built-in buffer



Quick handle attachment



Double pump: quick assembly

Specifications:

- Aluminum jack
- rubber sole
- overload protection
- dual-pump quick-release system
- foam protection on handle
- pivoting rear wheels
- weight: 11.5kg



1.25T



FOOT PEDAL TROLLEY JACK 3T

OH 6303



149€ VAT Excl.


Instead of 279€ VAT Excl.*



Double pump: quick assembly

Specifications:

- approach pedal
- overload protection
- double piston
- iron wheels
- weight: 29.5kg



3T 10 WARRANTY

EXTRA FLAT TROLLEY JACK 3T 75mm

OH 7014

+ Extra flat



Double pump: quick assembly




Foam protection



Approach pedal

Specifications:

- approach pedal
- controlled descent system
- overload protection
- pivoting rubber sole
- dual-pump quick-release system
- foam protection on handle
- PU front and rear wheels
- min. height 75mm
- max. height 510mm
- dimensions: 740x350x230mm
- weight: 32.5kg



3T 10 WARRANTY

BOTTLE JACKS

TN



Robust & airtight thanks to welded baseplate



REF	DESCRIPTION	Min. height (mm)	Max. height (mm)	Weight	Base	Max. load (T)	Carrying handle	Adjustable base plate	Price	Selected price
OH 4502	BOTTLE JACK 2T	181	345	2,5 kg	99x93mm	2	Non	0-48	33 €HT*	29€VAT Excl.
OH 4504	BOTTLE JACK 4T	193	373	3 kg	110x103mm	4	Non	0-60	39 €HT*	32€VAT Excl.
OH 4506	BOTTLE JACK 6T	210	415	4 kg	122x115mm	6	Non	0-70	49 €HT*	33€VAT Excl.
OH 4512	BOTTLE JACK 12T	230	440	6,5 kg	140x126mm	12	Non	0-60	64 €HT*	45€VAT Excl.
OH 4520	BOTTLE JACK 20T	242	452	9,3 kg	159x143mm	20	Non	0-60	89 €HT*	59€VAT Excl.

2-20T



PNEUMATIC FLOOR JACK 2T-2 STAGES

OP 0209


New internal structure for greater stability, telescopic guide.



Fast, effortless ascent

419€VAT Excl.

Instead of 549€VAT Excl.*



2T



Fall SELECTION

JACK STANDS

TN




Load stabilization




Safety pin


REF	DESCRIPTION	Min. height	Max. height	Weight	Max. load (T)	PRICE	Discounted price
OM 3002BL	PAIR OF 2T JACK STANDS WITH SECURITY PIN	268mm	418mm	4,8 kg	2	41 €HT*	35€VAT Excl.
OM 3030	PAIR OF 3T JACK STANDS WITH SECURITY PINS	276mm	420mm	6,4 kg	3	52 €HT*	45€VAT Excl.
OM 3060	PAIR OF 6T JACK STANDS WITH SECURITY PINS	388mm	588mm	14 kg	6	89 €HT*	79€VAT Excl.



OM 3002BL



OM 3030



OM 3060

OM 3030 JACK STAND RUBBER PAD

EG 1157

17€VAT Excl.

Instead of 19€VAT Excl.*

2-6T



PAIR OF MOBILE 20T PIN JACKS

OM 0694


TN

295€VAT Excl.

Instead of 329€VAT Excl.*

+ Mobiles

- Specifications:**
- min.h: 360mm
 - max. height: 510mm
 - base plate: 280x330 mm
 - weight: 30.6kg



20T




FOLDABLE AIR HYDRAULIC JACK 15-30T

OH 9021

Specifications:

- carrying handle
- allows you to work quickly and effortlessly
- overload protection
- equipped with descent speed control valve for increased safety
- handle divisible into 2 parts
- folding handle becomes a carrying handle
- remote control unit for use with or without 2nd handle section
- angled frame cut-out for easy handling
- rubber wheels
- min. height: without extension 150mm/with extension 270mm
- max. height: without extension 289mm/with extension 409mm
- extensions: Ø67mm L.45-75mm, Ø25mm spigot
- supply pressure: 9-12bar
- weight: 30.2kg

+ Special troubleshooting
Lightweight and ultra-compact



Carrying handle



Approach pedal

1250 €VAT Excl.

Instead of 1499€VAT Excl.*

15-30T




TN

PIT JACK 300kg

OH 0273

Specifications:

- foot-operated
- 28 mm diameter chrome-plated piston
- overload protection
- down control: dead man type
- 4 swivel wheels



REF	Capacity (kg)	A (mm)	B (mm)	C (mm)	Weight (kg)
OH 0273	300kg	150	490	600	23kg



229 €VAT Excl.

Instead of 269€VAT Excl.*

+ Dead man's descent

300KG



TN


PIT JACK 600kg

OH 0286

+ Dead man's descent

Specifications:

- foot-operated
- 30mm-diameter chrome-plated piston
- 600mm wheelbase
- overload protection
- down control: dead man type
- 4 swivel wheels, 2 with brakes



269 €VAT Excl.

Instead of 299€VAT Excl.*

600KG



TN


Fall SELECTION

PIT JACK 1T

OH 0285

Specifications:

- foot-operated
- 30mm diameter of free-standing end. 35mm cylinder rod diameter.
- wheelbase length 780mm and width 630mm.
- Fast pedal: 15mm rise with each pedal stroke.
- overload protection
- down control: deadman type
- supplied with removable head and pad
- 4 swivel wheels, 2 with brakes



TN

499€VAT Excl.

Instead of 599€VAT Excl.*

1T



TELESCOPIC PIT JACK 750 KG

OH 0280

+ Telescopic support

Specifications:

- foot-operated with precision adjustment
- wide base for greater stability
- quick adjustment
- wide handle for easy load support
- pedal push compensation: 2cm



TN

139€VAT Excl.

750KG



GEARBOX SUPPORT

OH 0210

+ Ø30 & Ø35mm piston adapters included
Increased safety

Specifications:

- maximum load capacity: 150kg
- length/width: 490mm/460mm
- forward/backward tilt: ±35
- left/right tilt: ±5
- weight: 12kg



TN

699€VAT Excl.

Instead of 799€VAT Excl.*

150KG



1T FOLDABLE CRANE

TN

OH 0336BL

229€VAT Excl.

Instead of 299€VAT Excl.*



B.LINE
BUDGET SOLUTION

Specifications:

- lifting capacity: 0-2060mm
- 4-position arm: 1000-750-500-250kg
- foot height: 185mm
- 6 swivel wheels



1T



1T LOW PROFILE FOLDABLE CRANE

TN

OH 0335

399€VAT Excl.

Instead of 489€VAT Excl.*



+ Extra plate

Specifications:

- double-acting pump
- 360° rotating pump
- deadman descent
- 3-position arm: 1000-800-700kg
- extra flat: 85mm
- nylon wheels
- weight: 71kg



1T



500kg HYDRAULIC LIFT TABLE

TN

OH 1300

Ideal for handling and working on parts (gearboxes, engines, lifts, batteries, etc.).



2 fixed wheels and 2 swivel wheels with protective covers and brakes



Hydraulic lift control via pedal




995€VAT Excl.


Instead of 1199€VAT Excl.*

Specifications:

- hydraulic lift control via foot pedal
- deadman lowering control
- platform dimensions: 1010x520mm
- 2 fixed and 2 swivel wheels with protective covers and brakes
- weight: 144kg



500KG



DUAL-CONTROL HYDRAULIC PRESS 30T SLIDING CYLINDER

OH 0931

TN

1999 €VAT Excl.

+ Sliding jack and winch



Specifications:

- hydraulic pump
- manual override or hydropneumatic foot pedal
- chrome-plated piston with adjustment screw
- sliding cylinder with handle and positioning scale
- polycarbonate guard protects operator from splinters
- table height adjustable to 12 positions
- table raising/lowering assisted by winch
- table held in place by 2 oversized pins
- drip tray 226x136x55mm
- large pressure gauge
- reversible V-shaped support block, punch kit and polycarbonate protection included.



DUAL-CONTROL HYDRAULIC PRESS 50T SLIDING CYLINDER

OH 0951



Polycarbonate protecting the operator

2790 €VAT Excl.

Instead of 3390 €VAT Excl.*

30T-50T



7 DRAWERS ROLLER CABINET + 214 TOOLS

TN

EG 1100BL

B.LINE
BUDGET SOLUTION

699 €VAT Excl.*

Specifications:

- load capacity per small drawer: 16kg
- load capacity per large drawer: 25kg
- load capacity for tray: 32kg
- total load capacity: 180kg
- weight of trolley and tools: 59kg
- empty weight: 41kg




Contents:

- 1 x 7-drawer trolley
- dimensions: 688x450x955mm
- height without wheels: 800mm
- 1 screwdriver insert (15 pcs)
 - 7 torx screwdrivers: T9x75-T15x100-T20x100-T25x100-T27x100-T30x100-T40x150mm
 - 4 phillips screwdrivers: PH2x38-PH2x100-PH3x150-PH1x75mm
 - 4 pozidrive screwdrivers: SL6x38-SL5x75-SL6x100-SL6.5x150mm
- 1 pliers and hammer insert (13 pcs)
 - 1 straight internal circlip pliers
 - 1 internal circlip pliers, curved nose
 - 1 straight external circlip pliers
 - 1 6" bending pliers
 - 1 6" diagonal pliers
 - 1 combination pliers 8"
 - 1 long nose pliers 6"
 - 1 10" water pump pliers
 - 1 general-purpose hammer 300g
 - 4 pin drivers: 3x150, 5x150, 6x150, 8x150mm
- 1 sockets and ratchets insert (64 pcs)
 - 17 sockets 1/2" DR: 10-11-12-13-14-15-17-18-19-21-22-23-24-27-30-32mm
 - 15 sockets 3/8" DR: 8-9-10-11-12-13-14-15-16-17-18-19-21-22-24mm
 - 13 sockets 1/4" DR: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
 - 3 ratchet handles: 1/4", 1/2", 3/8"
 - 3 1/2" sockets: 17-19-21
 - 1 1/4" cone
 - 3 universal joints: 1/4", 1/2", 3/8"
 - 3 sliding bars: 1/4", 1/2", 3/8"
 - 2 1/2" extension bars: 5" and 10"
 - 2 extension bars 3/8": 6" and 3"
 - 2 x 1/4" extension bars: 4" and 2"
- 1 Nozzle insert (102 pcs)
 - 48 Nozzles 1/4" 35mm: T8-9-10-15-20-27-30-40 / TT8-9-10-15-20-25-27-30-40 / PH0-1-2-3 SL4- 5.5-6.5-7 / PZ0-1-2-3 M7-8-10-12 / H3-4-5-6-7-8 / TS10-15-20-25-27-30-40-45-50
 - 24 nozzles 30 mm: SL8-10-12 / T40-45-50-55-60-70 / PZ3-4 / PH3-4 H7-8-10-12-14 / TT40-45-50-55-60-70
 - 6 pieces 1/2" short nozzles 55 mm: M16-H24-H22-H19-H17-H14
 - 22 long sockets 1/2": T80x100, M16x100, M9x100, MP9x100mm, T40x140, T45x140, T50x140, T55x140, T60x140, T70x140, M10x140, M12x140mm, M14x140, MP10x140, H10x140, H11x140, H13x140mm, H5x160, MP8x250, MP7x240, H7x240, H30x300mm
 - 1 1/2" coupling
 - 1 1/2" M15 impact socket
- 1 wrench insert (20 pcs)
 - 12 ratcheting combination wrenches: 8-9-10-11-12-13-14-15-16-17-19-22mm
 - 8 double offset ring wrenches (mm): 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22mm

OFFERED

1/4"-3/8"-1/2" TOOL SET (172PCS)

OS 3280BL 139€VAT Excl.*



4 DRAWERS + 214 HGV TOOL DOOR ROLLER CABINET

TN

EG 4247


Wide and sturdy, it offers a comfortable work surface and a total load capacity of 500kg. Perforated on 2 sides, the trolley can be fitted with a wide range of accessories (workshop waste garbage can, hand towel dispenser, etc.).



Load capacity
500kg

1750 €VAT Excl.

Instead of 2195€VAT Excl.*



Fall SELECTION

1/4"-1/2" TOOL SET (108PCS)

OS 3050BL

Contents for mechanical and industrial applications
1/4" and 1/2".



TN

79€VAT Excl.

Instead of 99€VAT Excl.*

B.LINE
BUDGET SOLUTION



SUITCASE 166 TOOLS

OS 3320BL



TN

219€VAT Excl.

Instead of 249€VAT Excl.*

B.LINE
BUDGET SOLUTION

Contents:

- 1 case
- 1 telephone pliers 150mm
- 1 long nose pliers 200mm
- 1 combination pliers 180mm
- 1 locking pliers 250mm
- 1 adjustable wrench 250mm
- 6 pin drivers 150mm: 2-3-4-5-6mm
- 3 chisels 150mm
- 9 hexagonal wrenches: 1.5-2-2.5-3-4-5-6-8-10
- 9 torx wrenches: T10-15-20-25-27-30-40-45-50
- 1 telescopic magnet
- 1 saw 450mm
- 1 caliper 0-150mm
- 2 files 200mm
- 1 hammer 1kg
- 2 circlip pliers
- 13 open-end wrenches: 7-8-9-10-11-12-13-14-15-16-17-18-19mm
- 7 screwdrivers
- 1 tension tester
- 1 1/2" ratchet
- 2 1/2" extension cords: 125-250mm
- 16 1/2" sockets: 10-11-12-13-14-16-17-18-19-20-21-22-24-27-30-32mm
- 1 1/2" gimbal
- 1 1/4" ratchet
- 2 1/4" extensions: 50-100mm
- 12 1/4" sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13mm
- 1 1/4" socket holder
- 1 1/4" Nozzle holder
- 1 1/4" gimbal
- 1 box of Nozzles (32pcs)
- 24 Nozzles: T40-30-27-25-20-15-10-9-8,PH3-2-1-0,SL7-6.5, M12-10-8,H8-7-6-5-4-3
- 1 cutter 18mm
- 10 spare blades 18mm



PRECISION RATCHET+SCREWDRIVER SET (78PCS)

TN



OS 1040BL

B.LINE
BUDGET SOLUTION

19€VAT Excl.

Instead of 27€VAT Excl.*

Compact case for hard-to-reach jobs, ideal for adding to a repair toolbox.



Contents:

- 1 reversible ratchet 1/4" 6.35
- 1 bit-holder screwdriver
- 1 extension
- 1 magnetic holder
- 1 precision holder
- 1 precision pliers
- 41 Nozzles 6.35x25mm
- 1 25mm adapter
- 1 precision Nozzle magnetic adapter
- 20 precision Nozzles 4x28mm
- 9 1/4" sockets: 4-5-6-7-8-9-10-11-12mm

Dimensions :

140X110X55mm



MINI 1/4" RATCHET SET + SOCKETS + BITS (39PCS)

TN

OS 1050

35€VAT Excl.

Instead of 39€VAT Excl.*



Contents:

- 1 1/4" reversible ratchet
- 1 screwdriver bit holder
- 9 1/4" sockets: 5-6-7-8-9-10-11-12-13mm
- 1 55mm extension
- 1 100mm extension
- 24 precision Nozzles 6,35x25mm
- 1 adapter

Dimensions :

160X90X45mm



IMPACT SOCKET KIT 10-27mm 1/2" (10 PCS)

TN

OS 3100

32€VAT Excl.

Instead of 39€VAT Excl.*



DIN ISO 2725-3

Contents:

- OS3101: 10mm impact socket
- OS3102: 11mm impact socket
- OS3103: 13mm impact socket
- OS3104: 14mm impact socket
- OS3105: 17mm impact socket
- OS3106: 19mm impact socket
- OS3107: 21mm impact socket
- OS3108: 22mm impact socket
- OS3109: 24mm impact socket
- OS3110: 27mm impact socket



LONG HEX IMPACT SOCKET SET 10-30mm 1/2" (13 PCS)

TN

OS 3130

49€VAT Excl.

Instead of 99€VAT Excl.*



DIN ISO 2725-3

Contents:

- OS3131: 10mm 1/2" long hex impact socket
- OS3132: 11mm 1/2" long hex impact socket
- OS3133: impact socket, hexagonal, long, 12mm 1/2" (1.5")
- OS3134: impact socket, hex, long 13mm 1/2" (1/2")
- OS3135: impact socket, hexagonal, long 14mm 1/2" (1/2")
- OS3136: impact socket, hex, long 16mm 1/2" (1/2")
- OS3137: impact socket, hexagonal, long 17mm 1/2" (1.5")
- OS3138: impact socket, hex, long 19mm 1/2" (1/2")
- OS3139: impact socket, hexagonal, long, 21mm 1/2" (1/2")
- OS3140: hex impact socket 22mm 1/2" long
- OS3141: impact socket, hexagonal, long, 24mm 1/2" (1/2")
- OS3142: impact socket, hexagonal, long 27mm 1/2" (1.5")
- OS3143: impact socket, hexagon, long 30mm 1/2" (1.5")



1/2" D. IMPACT HEX BIT IMPACT SOCKET SET H4-H19 (9 PCS)

TN

OM 7112

39€VAT Excl.

Instead of 89€VAT Excl.*



Contents:

- SA0476: socket H4 L.78mm
- SA0477: socket H5 L.78mm
- SA0478: socket H6 L.78mm
- SA0479: socket H8 L.78mm
- SA0480: socket H10 L.78mm
- SA0481: socket H12 L.78mm
- SA0482: socket H14 L.78mm
- SA0483: socket H17 L.78mm
- SA0484: socket H19 L.78mm



1/2" IMPACT SOCKET BIT SET HUB AND CV JOINT (8 PCS)

TN

OM 7069

79€VAT Excl.

Instead of 89€VAT Excl.*



Contents:

- SA7038: 27mm socket
- SA7039: 30mm socket
- SA7042: 32mm socket
- SA7043: 34mm socket
- OM0056: Socket 36mm
- SA0485: 14mm hexagon socket
- SA0486: 17mm hex socket
- SA0487: 19mm hexagon socket



TORQUE WRENCH 1/2"
40-210Nm 450mm

B.LINE
BUDGET SOLUTION

TN

OM 0790BL

+ Supplied with calibration certificate

59€VAT Excl.
Instead of 69€VAT Excl.*



1/2" TORQUE WRENCHES

TN



72-tooth ratchet



Auto-lock



+ Supplied with calibration certificate

REF	Square	Tightening torque	Length	Weight	Accuracy	Reading	Price	Selection price
OM 0791	1/4"	1-6 Nm	197 mm	260 g	+/- 3% (clockwise)	0.05 -> 0.05	69 €HT*	59€VAT Excl.
OM 0794	1/4"	5-25 Nm	240 mm	320 g		0.25 -> 0.25	74 €HT*	64€VAT Excl.
OM 0795	3/8"	10-60 Nm	295 mm	410 g		0.5 -> 0.5	89 €HT*	69€VAT Excl.
OM 0796	3/8"	20-120 Nm	420 mm	1000 g		1 -> 1	99 €HT*	79€VAT Excl.
OM 0792	1/2"	40-220 Nm	525 mm	1150 g	+/- 6% (counter clockwise)	1 -> 1	99 €HT*	79€VAT Excl.
OM 0793	3/4"	100-600 Nm	1000 mm	4890 g		2.5 -> 2.5	439 €HT*	389€VAT Excl.
OM 0797	1"	300-1500 Nm	1000 mm + 800 mm	6700 g		1 -> 1	799 €HT*	699€VAT Excl.



1/2" SHEATHED ALU WHEEL RIM SOCKET SET (3 PCS)

TN

OM 7003BL

22€VAT Excl.

Instead of 33€VAT Excl.*



Anti-scratch

B.LINE
BUDGET SOLUTION



Maximum tightening torque :

- 17mm socket: 510Nm
- socket 19mm: 637Nm
- 21mm socket: 682Nm



1/2" WHEEL INTERVENTION SOCKET SET (10 PCS)

TN

OM 7027

65€VAT Excl.

Instead of 75€VAT Excl.*



FORD-compatible



INVERTED THREAD IMPACT SOCKET SET FOR DAMAGED BOLTS

TN

OM 0630

65€VAT Excl.

Instead of 78€VAT Excl.*



Contents:

Sockets length 38mm 1/2" drive

- SA0631: 17mm socket
- SA0632: 18.5mm socket
- SA0633: 20mm socket
- SA0634: socket 21.5mm
- SA0635: 23mm socket
- SA0652: socket 24.5mm
- SA0653: socket 26mm



IMPACT TWISTED SOCKET SET FOR DAMAGED NUTS Ø6-27mm (15 PCS)

TN

OM 8073

149€VAT Excl.

Instead of 192€VAT Excl.*



Find solutions for tire wear and TPMS on **p.14**



30000321



ADTK5PRO

MUSHROOM PLUG TIRE REPAIR KIT 8mm WITH DRILL

TN

EG 0265

This repair solution for tubeless tires involves inserting a mushroom with vulcanizer without dismantling the tire.



Contents:


- SA0260: insertion gun
- SA2608 X2: Ø8mm insertion nozzle
- SA2602: 1 preparation file
- SA2603: nozzle insertion punch
- SA0257 X2: 50 Ø8mm vulcanizing mushrooms
- SA0259: 1 bottle of vulcanizer 250ml
- SA1265: 6mm drill bit for tires



Intervention without
dismounting the tire

149€VAT Excl.

Instead of 164€VAT Excl.*



2
WARRANTY

TUBELESS LV TIRE REPAIR KIT

TN

EG 0211

This repair kit for tubeless tires makes it possible to repair a puncture on the spot (without removing the wheel). The drill bits are designed to achieve a permanent repair. This quick and easy repair solution improves productivity by ensuring optimum repair quality. We recommend the use of SA 0259 vulcanizing agent.



6,90 €VAT Excl.

Instead of 9,90€VAT Excl.*

Contents:

- 1 preparation file for braid entry
- 1 braid insertion handle
- 10 repair braids 100mm

NO
WARRANTY

BRAKE FLUID TESTER PROBE

AC 5004

Allows you to check brake fluid quality by verifying the amount of water in the fluid. Clear, easy-to-read test result (green/orange/red LED system).



18€VAT Excl.

Instead of 21€VAT Excl.*

TN




MEASURING GAUGE FOR BRAKE LINING THICKNESS

AC 5015

19€VAT Excl.

Instead of 21€VAT Excl.*

+ Fast, precise control



Thickness: 2, 3, 4, 5, 6, 8, 10, 12mm
Intuitive color code:
Red=replace immediately
Yellow=to be replaced soon
Green=ok

Fits between disc and trim carrier
High-strength steel



DIGITAL CALIPER FOR BRAKE DISCS

AC 0521

79€VAT Excl.

Instead of 89€VAT Excl.*

TN

+ Precise measurement
Clear reading



This Aluminum caliper measures brake disc thickness.

Disc wear forms an outer burr which prevents the use of traditional calipers: this caliper is specially designed for this problem.

Equipped with a back-up button to keep a record of the measurement taken.

Specifications:

- measurement range: 0 to 80mm
- resolution: 0.01mm
- offset: 28mm
- zeroing in any position
- dual measurement units: mm and inches



Fall SELECTION

COPPER CROWN Ø4.75mm L.7.62m

TN

EG 0565

39€VAT Excl.

Instead of 49€VAT Excl.*



Dimensions :

- Inside Ø 4.75mm
- Outside Ø 5mm



7,6 m



NO WARRANTY

REPAIR TOOL SAE MALE/ FEMALE SET

TN

OM 8050BL

29€VAT Excl.

Instead of 69€VAT Excl.*

B.LINE
BUDGET SOLUTION



SAE: male taper
DIN: female taper

Contents:

- prints : Ø3/16" (4,75mm)-5/8"-1/2"-7/16"-3/8"-5/16"-1/4"
- tube cutter from Ø3 to Ø30mm



2 WARRANTY

BRAKE CALIPER SOCKET SET (18 PCS)

TN

OM 0180

92€VAT Excl.

Instead of 105€VAT Excl.*

Contents:

- 3/8" hexagon socket bits :
H7 socket length 45mm
H7 socket length 65mm
H9 cavity length 23mm
H11 impression length 73mm
- 1/2" hexagon socket bits :
H10 impression length 12mm
- Hexagon socket L.25mm 3/8" : H7, H8
- hexagon socket L.20mm 1/4" : H9
- 1/2" pentagonal sockets: 10, 12.5, 14 and 19mm
- 7-point sockets: 14 and 22mm
- gear lock sockets (10 flats): 9, 11.5, 15 and 20mm



2 WARRANTY

SET OF 6 BRAKE/CLUTCH BLEED WRENCHES

TN

OM 0501



Check valve for
single-operator
venting

49€VAT Excl.

Instead of 95€VAT Excl.*

Specially designed for bleeding brake calipers, the wrench features a coupling with retaining seal, ensuring optimum grip of the bleeder screw (even when damaged) without any leakage.

Specifications:

- wrenches 7, 8, 9, 10, 11 and 12mm
- SA2113: pipe L.105cm



2 WARRANTY

PISTON PUSHER SET (18 PCS)

OM 8054BL

Applications :

- 1: General Motors, PSA
- 2: Citroën Xantia u.a
- 3: Alfa Romeo, Audi, Austin, BMW, Ford, Honda, Jaguar, Mercedes-Benz, Mitsubishi, Nissan, PSA, Rover, Toyota, VW
- 4: Alfa Romeo 164 2.0, Ford, Mazda, Saab 9000, Subaru
- 5: 3/8" adapter
- 6: Nissan Primera, VW Golf IV
- 7: Audi 80 /90/V8/100, Ford Sierra ABS/Scorpio AB85, Honda Prelude, Nissan Silva 1.8T, Rover 8000, Saab 9000, Subaru L+Z, VW Golf+Passat
- 8: General Motors
- 9: General Motors
- F: Opel Astra
- Z: Renault
- M: Ford
- N : Saab, Honda
- K : Citroën
- E : Nissan Maxima



18,90 €VAT Excl.

Instead of 49€VAT Excl.*

B.LINE
BUDGET SOLUTION

TN

2
WARRANTY

PISTON PUSHER SET (22 PCS)

OM 8153BL

Applications :

- 0 : General Motors
- 1 : General Motors, PSA
- 2 : Citroën, Honda
- 3 : Alfa Romeo, Audi, Austin, BMW, Ford, Honda, Jaguar, Mercedes-Benz, Mitsubishi, Nissan, PSA, Rover, Toyota, VW
- 4 : Alfa Romeo 164 2.0, Ford, Mazda, Saab 9000, Subaru
- 5 : 3/8" adapter
- 6 : Nissan Primera, VW Golf IV
- 7 : Audi 80 /90/V8/100, Ford Sierra ABS/Scorpio AB85, Honda Prelude, Nissan Silva 1.8T, Rover 8000, Saab 9000, Subaru L+Z, VW Golf+Passat
- 8 : General Motors
- 9 : General Motors
- 10 : Iveco
- a : Renault
- e : Nissan Maxima
- f : Opel Astra
- k : Citroën
- k1: Citroën C5 (front caliper)
- k2: Audi
- m : Ford
- n : Saab, Honda
- o : Citroen C3, C5, Xantia, ZX, XM



24€VAT Excl.

Instead of 54€VAT Excl.*

B.LINE
BUDGET SOLUTION

TN

2
WARRANTY

PISTON PUSHER MASTER KIT (41 PCS)

OM 9054



92€VAT Excl.

Instead of 96€VAT Excl.*

TN

2
WARRANTY

PNEUMATIC BRAKE CALIPER REWIND SET (22PCS)

OP 4506

Designed to make braking operations quicker and more effortless.

This tool enables the user to push back brake caliper pistons easily and effortlessly, thanks to the gun's pneumatic cylinder which pushes up to 150kg. Operating pressure is 5 to 8bar. Compatible with standard 2-lug brake pads. The set includes 21 adapters, suitable for different types of vehicle.

Specifications:

- Gun weight: 1.07 kg
- Size: 258x173x97mm
- Working pressure: 7bar
- Noise emission: 64.3 dB
- Vibration emission: 0.876 m/s²

Contents:

This kit includes a pneumatic gun, the 21 traditional adapters and all the latest OEM adapters for :

- VW Passat (from 2005)
- Ford
- Iveco Daily
- BMW
- Mini/BMW
- Renault Laguna III/Scénic III
- Renault Master III



Reduced head thickness
Compatible with highly worn inserts

159€VAT Excl.

Instead of 179€VAT Excl.*



TN

2
WARRANTY

PNEUMATIC VACUUM BRAKE BLEEDER 1L

OP 0053BL

25€VAT Excl.

Instead of 74€VAT Excl.*

For draining the brake fluid reservoir and bleeding the brake circuit, the bleeder requires an air supply.

B.LINE
BUDGETSOLUTION



Used to remove impurities from :
injector wells, spark plug wells...



2
WARRANTY

BRAKE BLEEDER AND MANUAL CLUTCH 3L

HU 1130BL

59€VAT Excl.

Instead of 79€VAT Excl.*

Allows manual bleeding of brakes and/or clutch quickly and easily.



ABS compatible

B.LINE
BUDGETSOLUTION

Specifications:

- 3L capacity
- discharge valve
- pressure gauge
- quick-release coupling



2
WARRANTY

PNEUMATIC BRAKE AND CLUTCH BLEEDER

HU 1109

Specifications:

- pneumatic operation
- equipped with anti-emulsion rubber membrane
- air reserve in lower part of tank
- 5-liter capacity for multiple operations
- quick-connect hose
- balanced carrying handle
- pressure control gauge
- cap storage panel
- DOT3/DOT4/DOT5/DOT6/Pentosin/LHM/LHS compatible
- equipped with air vent at hose outlet to prevent air injection into the circuit



559 €VAT Excl.

Instead of 599 €VAT Excl.*



Self-contained air supply

TN

2 WARRANTY

ELECTRIC BRAKE BLEEDER

HU 1121

Specifications:

- 230V power supply
- on/off switch
- pressure regulator 0.6-3.0bar
- flow rate 1.2l/min
- pressure control gauge
- suitable for clutches and brakes (compatible with ABS, EDS, ESP, SBC systems)
- 2-liter capacity
- interchangeable canister: ensures DOT3/DOT4/DOT5/DOT5.1/DOT6 fluid compatibility
- filling hose L.3.5m
- dimensions: 280x180x215mm
- weight: 5kg (without canister)



499 €VAT Excl.

Instead of 650 €VAT Excl.*



Continuous flow: prevents air bubbles from forming in the circuit.

TN

2 WARRANTY

ELECTRIC BRAKE AND CLUTCH BLEEDER 5L 2.5bar

HU 1101



Continuous-pressure liquid thrust, pulsating flow

Specifications:

- 230V power supply (5m cord)
- equipped with On/Off switch
- fitted with a 0-2.5bar pressure regulator with pulsating liquid thrust control
- pressure control gauge
- suitable for clutches and brakes (compatible with ABS, EDS, ESP, SBC systems)
- 5-liter capacity for multiple operations
- interchangeable canister: ensures DOT3/DOT4/DOT5/DOT6 fluid compatibility
- flexible hose L.3.5m
- dimensions: 460x300x320mm
- weight: 10kg



Supplied with metal cap Ø46mmx3.5

990 €VAT Excl.*

OFFERED

BRAKE BLEEDER PLUG SET (16PCS)
HU 1122 179€VAT Excl.



TN

3 WARRANTY

Fall SELECTION

HGV BRAKE PLIERS
L.670mm OPENING 200mm

TN

OM 0358

89€VAT Excl.

Instead of 105€VAT Excl.*



BRAKE PLIERS HGV
L.520mm OPENING 210mm

TN

OM 0357

82€VAT Excl.

Instead of 95€VAT Excl.*



BRAKE DISMOUNTING
TOOL L.450mm

TN

OM 0320

125€VAT Excl.

Instead of 195€VAT Excl.*



BPW BRAKE LINKAGE
ADJUSTER EXTRACTOR

TN

OM 0391

135€VAT Excl.

Instead of 199€VAT Excl.*



Specifications:
• Ø78 mm



HALDEX® BRAKE LINKAGE
ADJUSTER EXTRACTOR

TN

OM 0390

135€VAT Excl.

Instead of 199€VAT Excl.*



Specifications:
• Ø78 mm



Fall SELECTION

3/4" E18 STRIKING WRENCH L.219mm

TN

OM 0418

45€VAT Excl.

Instead of 65€VAT Excl.*



3/4" E20 STRIKING WRENCH L.219mm

TN

OM 0420

45€VAT Excl.

Instead of 65€VAT Excl.*




3/4" E24 STRIKING WRENCH L.219mm

TN

OM 0424

45€VAT Excl.

Instead of 65€VAT Excl.*



3/4" M24 STRIKING WRENCH L.219mm

TN

OM 0423

Allows brake caliper bolts to be fitted and removed without dismantling the coupling lever.

45€VAT Excl.

Instead of 65€VAT Excl.*



3/4" M26 STRIKING WRENCH L.219mm

TN

OM 0426

Allows brake caliper bolts to be fitted and removed without dismantling the coupling lever.

45€VAT Excl.

Instead of 65€VAT Excl.*



2 FEMALE TORX SOCKETS FEMALE E20-E24 D. FOR BRAKE CALIPER MAN

TN

OM 4526

25€VAT Excl.

Instead of 31€VAT Excl.*



For caliper adjustment
Drive: 30mm hexagonal



ABS SEALANT INSTALLATION TOOL VOLVO/RENAULT

TN

OM 8029

290 €VAT Excl.

Instead of 370€VAT Excl.*



HGV HUB AND DRUM SUPPORT LOW TRAILER

TN

OH 8004

Specially designed for dismantling or changing drums and hubs on low-loader trailers.
Reduces work time by up to 70%.
Reduces the risk of accidents (back injury, stirrup falling on feet, etc.).

3250 €VAT Excl.

Instead of 3990 €VAT Excl.*



1 single operator



Specifications:

- stroke: 200mm
- 4 swivel wheels, 2 with brakes
- dimensions: 550x300x700mm
- weight: 34Kg



HGV BRAKE CALIPER SUPPORT

TN

OH 8001

Specially designed for removing or changing brake calipers, bushes and drums on trucks, buses and industrial vehicles.
Reduces work time by up to 70%.
Reduces the risk of accidents (back injury, caliper falling on feet, etc.).

Stirrup socket 4 positions :

- 1' (12h)
- 2' (10h/2h)
- 3' (9h/3h)
- 4' (Specific with offset pin for Mercedes).



1 single operator

2490 €VAT Excl.

Instead of 2695 €VAT Excl.*



Specifications:

- stroke: 200mm
- 4 swivel wheels, 2 with brakes
- dimensions: 470x250x700mm
- weight: 35Kg



BRAKE SUPPORT AND CALIPERS WIDE BASE HGV

TN

OH 8003



1 single operator

3190 €VAT Excl.

Instead of 3450€VAT Excl.*

Specially designed for removing or changing brake calipers, bushes and drums on trucks, buses and industrial vehicles.

Reduces work time by up to 70%.

Reduces the risk of accidents (back injury, caliper falling on feet, etc.).



Flash to see the video!



Stirrup socket 4 positions :

- 1' (12h)
- 2' (10h/2h)
- 3' (9h/3h)
- 4' (specific with offset pin for Mercedes).

Specifications:

- stroke: 200mm
- 4 swivel wheels, 2 with brakes
- dimensions: 550x300x700mm



DISK / HUB / BRAKE DRUMS SUPPORT

TN

OH 8010

Specially designed to accommodate the entire hub (hub, disc and caliper) when changing bearings on trucks, buses and industrial vehicles. The entire assembly can be effortlessly dismantled directly onto the support, assisted by a winch for caliper and disc removal. Reduces the risk of accidents (back injury, caliper falling on feet, etc.).




Reduces working time by up to 70%.

3190 €VAT Excl.

Instead of 3390 €VAT Excl.*



Flash to see the video!



Specifications:

- stroke: 200mm
- max winch load: 120kg
- 6 wheels, 2 of which swivel with brakes
- dimensions: 550x300x700mm
- weight: 49Kg



2 WARRANTY

BRAKE DISC EXTRACTION CYLINDERS HW

TN

OH 8013


Specially designed to separate discs from the hub in record time when they are stuck together due to corrosion. Reduces working time and makes the operation safer by avoiding the use of hammers, disk saws, cutters, etc. by the operator. Reduces the risk of accidents.



Intervention safety

4990 €VAT Excl.

Instead of 5450 €VAT Excl.*



Specifications:

- 2 cylinders of 14t each on flexible hose L.1500mm
- min. length: 84mm
- max. length: 125mm
- stroke 41mm
- piston Ø : 32mm
- foot pump max 700bar
- pump hoses 220mm long
- 4 wheels, 2 of which swivel with brakes
- dimensions: 470x300x500mm
- weight: 37kg



2 WARRANTY

CROWS FOOT OIL FILTER WRENCH FORD/CITROEN/PEUGEOT 27mm

TN

HU 2253

14€VAT Excl.

Instead of 25€VAT Excl.*



1/2" drive
12-sided 27mm recess



1/2" OR 3/8" FILTER WRENCH

TN

HU 2007BL

9€VAT Excl.

Instead of 17€VAT Excl.*

B.LINE
BUDGET SOLUTION



Specifications:

- Ø63-Ø102mm
- clamping/unclamping
- supplied with 3/8"-1/2" increaser



14-SIDED OIL FILTER WRENCH TOYOTA Ø64.5mm 3/8"


TN

HU 2255

15€VAT Excl.

Instead of 19€VAT Excl.*

Aluminum sleeve specially designed to prevent damage to Toyota and Lexus oil filter caps.



OIL FILTER WRENCH TOYOTA

TN

HU 2257

14€VAT Excl.

Instead of 30€VAT Excl.*

64.5x14mm splines fit most Toyota and Lexus vehicles. Suitable for canister and cartridge-type oil filter housings.
1/2" square drive.
Provides high torque to remove stubborn oil filters.



Specifications:

- 64.5mm x 14 panels
- height 42mm
- 1/2" drive
- max. torque 580 Nm



30 MULTI-BRAND CAP OIL FILTER SET

HU 1999



Universal product

TN

99€VAT Excl.

Instead of 125€VAT Excl.*

This set of oil filter sockets enables the dismantling of traditional submerged and screw-in filters.



3/8" drive
1/2"-3/8" reducer supplied

Sockets available at retail



3/8" DRAIN BIT SET (18PCS)

HU 2002

TN

29€VAT Excl.

Instead of 39€VAT Excl.*

For draining engine oil pans, differentials, lifts and gearboxes.



Contents:

- 6-sided: 8-9-10-12-14-17mm
- 3-sided: 10mm
- XZN drilled: 16mm
- square: 7-8-10-11-12-13-14-5/16"-3/8"
- female square: 10mm



STRAP WRENCH DEHYDRATING CARTRIDGE

TN

HU 0010BL

12€VAT Excl.

Instead of 15€VAT Excl.*



Strap length: 500mm

B.LINE
BUDGET SOLUTION



HGV STRAP WRENCH 1/2"

TN

HU 0008

35€VAT Excl.

Instead of 44€VAT Excl.*



Specifications:

- max capacity: Ø150mm
- strap L.700mm, width 50mm
- 1/2" drive



IVECO OIL FILTER WRENCH SET (3 PCS)

TN

HU 1992

25€VAT Excl.

Instead of 36€VAT Excl.*

Contents:

- 91x15
- 96.5x15
- 108x15
- SA2069: 1/2 "x3/8" reducer



FILTER WRENCH 122-155mm

TN

HU 2006

79€VAT Excl.

Instead of 99€VAT Excl.*



Tightening/untightening



METAL STRAP WRENCH FOR IVECO/ VOLVO/RENAULT OIL FILTER

TN

HU 0023

129€VAT Excl.

Instead of 169€VAT Excl.*

Also enables removal of filter-dryers from SCANIA, VOLVO, DAF and MAN braking systems.



- Min. Ø: 100mm
- max. Ø: 110mm
- drive shaft: 1/2" diameter



OIL FILTER WRENCH Ø107mm 15-SIDED

TN

OM 0337

175€VAT Excl.

Instead of 189€VAT Excl.*



Fall SELECTION

OIL PRESSURE GAUGE

AC 4111

Thanks to the oil pressure gauge, you can make a precise diagnosis by viewing the instantaneous pressure.

Contents:

- 1 manometer 0 to 10bar with pressure relief
- 1300mm hose with quick-release coupling
- 90° angled quick-release coupling
- 10 oil pressure switch adapters
- for all engines (diesel and petrol)



45€VAT Excl.

Instead of 112€VAT Excl.*

2
WARRANTY

300ml ENGINE CLEANER BEFORE DRAINING

CO 1015

Functions :

- dissolves scale, filings and other dirt to facilitate their removal during draining.
- cleans tappets and pistons, reduces knocking
- reduces pollutant emissions
- ensures long turbo life
- fluidizes oil to facilitate draining, while cleaning circuits and eliminating deposits
- dilution: 5% (one bottle for 6L of oil)



10€VAT Excl.

Instead of 12,50€VAT Excl.*

NO
WARRANTY

300 ml OIL LEAK STOP

CO 1014

Specifications:

- revives seals
- reduces friction
- stabilizes oil oxidation and viscosity



10€VAT Excl.

Instead of 12€VAT Excl.*

NO
WARRANTY

ENGINE OIL TREATMENT 300ml

CO 1009

Use after draining and refilling with new oil.



12€VAT Excl.

Instead of 14€VAT Excl.*

NO
WARRANTY

25L WASTE OIL DRAINER

HU 0185BL

+ Autonomous:
can also be used outdoors

B.LINE
BUDGET SOLUTION

TN

199€VAT Excl.

Instead of 249€VAT Excl.*

Specifications:

- tank height: 470mm
- tank drain 1400mm
- 1400mm suction hose
- 3 flexible probes: Ø8; Ø6; Ø5 / L: 910mm
- 2 rigid probes: Ø6; Ø8 / L: 700mm
- probe case L 680mm
- mano: from 0.2b to -1b
- venturi system
- supply: 6 to 8bar
- supply for tank emptying: 1bar Max
- level indicator



Oil level gauge

25L



70L GREY WASTE OIL DRAINER

HU 0079BL

B.LINE
BUDGET SOLUTION

TN

199€VAT Excl.

Instead of 249€VAT Excl.*

Specifications:

- capacity: 70l
- drain pressure: 1 to 2bar
- handle and storage tray
- 4 wheels (2 directional)
- minimum height: 1005mm
- max. height: 1610mm
- total radius of action: 620mm
- basin Ø: 420mm
- drain hose length 1.40m
- weight: 19kg



Draining with venting
Offset rod



Steel grid
Offset basin



Oil level gauge

70L



90L GRAVITY OIL RECUPERATOR

HU 0189

+ Large
capacity

B.LINE
BUDGET SOLUTION

TN

249€VAT Excl.

Instead of 299€VAT Excl.*

Specifications:

- 150cm bowl drain pipe
- Ø basin without extension: 370mm
- Ø basin with extension: 590mm
- basin equipped with a retaining grid
- supply for tank discharge: 1bar
- level indicator
- weight: 24kg
- min. h.: 1300mm
- max. height: 1700mm
- storage box



Height-adjustable
cane: 1300-1700 mm



Steel grid

90L



MIXED OIL RECUPERATOR 90L

HU 0289

Specifications:

- 150cm suction hose
- 150cm tank drain hose
- 5 flexible probes: Ø6/L. 700mm (2pcs); Ø8/L. 700mm (2pcs); Ø6/L. 900mm (1pc);
- suction drain: -2.5L.min
- power supply: 6 to 8bar
- basin Ø: 370mm
- basin fitted with strainer and retaining grid
- supply for tank discharge: 0.5bar
- level indicator
- weight: 25kg
- min. height: 1400mm
- max. height: 1700mm
- storage box

+ Large capacity



Height-adjustable cane: 1400-1700 mm

349€VAT Excl.

Instead of 399€VAT Excl.*



Steel grid



Quarter-turn valve

90L



90L MIXED OIL RECUPERATOR WITH PRECHAMBER


HU 0389N

+ Large capacity 90L + bowl

Height-adjustable cane: 1400-1700mm

429€VAT Excl.

Instead of 499€VAT Excl.*



10L bowl



Quarter-turn valve



Steel grid

90L



Specifications:

- 150cm suction hose
- 150cm tank drain hose
- 5 flexible probes: Ø6/L. 700mm (2pcs); Ø8/L. 700mm (2pcs); Ø6/L. 900mm (1pc);
- suction drain: -2.5L.min
- power supply: 6 to 8bar
- Ø basin without extension: 370mm
- Ø basin with extension: 590mm
- basin equipped with strainer and retaining grid
- pre-chamber capacity: 10L
- supply for tank discharge: 0.5bar
- level indicator
- weight: 30kg
- min. height: 1400mm
- max. height: 1700mm
- storage box



OIL SUMP REPAIR KIT WITH PLUGS

TN

HU 2050

59€VAT Excl.

Instead of 109€VAT Excl.*

This kit is designed to repair damaged oil pan threads.



Contents:

- HU2051: Set of 6 plugs+joints+tap M13x1.25
- HU2052: Set of 6 plugs+seals+tap M13x1.5
- HU2053: Set of 6 plugs+seals+tap M15x1.5
- HU2054: Set of 6 plugs+seals+tap M17x1.5
- HU2055: Set of 6 plugs+seals+tap M20x1.5
- HU2056: Set of 6 plugs+seals+tap M22x1.5

NO WARRANTY

13 BLOCK DRAIN PLUGS KIT

TN

HU 2019

69€VAT Excl.

Instead of 79€VAT Excl.*

These plugs eliminate the problem of tapping damaged oil sumps, fitting in place of the original plug without further intervention.

The thread pitch is the same as the original, but with a larger thread diameter.

The use of these drain plugs does not require rethreading; they can be fitted directly.

Each plug consists of a second plug. After fitting, the first plug remains mounted on the oil sump, while the second plug is used for subsequent oil changes.



Contents:

- SA2025: plug M10x125 PSA HDI
- SA2024: plug M12x150 Renault/Toyota/Nissan/Mercedes
- SA2023 : (x2) plugs M14x125 PSA Diesel and HDI
- SA2022: (x3) plugs M14x150 VW/ Audi/Ford/Opel/ Mercedes/Fiat JTD
- SA2021: (x3) plugs M16x150 PSA/Renault/Volvo
- SA2020: plug M18x150 PSA/Renault/Volvo/ Toyota/Mitsubishi
- SA2019: plug M20x150 Fiat/Alfa/ Lancia
- SA2018: plug M22x150 PSA/Fiat
- SA2026: bag of 10 Ø10 gaskets
- SA2027 : bag of 10 gaskets Ø12
- SA2032: set of 5 rubber gaskets 1/4".
- 25 copper gaskets: Ø10mm, 16x1.5
- 5 Ø1/4" rubber gaskets
- 20 copper gaskets Ø12mm, 16x1.5

NO WARRANTY

65I HGV FLUID COLLECTION CONTAINER

TN

HU 0033

249€VAT Excl.

Instead of 299€VAT Excl.*

For draining trucks on the ground.
For Engine oil, gearbox oil...



- equipped with slat-breaking and anti-backflow grille
- dimensions: 250x700x500mm



65I HGV PIT COLLECTOR

TN

HU 0114

289€VAT Excl.

Instead of 329€VAT Excl.*

For Engine and gearbox oils

- equipped with anti-splash and anti-backflow grille
- drain valve under the pan
- adjustable width: min. 750mm, max. 1200mm
- dimensions: 250x700x500mm



Fall SELECTION

COOLING SYSTEM TESTER (18 PCS)

AC 1120BL

B.LINE
BUDGET SOLUTION



99€VAT Excl.

Instead of 149€VAT Excl.*

Contents:

- 1 test pump with relief valve
- 0 to 2.5bar pressure gauge
- 10 ABS screwed plugs (color-coded and numbered)
- 3 metal quarter-turn plugs
- 1 plug screwing wrench
- 1 thermometer 0 to 200°C
- 2 connectors R123/R124 and R123/R125

TN

2
WARRANTY

COOLING LINE TESTER + REFILLING DEVICE SET 28PCS

AC 1160

149€VAT Excl.

Instead of 309€VAT Excl.*

Contents:

- 1 test pump with relief valve
- 0 to 2.5bar pressure gauge
- 17 ABS screwed plugs (color-coded and numbered)
- 3 metal quarter-turn plugs
- 1 plug screwing wrench
- 1 thermometer 0 to 200°C
- 2 connectors R123/R124 and R123/R125
- 1 vacuum cooling circuit filling kit
- 1 conical adapter 15-44mm



TN

2
WARRANTY

CO2 DETECTION KIT

AC 3300

119€VAT Excl.

Instead of 146€VAT Excl.*



2
WARRANTY

TN

CO2 DETECTION FLUID

AC 3350

39€VAT Excl.

Instead of 45€VAT Excl.*



NO
WARRANTY

TN

COOLING SYSTEM FILLING/ DRAINING DEVICE

TN

AC 1020

This mobile device can drain, check for leaks, clean, create a vacuum to purge the cooling circuit and refill it, thanks to its venturi system coupled with a pressure gauge.

Ensures environmentally-friendly operation, since virtually all the used coolant is recovered, enabling the user to dismantle any Engine component without draining coolant.



Flash to see the video!

Specifications:

- 2 independent 15-liter tanks for storing polluted liquid and new liquid
- 2 manometers for tank control
- connection to expansion vessel via conical adapter
- 3 dip tubes of different lengths
- 4 swivel wheels
- dimensions: L.430xW.610xH.1350mm
- weight: 43kg

Functions :

- used liquid extraction
- vacuum leak test
- new liquid filling
- used liquid tank draining
- new liquid tank draining



Quick response
No soil pollution

1799€VAT Excl.*

OFFERED

THINKTOOL READER 7
DIAGNOSTIC TOOL 5"
AD000TKRE7 269€VAT Excl.



EFFECTIVE
TIME ON THE
DEVICE
10
MIN



2
WARRANTY

COOLING CIRCUIT CLEANER 300ml

TN

CO 1071



10€VAT Excl.

Instead of 12€VAT Excl.*



This additive degreases cooling circuits on internal combustion engines.

NO
WARRANTY

SUPER RELEASING GRAPHITE SPRAY 400ml

TN

CO 1026



Long-lasting
protection



10€VAT Excl.

Instead of 12€VAT Excl.*



Thanks to its graphite formula with very low surface tension, the super-degripper penetrates deep into the rust, leaving a protective graphite film.

Facilitates future dismantling.

NO
WARRANTY

Fall SELECTION

HGV COOLING LINE TESTER SET

AC 1002

Allows quick and easy pressurized control of cooling circuits by connecting in place of the expansion vessel plug.

Contents:

- 5 metal quick-connect plugs
- pressure regulator with relief valve
- 0 to 5bar control pressure gauge
- vacuum filling kit
- 3 conical filling adapters
- filling pressure gauge -1 to 0bar
- filling hoses with strainer



290€VAT Excl.

Instead of 339€VAT Excl.*

TN

2
WARRANTY

REFRACTOMETER

AC 4066

Check :

- coolant 0 to -50°C
- battery fluid density: 1.1 to 1.4kg/l
- windshield washer fluid 0 to -40°C
- adBlue



59€VAT Excl.

Instead of 67€VAT Excl.*

TN

2
WARRANTY

BUSES RADIATOR CRANE

OH 8006

Specifically designed for removing radiators from buses.



3490€VAT Excl.

Instead of 3990€VAT Excl.*

TN

2
WARRANTY



Fall SELECTION

MULTI-PRESSION COMPLETE DIGITAL ROLLER CABINET

TN

AC 0840

The ideal tool trolley for your diagnostics. Complete with all optional accessory kits.



Find all the details of the composition on clas.com



5490 €VAT Excl.

Instead of 6200€VAT Excl.*

EG 0087

DRAWER 1

CONTROL PANEL AND ACCESSORIES INSERT

TN

AC 0841



3/3 DRAWER FORMAT




DRAWER 2

HIGH PRESSURE FUEL INSERT

TN

AC 0842



3/3 DRAWER FORMAT



DRAWER 3

ENGINE COMPRESSION AND CYLINDER LEAK INSERT

TN

AC 0843



3/3 DRAWER FORMAT

DRAWER 4

OIL PRESSURE INSERT, ETHANOL AND BP FUEL

TN

AC 0844



E85



3X 1/3 FORMAT DRAWER SIZE



READER DEFAULT CODE OBDII

AC 5248

+ Universal

49€VAT Excl.

Instead of 59 €VAT Excl.*

This OBDII reader is designed for your car's «Engine» management system («Engine» light).

It includes basic OBDII functions such as: reading and deleting error codes with their designations, reading «real-time» data, displaying freeze frame, displaying I/M readiness, and displaying vehicle information.

Note: In the event of a «permanent code» being read by the device, the OBDII reader will be able to clear the fault code and switch off the engine light only when the necessary repairs have been carried out.

Multilingual: English, French, German, Spanish and Portuguese.

Models:

- OBDII protocols: CAN, J1850 PWM, J1850 VPW, ISO9141 and KWP2000
- 12v voltage supplied by OBD socket (16-pin) on post-1996 OBDII-compliant American, European and Asian vehicles



2 WARRANTY



6/12/24V VEHICLE BATTERY TESTER WITH PRINTER

TN

AC 5254

+ Oscilloscope mode
Color display

259€VAT Excl.

Instead of 339€VAT Excl.*

The battery tester with integrated printer is compatible with 6V / 12V / 24V battery tests.
Light vehicles, commercial vehicles, trucks, motorcycles, boats, farm machinery.



+ Oscilloscope mode
Color display



Specifications:

- capacity (CCA): cold-start current: 100 to 2000 CCA
- cables: L.2.5m
- clamps: insulated
- battery type: ordinary, AGM flat or spiral technology, GEL, EFB, LITHIUM.
- language : 12
- printer: SA 5245 coil
- weight: 2.07kg (with case)
- dimensions : L.255mmxI.104mmx36mm.

Battery standards :

- Cold Cranking Amps (CCA)
- International Electrotl-Echnical Commission (IEC)
- Europe-Norm (EN)
- Deutsche Industrie-Norm (DIN)
- Cranking Amps (CA)
- Battery Council International (BIC)
- Marine Cranking Amps (MCA)
- Society Of Automotive Engineers (SAE)
- Japanese Industry Standard (JIS)

SA 5245 2 PAPER ROLL SET 40mm

13€VAT Excl.

6-12-24V

2 WARRANTY



MEMORY SAVER OBDII CIGARETTE LIGHTER

TN

OE 0164

+ Memory back-up box

15€VAT Excl.

Instead of 17€VAT Excl.*

Supplies power to the vehicle while the battery is disconnected to retain memories (radio code, electric seats, etc.)
Stores electronic data
Vehicle powered via OBDII socket
Via cigarette-lighter socket or auxiliary battery
Equipped with power indicator and reverse polarity protection



Specifications:

- cable length: 3m
- 8A fuse



2 WARRANTY

Fall SELECTION

BOOSTER 12V 2500A

OE 5051

TN

449€VAT Excl.

Instead of 479€VAT Excl.*



Compatible with all 12V vehicles

Specifications:

- peak current (HPCA): 1000A
- starting current (AC): 450A
- cold start current (CCA): 300-330A
- capacity: 22Ah
- cable: 25mm² with integrated cigarette lighter socket
- charging time: 4-8h
- oversized, insulated copper/brass clamps
- built-in fuse
- shockproof ABS case
- battery: AGM
- weight: 10.6kg
- dimensions: 320x130x300mm



2500A 2 WARRANTY

OFFERED

TN

BATTERY CHARGER 4A

OE 8004 69€VAT Excl.



BATTERY CHARGER 4A

OE 8004

BATTERY CHARGER 10A

OE 8010



TN

49€VAT Excl.

Instead of 69€VAT Excl.*

129€VAT Excl.

Instead of 129€VAT Excl.*



+ Suitable for Lithium batteries



2 WARRANTY

BOOSTER 12-24V 6200A/3100A

TN

OE 5052

+ Mobile and powerful

1490 €VAT Excl.
Instead of 1640€VAT Excl.*

Specifications:

- peak current (HPCA): 2540A (12V) / 1270A (24V)
- starting current (AC): 1580A (12V) / 790A (24V)
- cold start current (CCA): 1040-1100A (12V) / 520-550A (24V)
- capacity: 2x33Ah (12V) / 33Ah (24V)
- cables: 50mm², L.165cm
- integrated cigar-lighter socket
- charging time: 4-8h
- digital voltmeter charge indicator
- battery: AGM
- weight: 29kg
- dimensions: 410x280x550mm



6200A/3100A **2** WARRANTY



HGV BATTERY/CATALYTIC CRANE


TN

OH 8005

+ Preserves the operator's physical integrity

4590 €VAT Excl.
Instead of 4990€VAT Excl.*

Specially designed for dismantling and handling batteries and catalytic converters on trucks, buses and industrial vehicles.



Safety chain
Adjustable battery holder
Battery strap



Specifications:

- Max. load: 90kg
- 4 wheels, 2 of which have brakes
- lifting height: 1890mm



AUTOMATIC BUS AIR CONDITIONER STATION R1234yf

AC 8744

+ Integrated data vehicles

TE

R1234yf

Ideal station for large systems thanks to its 40Kg cylinder and 200L/min vacuum pump

Specifications:

- 264x64 pixel LCD display
- cylinder capacity: 40kg
- heated belt
- flexible hose: 3m
- HP/BP couplers included
- scale accuracy: +/- 5g
- automatic oil injection
- automatic tracer injection
- 20cc compressor
- 200 L/min vacuum pump
- automatic air purge system
- database
- A/C diagnostics Pressure test only
- hybrid vehicle function Quick oil flush option
- calibration/locking tool
- data transfer to PC
- voltage 220V/50 Hz
- product dimensions 55x60x120 cm
- weight 126Kg



5999 €VAT Excl.

Instead of 6549€VAT Excl.*

2 WARRANTY

AUTOMATIC BUS AIR CONDITIONER STATION R134a

AC 8944

+ Integrated data vehicles

TE

R134a

Ideal station for large systems thanks to its 40Kg cylinder and 200L/min vacuum pump

Specifications:

- 264x64 pixel LCD display
- 40kg bottle capacity
- heating belt
- 3m flexible hose
- HP/BP couplers included
- scale accuracy +/- 5g
- automatic oil injection
- automatic tracer injection
- printer
- 20cc compressor
- 200 L/min vacuum pump
- automatic air purge system
- database
- A/C diagnostics Pressure test only
- hybrid vehicle function Quick oil flush option
- calibration/locking tool
- data transfer to PC
- voltage 220V/50 Hz
- product dimensions 55x60x120 cm
- weight 117Kg



4899 €VAT Excl.

Instead of 5290€VAT Excl.*

2 WARRANTY

6 PINS REAR SOCKET FOR VOLVO B12 ROLLERS Ø100mm 3/4"

TN

OM 2556

Specially designed for Volvo B12 bus and coach chassis.


219€VAT Excl.

Instead of 290€VAT Excl.*



Specifications:

- 6 lugs: 9.7mm long x 5mm thick,
- Diameter: 100 mm
- Length: 140 mm



BALL JOINT PULLER Ø35mm

TN

OM 0349

129€VAT Excl.

Instead of 199€VAT Excl.*



BENZ ACTROS PITMAN ARM PULLER Ø42mm

TN

OM 0344

195€VAT Excl.

Instead of 389€VAT Excl.*



Fall SELECTION

PAIR OF SPRING COMPRESSORS WITH SAFETY PINS

TN

OM 3630BL

B.LINE
BUDGET SOLUTION

34€VAT Excl.

Instead of 54€VAT Excl.*

These shock absorber spring compressors enable compression on passenger cars and commercial vehicles. They feature a safety pin on the cup.



Specifications:

- max jaw opening: 255mm
- max. spring Ø: 18mm
- dual 21mm and 1/2" drive

2
WARRANTY

SPRING COMPRESSOR

TN

OM 1170

229€VAT Excl.

Instead of 419€VAT Excl.*

MCPHERSON" strut spring compressor with interchangeable cups.

Contents:

- compressor capacity 1050kg/10200Nm
- 310mm max cup opening and 110mm closure
- 3 cups with protection :
SA 1197 Cups Ø 65-152mm
SA 1198 Cups Ø 88-160mm
SA 1199 Cups Ø 126-212mm
- one cup extender
- tools required to replace cups (screws, BTR wrench)



1T

2
WARRANTY

Max. T
1

SPRING COMPRESSOR 2300Kg

TN

OM 2300

+ Universal,
Safety: spring
locking

299€VAT Excl.

Instead of 349€VAT Excl.*

Specifications:

- specially designed for use on Macpherson front and rear shock absorbers
- adjustable jaws for wide vehicle compatibility
- intelligent jaw design for optimum spring retention
- min-max jaw opening: 100-265mm
- impact wrench compatible
- safety system
- compression power: 2300Kg
- body: 450mm
- drive: Hex 24mm



This universal compressor is designed with fully adjustable jaws. It features a wide range of coil spring and strut applications. It's portable for convenient use «on or off the car».

2.3T

2
WARRANTY

Max. T
23

PNEUMATIC SPRING COMPRESSOR 1.2T WITH ARTICULATED JAWS

TN

OP 2031

Specially designed to fit and securely hold springs with widely spaced coils. Thanks to the innovative articulation system, adjustment is automatic when the spring is compressed.

+ Compliance 2006/42CE

1890 €VAT Excl.

Instead of 1999€VAT Excl.*



Specifications:

- height: 1400mm
- ground connection : Length: 650mm width: 400mm
- operating pressure: 6bar/maxi 8bar
- compression force 1226kg
- weight: 62kg

Contents:

- SA2035: air supply switch when grille opens
- OP2005: protective grille
- OP2003: articulated upper jaw
- SA6915: 1 cup Ø125 to Ø205mm
- SA6918: 1 cup Ø78 to Ø130mm
- SA6906: fall arrest support



1.2T



REINFORCED PNEUMATIC SPRING COMPRESSOR (2.4T) WITH ARTICULATED JAWS

TN

OP 3221

Specially designed to fit and securely hold springs with widely spaced coils. Thanks to the innovative articulation system, adjustment is automatic when the spring is compressed.

+ Compliance 2006/42CE

2699 €VAT Excl.

Instead of 2799€VAT Excl.*

Specifications:

- height: 1600mm
- ground connection : Length: 847mm width: 628mm
- operating pressure: 6bar/maxi 10bar
- compression force 2452kg
- operating and maintenance instructions
- lower cup adjustable to 2 positions (e.g.: Chrysler long-travel shock absorber, Dodge RAM...)
- weight: 70kg

Contents:

- OP2003: upper side jaw
- SA6915: lower cup 125-205mm
- SA6918: 1 cup Ø78 to Ø130mm
- SA6906: fall arrest support



2.4T



SILENT-BLOCK & BEARING ASSEMBLY/DISASSEMBLY SET

TN

OM 9391BL

B.LINE
BUDGET SOLUTION

149€VAT Excl.

Instead of 179€VAT Excl.*



Contents:

- 4 threaded rods with nuts mounted on bearings : M10-M12-M14-M14
- 2 support rings
- sets of sockets :
46x36, 58x48, 70x60, 82x72, 80x70, 68x58, 56x36, 44x34
74x64, 62x52, 50x40, 60x50, 48x38, 72x62
78x68, 66x56, 54x44, 76x66, 64x54, 52x42

2
WARRANTY

FRONT END EXERCISE LEVER

TN

OM 8096

379€VAT Excl.



Specifications:

- quick installation
- 3-position strap for safe pulling without damaging the workpiece
- sliding pad to fit all underframes
- universal, for many vehicles and vans
- SA0897: traction screw bearing
- SA0898: snap hook

Lever consisting of :

- 1 arm + pad for under-body support (SA0895)
- 1 articulated traction arm
- SA0899: strap (2 pcs)
- SA0896: traction screw for impact wrench



Time-saving
impact wrench



2
WARRANTY

3/4" FRONT WHEEL SHOCK ABSORBER SOCKET SCANIA 28x37mm

TN

OM 0392

29€VAT Excl.

Instead of 34€VAT Excl.*



Specifications:

- length: 50mm
- bushing outer ø: 54mm
- OEM 87203 Scania



3/4" REAR WHEEL SHOCK ABSORBER SOCKET SCANIA 34x56mm

TN

OM 0393

39€VAT Excl.

Instead of 49€VAT Excl.*



Specifications:

- length: 50mm
- bushing outer diameter: 71mm
- Suitable for spring axle



3/4" REAR WHEEL SHOCK ABSORBER SOCKET SCANIA OUTER 34x46mm

TN

OM 0394

31€VAT Excl.

Instead of 41€VAT Excl.*



Specifications:

- length: 50mm
- bushing outer dia.: 64mm
- OEM 87204 Scania



3/4" REAR WHEEL SHOCK ABSORBER SOCKET VOLVO 28x43mm

TN

OM 0395

35€VAT Excl.

Instead of 45€VAT Excl.*



Specifications:

- length: 60mm
- socket outer diameter: 62 mm



PAIR OF SPRING COMPRESSORS CABIN SHOCK ABSORBER VOLVO/RENAULT

TN

OM 3681

290€VAT Excl.

Instead of 352€VAT Excl.*



Specifications:

- max jaw opening: 215mm
- stroke: 150mm
- max. spring Ø: 8mm
- 27mm drive



KEY ASSEMBLY NUT SHOCK ABSORBER CABIN VOLVO/RENAULT

TN

OM 3682

79€VAT Excl.

Instead of 89€VAT Excl.*



Fall SELECTION

HGV SILENT-BLOCK PULLER/ INSTALLATION SET

TN

OM 9381

Allows extraction and installation of split silent-blocs, which need to be compressed for installation.

1499 €VAT Excl.

Instead of 1799 €VAT Excl.*



Contents:

- support bushes (long and short) small diameter
- large-diameter support bushes (long and short)
- 9 sets of half-rings + support ring
- silent-blocs compression vice
- M20 extraction rod + nuts
- spacer for mechano-hydraulic cylinder
- 1 stepped stop



2
WARRANTY

18T HYDRAULIC EXTRACTOR

TN

OM 9384

+ Fast, effortless solution

829 €VAT Excl.

Instead of 999 €VAT Excl.*

Hollow cylinders for installing silent-blocks, ball joints, drive shaft halves, wheel bearings.



SILENT BLOCK EXTRACTOR SAF Ø158mm

TN

OM 9391

Silent-bloc dimensions: 155/32x114
Silent-bloc OEM code: 4177302800A

750 €VAT Excl.

Instead of 920 €VAT Excl.*

Also suitable for removing JOST/DISCOS-MERCEDES silentblocs



2
WARRANTY

18T HYDRAULIC PRESS PACK + HYDRAULIC AIR PUMP/HOSE/CONNECTOR

TN

OM 9383

Universal tool for silent-blocs, ball joints, bearings or sealing rings.

This pack enables fast, efficient and precise disassembly and reassembly, for safe working.

With no need to remove chassis components such as suspension arms or running gear, you can work directly on the vehicle, saving considerable time and labor.

It includes a hydraulic press box with support pressure bushes (L.40mm and L.110mm) in diameters from 26 to 60mm, and an 18T thrust cylinder for easy extraction of parts to be replaced.

299€VAT Excl.

Instead of 2229€VAT Excl.*



18T

SLIDE HAMMER/ PULLER SET

OM 3410BL

B.LINE
BUDGET SOLUTION

TN

89€VAT Excl.

Instead of 99€VAT Excl.*

Contents:

- hub extractor
- bearing puller
- 2 holders: 2 and 3 claws
- 3 90mm claws
- 1 4-hole hub socket, Ø100-120mm capacity
- 1 4-hole hub connector, Ø120-150mm capacity
- 1 inertia nozzle
- 1 screw-on pull-nozzle
- weight 2,240kg
- axis 500mm



2
WARRANTY

MECHANICAL & HYDRAULIC CV JOINT PUSHER 10T

OH 0569

Multi-solution gimbal box, ideal for removing components linked to the running gear and braking system.

Contents:

- 10-ton capacity hydraulic cylinder
- traction screw
- inertia weight 4.5Kg thread Ø20mm x 200

Max. T
10



+

Effortless
operation

TN

229€VAT Excl.

Instead of 269€VAT Excl.*

2
WARRANTY

UNIVERSAL SEPARATOR FOR DRIVE SHAFT JOINTS

OM 3411

82€VAT Excl.

Instead of 92€VAT Excl.*

This tool allows the bowl to be disconnected from the transmission, avoiding the stress of hammer blows.

The tool is equipped with 8 positions of locking recoil on the shaft, once locked on the shaft the original nut, will constrain to pull out the bowl.
Suitable for Ø100mm bowl



TN

2
WARRANTY


UNIVERSAL HGV HUB PULLER (5 ARMS)

OM 3455



850€VAT Excl.

Instead of 999€VAT Excl.*



Specifications:

- max. opening diameter 425mm
- for M14 to M22 nuts
- pull-out force up to 30T



TN

2
WARRANTY

FRONT WHEEL HUB REMOVER MAN Ø166mm

OM 0345



289€VAT Excl.

Instead of 336€VAT Excl.*




TN

2
WARRANTY

Fall SELECTION

1" D. IMPACT HEX
SOCKET Ø65mm

OM 0565



85€VAT Excl.

Instead of 105€VAT Excl.*



2
WARRANTY


1" D. IMPACT DOUBLE
HEX SOCKET Ø85mm

OM 0585



159€VAT Excl.

Instead of 233€VAT Excl.*



2
WARRANTY

3/4" D. DOUBLE HEX SOCKET
Ø56mm FORD TRANSIT

OM 0156



45€VAT Excl.

Instead of 53€VAT Excl.*



5
WARRANTY

1" D. IMPACT HEX
SOCKET Ø77mm

OM 0567



195€VAT Excl.



Instead of 248€VAT Excl.*



2
WARRANTY

1" D. HEX REAR HUB SOCKET IRISBUS/
VOLVO Ø105mm

OM 0342



275€VAT Excl.

Instead of 305€VAT Excl.*




2
WARRANTY

6 PIN REAR HUB SOCKETS MAN BUS Ø110mm


TN

OM 0300



259€VAT Excl.


Instead of 320€VAT Excl.*



4-PIN MAN TRANSMISSION SOCKET Ø53.5mm

TN

OM 0352



69€VAT Excl.


Instead of 100€VAT Excl.*



6 PIN DRIVE AXLE NUT SOCKET MAN TGA Ø118mm

TN

OM 0384



259€VAT Excl.


Instead of 343€VAT Excl.*



MAN/MERCEDES DIFFERENTIAL REAR NUT 6 PIN SOCKET Ø113mm

TN

OM 0353



159€VAT Excl.


Instead of 207€VAT Excl.*



RECTANGULAR HUB SOCKET MAN/MERCEDES 60x76mm

TN

OM 0313



135€VAT Excl.

Instead of 196€VAT Excl.*



Fall SELECTION

6 PIN SOCKET FOR REAR AXLE NUT MERCEDES CITARO Ø123.5mm

TN

OM 0354

229€VAT Excl.

Instead of 318€VAT Excl.*

Pin width: 10.8mm
32mm hexagonal drive



2
WARRANTY

HEXAGONAL SOCKET FOR MERCEDES/ EVOBUS DIFFERENTIAL NUTS Ø72mm

TN

OM 0350

49€VAT Excl.

Instead of 73€VAT Excl.*



2
WARRANTY

6 PIN REAR AXLE NUT SOCKET MERCEDES/MAN Ø87mm

TN

OM 0386

99€VAT Excl.

Instead of 280€VAT Excl.*



2
WARRANTY

6 PIN REAR AXLE NUT SOCKET MERCEDES/MAN Ø101mm

TN

OM 0387

179€VAT Excl.

Instead of 280€VAT Excl.*



2
WARRANTY

Fall SELECTION

6 PIN DRIVE AXLE NUT SOCKET MAN/MERCEDES Ø101.5mm

OM 0388



159€VAT Excl.

Instead of 280€VAT Excl.*



TN

2
WARRANTY

12 & 6 PIN REVERSIBLE HUB SOCKET MAN/MERCEDES Ø102mm

OM 0321



295€VAT Excl.

Instead of 370€VAT Excl.*



TN

2
WARRANTY

6 PIN TRAILER HUB SOCKET MERCEDES Ø113mm

OM 0308



259€VAT Excl.

Instead of 354€VAT Excl.*



TN

2
WARRANTY

6 PIN REAR AXLE NUT SOCKET BENZ Ø116mm

OM 0385



169€VAT Excl.

Instead of 240€VAT Excl.*




TN

2
WARRANTY

6 PIN HUB SOCKET MERCEDES ATEGO Ø101mm

OM 0311



269€VAT Excl.

Instead of 355€VAT Excl.*



TN

2
WARRANTY

Fall SELECTION

RECTANGULAR HUB SOCKET
FOR KASSBOHRER/SETRA/DAF/
MERCEDES 56x71mm

OM 0312



145€VAT Excl.

Instead of 209€VAT Excl.*



TN

2
WARRANTY


AXLE NUT SOCKET IVECO
110mm DOUBLE HEX

OM 0383



169€VAT Excl.

Instead of 260€VAT Excl.*



TN

2
WARRANTY

4-PIN SCANIA TRANSMISSION
SOCKET Ø63-64mm

OM 0351



99€VAT Excl.

Instead of 128€VAT Excl.*



TN

2
WARRANTY

GROOVE NUT SOCKET WITH 8
STUDS SCANIA 420 Ø103mm

OM 0389



119€VAT Excl.

Instead of 174€VAT Excl.*



TN

2
WARRANTY

Fall SELECTION

3/4" ROLLER BEARING AXLE
NUT SOCKET BPW 6.5/9T
65mm

OM 0370



70€VAT Excl.

Instead of 100€VAT Excl.*




TN

2
WARRANTY


HUB SOCKET BPW
TRAILERS 6.5-9T

OM 0334



175€VAT Excl.

Instead of 229€VAT Excl.*




TN

2
WARRANTY

HUB SOCKET BPW
TRAILER 12T

OM 0335



129€VAT Excl.

Instead of 169€VAT Excl.*



TN

2
WARRANTY

3/4" ROLLER BEARING AXLE
NUT SOCKET BPW 12T 80mm

OM 0371



99€VAT Excl.

Instead of 138€VAT Excl.*




TN

2
WARRANTY

REAR HUBCAP NUT SOCKET
BPW 12T 109mm 8-SIDED

OM 0373



149€VAT Excl.

Instead of 207€VAT Excl.*



TN

2
WARRANTY

Fall SELECTION


4 PIN REAR AXLE SOCKET SCANIA Ø91mm

TN

OM 0324

250€VAT Excl.

Instead of 388€VAT Excl.*





REAR HUBCAP NUT SOCKET BPW 12T 111mm

TN

OM 0374

149€VAT Excl.

Instead of 207€VAT Excl.*





3/4" ROLLER BEARING AXLE NUT SOCKET BPW 16T HEX

TN

OM 0372

119€VAT Excl.

Instead of 196€VAT Excl.*





REAR HUBCAP NUT SOCKET BPW 16T 110mm 8-SIDED

TN

OM 0375

149€VAT Excl.

Instead of 207€VAT Excl.*




Fall SELECTION

HEX REVERSIBLE HUB SOCKET FRUEHAUF TRAILERS 123mm/110mm

TN

OM 0333



309€VAT Excl.

Instead of 389€VAT Excl.*



AXLE TRAILERS NUT SOCKET SAF 85mm HEX

TN

OM 0376

Specifications:
• 36mm hex drive



149€VAT Excl.


Instead of 172€VAT Excl.*



8-SIDED HUB SOCKET R.O.R TRAILERS 127mm

TN

OM 0329



295€VAT Excl.

Instead of 369€VAT Excl.*



WHEEL CAPSULE AND AXLE NUT SOCKET 65mm 3/4"

TN

OM 0377

49€VAT Excl.

Instead of 100€VAT Excl.*



WHEEL CAPSULE AND AXLE NUT SOCKET 80mm 3/4"

TN

OM 0378

79€VAT Excl.

Instead of 111€VAT Excl.*



WHEEL CAPSULE AND AXLE NUT SOCKET 85mm 3/4"

TN

OM 0379

85€VAT Excl.

Instead of 117€VAT Excl.*



WHEEL CAPSULE AND AXLE NUT SOCKET 120mm 3/4"

TN

OM 0381

125€VAT Excl.

Instead of 167€VAT Excl.*



BEARING EXTRACTOR SET INTERNAL GRIP Ø8-Ø58mm

TN

OM 3418

299€VAT Excl.

Instead of 389€VAT Excl.*



Contents:

- SA3411: inertia weight, length 280mm, weight 1kg
- SA3412: bearing extractor/remover for inner grip
- SA3413: Nozzle for inner plug Ø8mm to 11mm
- SA3414: Nozzle for inner plug Ø12mm to 17mm
- SA3415: internal socket nozzles Ø18mm to 23mm
- SA3416: internal Nozzle Ø24mm to 29mm
- SA3417: internal Nozzle Ø30mm to 34mm
- SA3418: internal Nozzle Ø34mm to 38mm
- SA3419: internal Nozzle Ø39mm to 43mm
- SA3425: internal Nozzle Ø44mm to 48mm
- SA3426: Internal Nozzle Ø49mm to 53mm
- SA3427: internal Nozzle Ø54mm to 58mm
- SA3428: adapter M10x1.5
- SA3429: reducer M10x1.5-M8x1.25
- SA3430: reducer M10x1.5-M6x1.0

2
WARRANTY

BEARING EXTRACTOR SET INTERNAL GRIP Ø8-Ø32mm

TN

OM 3409

159€VAT Excl.

Instead of 199€VAT Excl.*



Contents:

- SA3401: inertia weight 1kg L.380mm thread M12X1.75
- SA3402: 1 internal Nozzle Ø8mm to 10mm
- SA3403: 1 internal Nozzle Ø10mm to 12mm
- SA3404: 1 internal Nozzle Ø12mm to 14mm
- SA3405: 1 internal Nozzle Ø15mm to 17mm
- SA3406: 1 internal Nozzle Ø17mm to 20mm
- SA3407: 1 internal Nozzle Ø20mm to 24mm
- SA3408: 1 internal Nozzle Ø25mm to 29mm
- SA3409: 1 internal Nozzle Ø30mm to 32mm

2
WARRANTY

UNIVERSAL CLUTCH ALIGNMENT SYSTEM

OM 0609BL

B.LINE
BUDGET SOLUTION



22€VAT Excl.

Instead of 25€VAT Excl.*

Specifications:

- Centering capacity from 35 to 65mm
- 3 adapters extendable from 15 to 28mm

TN

2
WARRANTY


CLUTCH ASSEMBLY/ DISASSEMBLY SET

OM 0639

Today's vehicles are often fitted with SAC (Self Adjusting Clutch) clutches. These clutches are self-adjusting, thanks to an automatic adjustment mechanism that compensates for the increasing play created by clutch disc wear. This guarantees constant clutch release force over time, and optimum comfort.

299€VAT Excl.

Instead of 399€VAT Excl.*



Supplied with Ø15.8mm centering jig for PSA DV10 engines and centering jig for Puma and Opel engines.

TN

2
WARRANTY

GEARBOX REFILLING DEVICE WITH ADAPTERS

HU 8005

Pneumatic hand pump for filling gearboxes and lift differentials. Includes adapter kit with different outlet angles: practical for hard-to-reach areas.

399€VAT Excl.

Instead of 449€VAT Excl.*

Specifications:

- manual flow: 0.1l/pump
- pneumatic flow: 0.18 to 0.2l/sec
- maximum pressure: 7bar
- tank discharge valve: 1bar
- supplied with set of 15 fittings
- graduated bowl
- 60psi pressure gauge
- carrying handle
- 1/4-turn valve on supply and discharge
- remote filler cap



TN

2
WARRANTY



Fall SELECTION

CLUTCH AXIS EXTRACTOR FIAT/PSA

TN

OM 0618

For Fiat Ducato and Peugeot Boxer from 1994 with pulled clutch. Removes the clutch shaft to disassemble the transmission.



89€VAT Excl.

Instead of 119€VAT Excl.*



2
WARRANTY

HGV CLUTCH ALIGNMENT TOOL

TN

OM 0621

Allows precise mounting, positioning and centering of single and double-disc clutches.



179€VAT Excl.

Instead of 199€VAT Excl.*

Contents:

- 1 expanding guide from Ø36 to 48mm
- 1 expanding guide from Ø42 to 52mm
- 4 centring pins Ø20-25-27-30mm



2
WARRANTY

MINERAL/MULTIGRADE OIL ELECTRIC CLUTCH BLEEDER 5-20L 3.5bar

TN

HU 1108

1590€VAT Excl.

Instead of 1907€VAT Excl.*

Recommended for HPS-2 gearboxes and clutches with secondary expansion vessel (Mercedes Actros MP-II, ATEGO, AXOR...).

Specifications:

- 220V power supply (5m cord)
- equipped with On/Off switch
- fitted with a 0-3.5bar pressure regulator
- pressure control gauge
- 5 to 20-liter capacity, allowing multiple operations
- flow rate: 40l/h
- interchangeable canister: ensures compatibility of Mineral/Multigrade/Pentosin liquid ...
- flexible hose L.3.5m
- automatic release
- dimensions: 850x400x330mm
- weight: 22kg



3
WARRANTY

MAINTENANCE STATION FOR AUTOMATIC GEARBOX

HU 8011



Warning light, for working in hidden time

TE

6990€ VAT Excl.

Preventive tool designed to extend the life of automatic transmissions. Avoids complex technical interventions and reduces intervention costs.

No specific knowledge required.



2 storage drawers for fittings

Connected touchscreen tablet

Automatic flow detection

Ergonomic handle

Flow status control

Light strip (LED) indicating the status of the operation and calling the operator by flashing



Swivel wheels



OFFERED

TN

INSERT COMPLEMENTARY FITTINGS BV-A (16PCS)

HU 8006 1350€ VAT Excl.*

Contents:

- 16 sets of hydraulic fittings: HU 8018, HU 8027, HU 8029, HU 8030, HU 8035, HU 8036, HU 8040, HU 8041, HU 8048, HU 8054, HU 8064, HU 8069, HU 8078, HU 8086, HU 8093, HU 8099
- 1 level probe HU 8065



ZF16 GEARBOX BEARING PULLER

TN

OM 0460

1150€VAT Excl.

Instead of 1537€VAT Excl.*



Supplied with 5 sets of cups to enable the bearing to be gripped at the bar turning point without risk of damage.



BEARING AND GEARWHEEL PULLER FOR ZF16 221-251 GEARBOX

TN

OM 0461

1190€VAT Excl.

Instead of 1569€VAT Excl.*



Cup dimensions :

- one set Ø ext. 179mm and Ø int. 98mm
- one set Ø ext. 261mm and Ø int. 155mm
- one set Ø ext. 261mm and Ø int. 189mm
- one set Ø ext. 282mm and Ø int. 198mm

Contents:

- 4 sets of cups
- 1 thrust screw with support pad
- Ø286mm support plate
- 3 sets of stem uprights (L. 290-378-500mm)



OUTPUT FLANGE LOCKING TOOL FOR VOLVO/RENAULT GEARBOX

TN

OM 0563

119€VAT Excl.

Instead of 184€VAT Excl.*



MOVE/REMOVE HYDRAULIC KIT FOR VT VOLVO/RENAULT GEARBOX SYNCHRO

TN

OM 0562

1290€VAT Excl.

Instead of 1520€VAT Excl.*



Reversible through-bolt cylinder 20T



FREEWHEELING ALTERNATOR PULLEY DISMANTLING KIT (13 PCS)

TN

OM 3079BL

Set of sockets and locknuts for dismantling the alternator's disengageable pulley (dismantled or directly on the vehicle).



39€VAT Excl.

Instead of 50€VAT Excl.*

B.LINE
BUDGET SOLUTION



FREEWHEELING ALTERNATOR PULLEY DISMANTLING KIT (30 PCS)

TN

OM 3789

Set of sockets and locknuts for dismantling the alternator's disengageable pulley (dismantled or directly on the vehicle).

+ 1.6 HDI and TDCI
PSA/FORD compatible



60€VAT Excl.

Instead of 109€VAT Excl.*



Details of footprints on request.



POLYGONAL L-SHAPE WRENCHES FOR DISTRIBUTION PULLEYS + FITTINGS (15PCS)

TN

OM 9049BL

Specifications:

- easy head change thanks to automatic pin retention system
- rubber handle
- wrench length 470mm
- Torx: E10, E12, E14, E16, E18
- XZN female diameter: 12, 13, 14, 15, 16, 17, 18 and 19mm



56€VAT Excl.

Instead of 86€VAT Excl.*

B.LINE
BUDGET SOLUTION



PSA/FIAT/FORD BELT TENSION WRENCH

TN

OM 3756

Models :
Peugeot 206, 207, 207cc, 308, 308cc, 508, 3008, 5008,
Partner III
Citroen C1, C2, C3, C3 I/II/First/Classic/Pluriel/Picasso,
C4, C4 Picasso/Grand Picasso, C5 III, Xsara II/Picasso,
Berlingo, Berlingo First, DS3, DS4

Engines: 1.4-1.6D

Codes: DV4, DV6



39€VAT Excl.

Instead of 50€VAT Excl.*



Codes OEM :
0188-Z, G.0194-E3



Fall SELECTION

FLYWHEEL ROTATOR TOOL FOR RENAULT MAGNUM ENGINES

OM 0328



72€VAT Excl.

Instead of 148€VAT Excl.*

TN

2
WARRANTY

FLYWHEEL ROTATOR TOOL FOR RENAULT/VOLVO ENGINES

OM 0327



99€VAT Excl.

Instead of 145€VAT Excl.*

TN

2
WARRANTY

FLYWHEEL ROTATOR TOOL FOR VOLVO ENGINES

OM 0325



79€VAT Excl.

Instead of 171€VAT Excl.*

TN

2
WARRANTY

FLYWHEEL ROTATOR TOOL FOR IVECO ENGINES

OM 0339



299€VAT Excl.

Instead of 459€VAT Excl.*

TN

2
WARRANTY

Fall SELECTION

FLYWHEEL ROTATOR TOOL FOR IVECO ENGINES

OM 0340



259€VAT Excl.

Instead of 459€VAT Excl.*



TN

2
WARRANTY

ENGINE CRANK ROTATOR TOOL DAF

OM 0347



25€VAT Excl.

Instead of 32€VAT Excl.*



TN

2
WARRANTY

FLYWHEEL ROTATION TOOL 9 TEETH MAN / MERCEDES

OM 0348



45€VAT Excl.

Instead of 86€VAT Excl.*



TN

2
WARRANTY

LIEBHERR ENGINE ROTATION TOOL

OM 0366



390€VAT Excl.

Instead of 676€VAT Excl.*



TN

2
WARRANTY



Fall SELECTION

RENAULT/PSA/FORD/VAG TIMING TOOL TROLLEY GEN1+RNLT/PSA GEN2

TN

OM 9695



1890€VAT Excl.

Instead of 2070€VAT Excl.*



OM 6200



OM 6100



OM 6300



OM 6210



OM 6110



EG 0098

Clearly identifiable components available at retail



Find products associated with your **engine code** or **OEM code** by entering them in the search bar on **clas.com**.

MASTER TIMING TOOL SET FIAT/ALFA/ LANCIA/OPEL/SUZUKI/FORD

TN

OM 6400

299€VAT Excl.

Instead of 349€VAT Excl.*



Components available for
retail purchase at [clas.com](https://www.clas.com)

Models :

Alfa: 145, 146, 147, 155, 156, Spider, GTV, TS, GT, 159, 166, Crosswagon Q4
 Fiat: Punto, Grande Punto, Brava/Bravo, Marea, Weekend, Stilo, Doblo/Cargo, Idea, Panda, Multipla, Palio, Stilo, 500
 Lancia: Lybra, Ypsilon, Thesys, Musa,
 Opel: Corsa, Agila, Meriva, Combo, Vectra, Zafira, Astra, Insigna, Signum 1.9 CDTI
 Suzuki: Ignis, Swift, Wagon R+
 Ford: Ka

Engines: 1.2 8V, 1.2 16V, 1.4 16V, 1.6 16V, 1.6 MultiJet, 1.9 JTD, 1.9 JTD 16V, 1.9 MultiJet, 2.4 JTD, 1.9 CDTI, 2.0 MultiJet, 2.4 JTD 20V, 1.3 JTD MultiJet, 1.3 CDTI, 1.3 TDCI, 1.9 CDTI



TIMING TOOLS FIAT / JEEP 500X RENEGADE 1.0 - 1.3

TN

OM 4103

92€VAT Excl.

Instead of 109€VAT Excl.*



For 1.0L and 1.3L T-GDI (JEEP) and 1.0L and 1.3L (FIAT) Engines

Models :

FIAT: 500X (2018-2022)
 JEEP: RENEGADE (2018-2022)



TIMING TOOLS 1.3 HDI - TDCI CDTI - JTD - MULTIJET

OM 4012



119€VAT Excl.

Instead of 239€VAT Excl.*



Models :
Alfa: 145, 146, 147, 156, 159, 166, GT, Crosswagon Q4
Fiat: Punto, Grande Punto, Bravo/Brava, Marea, Weekend, Stilo, Doblò/Cargo, Multipla, Idea, Panda, Ducato
Lancia: Ypsilon, Musa, Lybra, Thesys
Opel: Corsa, Agila, Meriva, Combo Tour, Astra, Zafira, Vectra
Suzuki: Ignis, Swift, Wagon R+
Ford : Ka
Jeep : Renage
Citroën : Nemo

Engines :
1.3 JTD MultiJet, 1.3 CDTI, 1.3 TDCI, 1.6 MultiJet, 1.9 JTD, 1.9 MultiJet, 2.4 JTD, 1.9 CDTI, 2.0 MultiJet



TIMING TOOLS FIAT / ALFA 1.2 - 1.4 MULTIAIR

OM 4039

Models :
Alfa Romeo: Mito, Giulietta
Audi: A6
Fiat: Bravo, Doblo, Idea, Punto, Stilo, Renegade, 124, 500
Lancia: Delta, Ypsilon, Y
Opel: Combo
Engines: 1.2i/1.4i



179€VAT Excl.

Instead of 199€VAT Excl.*



TIMING TOOLS FIAT 2.3 JTD

OM 4025

Applications :
- Peugeot: Boxer III 3.0L HDI
- Citroën : Jumper III 3.0L HDI
- Fiat: Ducato 2.3L JTD - MULTIJET
- Opel : Arena, Movano
- Renault : Mascott, Master, Trafic
- Vauxhall : Movano
- Ivéco : Daily 2.3 HPI



29€VAT Excl.

Instead of 110€VAT Excl.*



MASTER TIMING TOOL SET VAG

OM 6300



279€VAT Excl.

Instead of 309€VAT Excl.*



Composants disponibles au détail sur clas.com

Models :

Audi: 80, A1, A2, A3, A3 cabrio, S3, A4, A5, A6, TT, Q5
 Seat: Arosa, Ibiza, Cordoba, Leon, Toledo, Alhambra, Altea, Inca (99-04)
 Skoda: Fabia, Octavia, Superb
 VW: Lupo, Polo, Fox, Golf, Bora, Jetta, Golf Plus, Golf estate, Passat, Beetle, Touran, Sharan, Caddy, Caddy Maxi, Transporter, Golf VI cabrio, Tiguan
 Ford: Galaxy

Engines :

Petrol: 1.2 TSI, 1.4, 1.4 TSI, 1.6 16V, 1.2 9V-12V 3cylinder, 1.4 1.6 FSI (chain), 1.8, 1.8 16V, 1.8T, 2.0 16V, 2.0 FSI/TFSI (belt)
 Diesel: 1.2 TDI PD, 1.4 TDI PD, 1.9 TDI 75-90-110 PF, 1.9 SDI 75-90-110 PF, 1.9 TDI 105-130-150 PF, 2.0 TDI PD, 2.0 TDI DPF 140-170 PF, 2.5 TDI V6



TIMING TOOLS VAG 1.8 2.0 FSI - TFSI - TSI

OM 4113



159€VAT Excl.

Instead of 179€VAT Excl.*

Models :

Audi: A4, A4 Quattro, A5 Coupe, A5 Cabriolet, A5 Sportback, A6, Q3, Q5, TT
 Seat: Alhambra, Altea, Altea XL, Exea, Leon, Toledo
 Skoda: Octavia II, Superb II, Yeti
 VW: Eos, Golf VI, Golf VI Estate, Passat, Passat Alltrack, Passat CC, Sharan, Beetle, CC, Scirocco, Tiguan

Engines: 1.8 and 2.0 FSI-TFSI from 2006 to 2013



Fall SELECTION

TIMING TOOLS VW / AUDI / SEAT / SKODA 1.0 - 1.2 - 1.4 TSI - TFSI

OM 4054




TN

69€VAT Excl.

Instead of 79€VAT Excl.*

Kit designed for blocking and adjusting the valve timing of 3-cylinder 1.0 petrol engines on VW UP and Polo, Skoda Citigo and Fabia, Seat Mii from 2011.

It is also used on 1.2 / 1.4 TSI - ACT / TFSI / TGI engines.



EVA
SIZE
1/3

5
WARRANTY

TIMING TOOLS VW 1.0 TFSI - 1.2 - 1.4 TSI

OM 4051



TN

69€VAT Excl.

Instead of 79€VAT Excl.*

Models :

Audi: A1 (12-18), A1 Sportback (12-18), A3 (13-18), A3 Sportback (12-17), A3 Cabriolet (14-17), Q2 (16-18), Q3 (15-18)
Alhambra (15-17), Ateca (16-18), Ibiza (12-17), Leon (12-18), Leon ST (14-18), Toledo (12-17)
Skoda: Fabia (10-13), Fabia III (14-17), Octavia II (10-13), Octavia III (10-18), Rapid (15-17), Rapid Spaceback (15-17), Yeti (15-17), Yeti Outdoor (15-17)
VW: Golf VII (08-17), Golf VII Estate (08-17), Golf Sportsvan (14-15), Jetta (12-17), Polo (12-17)



EVA
SIZE
1/3

5
WARRANTY

TIMING KIT VAG 1.5 TSI

OM 4166

Applications :

- Audi: A1 (2018), A3 (2017), Q2 (2018), Q3(2018)
- Volkswagen: Arteon (2018-2020), Golf 7 (2017), Golf 8 (2019), Passat (2018), Polo (2017-2021)
- Seat: Arona (2017-2021), Ateca (2018), Ibiza (2017-2021), Leon (2018), Tarraco (2019)
- Skoda: Kamiq (2019), Karoq (2017), Kodiaq (2019), Octavia 3 (2017), Octavia 4 (2019), Scala (2019), Superb 3 (2017-2020)
- Cupra: Leon (2022), Formentor (2020), Ateca (2023)



890€VAT Excl.

Instead of 979€VAT Excl.*

2
WARRANTY

TIMING TOOLS VAG 1.2

OM 4010

Models :

VW: Fox, Lupo, Polo
Skoda: Fabia, Roomster, Praktik, Rapid
Seat: Ibiza, Cordoba, Toledo

Engines: 1.2 6V, 1.2 12V (chain-driven petrol engines)



29€VAT Excl.

Instead of 78€VAT Excl.*



5
WARRANTY

Fall SELECTION

TIMING TOOLS PSA / BMW MINI 1.4 - 1.6 N13 - N18 - EP6

OM 4077




99€VAT Excl.

Instead of 232€VAT Excl.*

Models :

BMW: all vehicles equipped with the N13 engine
Mini: all vehicles equipped with the N18 engine
Citroën: 1.6
Peugeot: 1.6



TIMING TOOLS BMW / MINI B37 - B47 - B57 1.5 - 2.0 - 3.0

OM 5062

Models :

BMW: 1, 2, 3, 4, 5 Series, X1, X3, X4, X5

Engines :

1.5 B37C15A, B37D15A,
2.0 B47C20A, B47C20B,
B47D20A, B47B20B
3.0 B57D30A

Models :

MINI: Hatch, Clubman, Cabriolet

Engines :

1.5 B37 C15A
2.0 B47 C20A



124€VAT Excl.

Instead of 219€VAT Excl.*



TIMING TOOLS PSA / MINI 1.4 - 1.6 VTI - THP 16V

OM 3748



89€VAT Excl.

Instead of 269€VAT Excl.*

Models :

Mini: One (R56), Mini Cooper (R55/R56), Clubman, Clubvan, Countryman, Coupe, Paceman, Roadster
Citroën: C3 III, C4, C4 Picasso, C5III, DS3, Berlingo III,
DS: DS3, DS4, DS5
Peugeot: RCZ, 207, 308, 2008, 3008, 5008, Partner III

Engines: 1.4 VTI, 1.5 VTI, 1.6 THP



MASTER TIMING TOOL SET PSA GENERATION 1

OM 6200



TN

172€VAT Excl.

Instead of 199€VAT Excl.*



Models :

Fiat/Lancia: Ulysse, Scudo, Ducato, Zeta, Phedra

Ford: Fiesta, Fusion, Focus, Focus C-Max
Citroën: C15, C1, C2, C3 Pluriel, C4, C4 Picasso, C5, C6, C8, DS3, DS4, DS5, Xantia, Xsara, Xsara Picasso, Evasion, Berlingo, Jumpy, Jumper, Saxo, ZX, XM, Evasion, AX

Peugeot: 107, 1007, 206 cc, 207, 208, 306, 307 cc, 308, 406, 407, 508, 607, 806, 807, Partner, Expert, Boxer, 206, 106, 605, 205, 405

Engines :

Fiat/Lancia: 2.0, 2.2 JTD

Ford: 1.4, 1.6 Duratorq TDCI

PSA: 1.0, 1.1, 1.4, 1.6, 1.6 16V, 1.4, 1.6 HDI, 1.8, 1.8 16V, 2.0, 2.0 turbo, 1.9 D, 2.0 HDI, 2.2 HDI, 1.8 16V, 2.0 16V



EVA SIZE
3/3



COMPLETE PSA TIMING TOOL SET GENERATION 2©

OM 6210



TN

239€VAT Excl.

Instead of 269€VAT Excl.*



Models :

PSA: 1007, 108, 206, 206 CC, 207, 207cc, 208, 2008, 301, 307, 308, 308cc, 308, 3008, 407, 407 Coupé, 5008, 607, Partner III

C2, C3, C3 Picasso, C3, C3III, C4, C4 Picasso, C4, C4 Picasso, Grand Picasso, C5 II, C5 III, C6, Berlingo III, DS3, DS3 Cab, C-Elysée, Xsara Picasso

Mini: One (R56), Mini Cooper (R55/R56),

Mini Cooper S (R55/R56), Cooper/S, Mini One, Clubman

Jaguar : S-Type, XF, XJ, XJ6

Land Rover: Range Rover Sport, Discovery 3 and 4

Toyota: Aygo, Proace City

Engines: 1.0, 1.2i, 1.4, 1.4 VTI, 1.6, 1.6 VTI, 1.6

THP, 1.6 diesel, 1.8, 2.0, 2.5, 3.0 L, 2.7 D/ TDV6/HDi/TDVi



EVA SIZE
3/3



TIMING TOOLS PSA 1.0 - 1.2 3 CYLINDERS PURETECH

OM 4041



79€VAT Excl.

Instead of 89€VAT Excl.*

Models :
Peugeot: 108, 208, 2008, 301, 308,
3008, 5008
Citroën: C3III, DS3, DS3 Cab, C-Elysée
Toyota: Aygo, Proace City
Opel: Grandland
Engines: 1.0, 1.2i



TIMING TOOLS PSA 1.2 PURETECH 12V TURBO


OM 3797



69€VAT Excl.

Instead of 85€VAT Excl.*

Models :
- Citroën: Berlingo II, Berlingo III, C3 IV, C3 Aircross, C3 Picasso, C4 Cactus, C4 III, C4 Picasso, C4 Space Tourer, C5 Aircross
- Peugeot: 208 I, 208 II, 2008, 2008 II, 308 II, 3008 I, 3008 II, 5008, 5008 II, Partner
- Opel: Combo-E (X19), Combo-E Life (X19), Crossland X (P17), Grandland X (A18), Corsa VI, Mokka II
- DS: 4, 3, 3 Crossback
- Toyota: Proace City



TIMING TOOLS PSA / FORD / TOYOTA OPEL 1.5 BLUEHDI 1.4 - 1.6 HDI

OM 4105



19€VAT Excl.

Instead of 24€VAT Excl.*

Models :
Citroën: Berlingo III, C3 III, C3 Aircross, C4 Cactus, C4 Spacetourer, C5 Aircross, Berlingo III Van, Traveller, Jumpy
Mazda: 2, 3, 5
Peugeot: 208 II, 2008 II, 308 II, 308 III, 508 II, 3008 II, 5008 II, Rifter, Partner, Expert
Opel: Corsa (F) VI, Mokka, Crossland, Grandland, Combo, Combo Cargo, Zafira, Vivaro
Suzuki: Liane (RH), SX4 (RW)
Toyota: Proace City, Proace City Verso, Proace, Proace Verso
Engines: 1.5 Blue HDI



Fall SELECTION

**TIMING TOOLS PSA 1.2 PURETECH
12V TURBO EURO 6.3 VERSION**

TN

OM 3798

25€VAT Excl.

Instead of 29€VAT Excl.*



**CRANKSHAFT LOCKING TOOL
PSA 1.2 PURETECH 12V TURBO**

TN

OM 3799

35€VAT Excl.

Instead of 41€VAT Excl.*



**BELT GAUGE PSA 1.0/1.2
PURETECH**

TN

OM 4141

7€VAT Excl.

Instead of 22€VAT Excl.*



**CRANKSHAFT SEAL ASSEMBLY
TOOL 1.0-1.2 PURETECH**

TN

OM 4142

19€VAT Excl.

Instead of 19€VAT Excl.*



**1.2 PURETECH PETROL OIL
CRANKCASE ALIGNMENT PLATE**

TN

OM 3796

39€VAT Excl.

Instead of 49€VAT Excl.*



Codes OEM :
0109-4G



**STRETCH BELT INSTALLATION
AND REMOVAL TOOL PSA**

TN

OM 4058

9€VAT Excl.

Instead of 10€VAT Excl.*



MASTER TIMING TOOL SET RENAULT/ NISSAN/OPEL/VOLVO GENERATION 1

TN

OM 6100

249€VAT Excl.

Instead of 279€VAT Excl.*



Models :

Renault: Clio 1-2-3-4, Clio Sport 1-2-3, Mégane 1-2-3, Master 1-2, Mégane Scénic 1-2-3, Vel Satis 1-2, Avantime, Kangoo 1-2-3, Laguna 1-2-3, Espace 1-2-3, Trafic 1-2, Wind, Modus, Twingo, Koleos

Dacia: Logan, Duster, Sandero, Dokker

Nissan: Note, Qashqai, Micra, Interstar, Primastar, Kubistar, Almera, Primera

Opel: Vivaro, Movano

Volvo: S 40, V 40

Engines: 1.2, 1.2 16V, 1.4, 1.4 16V, 1.5 DCI, 1.6, 1.6 16V, 1.6 D, 1.7, 1.8, 1.8 16V, 1.9 TD, 1.9, 1.9 DCI, 1.9 DTI, 1.9 CDTI, 2.0, 2.0 16V, 2.1 TD, 2.2, 2.2 DCI, 2.2 DTI, 2.2 TD, 2.5 DCI, 2.5 CDTI, 2.5 TD, 2.8 D



COMPLETE RENAULT/NISSAN/OPEL/VOLVO TIMING TOOL SET GENERATION 2©

TN

OM 6110

289€VAT Excl.

Instead of 319€VAT Excl.*



Models :

Renault: Clio II, Espace 4 and 5, Fluence, Koleos, Laguna, Laguna 2, Latitude, Master, Megane, Megane 2, Scenic, Scenic RX4, Scenic 2, Grand Scenic 2, Trafic 2, Vel Satis

Mercedes: Class C, Vito

Mitsubishi: Carisma

Nissan: Navara NP300, Primastar X83, Qashqai 1 and 2, X-Trail

Opel: Arena, Vivaro-B

Engines: 1.4, 1.6, 1.8 16v, 2.0 16v, 1.6, 2.0, 2.3, 2.5, 3.5, 1.9DTI/TD, 2.3DCI/CDTI



MASTER TIMING TOOL SET FORD/MAZDA/VOLVO


TN

OM 6600



249€VAT Excl.

Instead of 279€VAT Excl.*



Models :

Ford: Fiesta, Fusion, Courier, Escort, Focus, Focus C Max, Puma, Mondeo, Sierra, Transit, Connect, Cougar, Courier, Courier Kombi, Galaxy, C-Max, Orion, Tourneo Connect, Transit, Transit Connect

VW: Sharan

Seat: Alhambra

Mazda: I21

Volvo : S40, V50 petrol, 1.8 D, 1.8 TD, 240 D, 740 D, 760 D, 940 D, 960 D Turbo

Engines: 1.2, 1.4, 1.6, 1.6 16V, 1.7 16V belt, 1.8-2.0 16V (belt and chain), 1.4, 1.6 16V Focus and Mazda I21, 1.6 Duratorq TDCI, 1.8 D, 1.8 TD (88-00), 1.8 DI(belt) (98-04), 1.8 TDCI (belt) (01-04), 1.6 D, 1.9 TDI, 2.5 D/TCI (belt), 1.9 TDI, 2.5 D/TCI (belt), 1.25, 1.6 TI-VCT, 1.6 SCTI, 1.4 D TDCI, 1.6 D TDCI, 1.8 D, 1.8 D TCI, 1.8 D TDDI, 1.8 D TDCI, 1.8 D Turbo, 1.8 D Turbo, 1.9 D TDI PD, 1.9 D TDI PD, 2.0 D TDCI, 2.2 TDCI, 2.5 D, 2.5 D Turbo, 2.0, 2.2, 2.4 Duratorq TDCI 16V, 1.4 D TDCI, 1.6 D 8V, 1.6 D 16V



EVA SIZE
3/3



TIMING TOOLS VW / SEAT FORD / VOLVO / MAZDA

TN

OM 4056

109€VAT Excl.

Instead of 149€VAT Excl.*



Models :

Ford: B-MAX, C-MAX, Courier, EcoSport, Edge, Escort, Fiesta, Focus, Focus C-Max, Fusion, Galaxy, Grand C-MAX, Grand Tourneo Connect, Kuga, Mondeo, S-MAX, Tourneo Connect, Transit Connect

Mazda: 2 (DY)(02-07), 3 (BK)(03-09), 3 (BL)(09-14), 5 (CR), 5 (CW), 6 (GG/GY)(02-07), 6 (GH)(07-13), CX-7 (ER) (07-13), MPV (LW)(99-05), MX-5 (NC) (05-15), Tribute (EP)(01-06)

Peugeot: 307, 308, 407, 5087, 807, Expert

Citroën: C4, C5, Jumpy

Volvo: C30, S40, S80, V50, V70

VW: Sharan

Seat: Alhambra

Engines :

1.4, 1.6 16V, 1.7, 1.8 16V, 2.0 16V, 2.3, 2.5 (also Zetec)

1.4, 1.6, 1.8, 1.9, 2.0, 2.2 D/TD/TDCi



TIMING TOOLS FORD 1.0 ECOBOOST


OM 4117



TN

149€VAT Excl.

Instead of 159€VAT Excl.*



Models :

Ford: B-Max (2013-2017), C-Max (2012-2017), Connect (2013-2016), Courier (2012-2016), EcoSport (2013-2017), Fiesta (2013-2017), Focus (2012-2017), Grand C-Max (2012-2017), Grand-Tourneo Connect (2013-2015), Mondeo (2015-2017), Transit Connect (2015-2017).

Engine: 1.0 EcoBoost



FORD 1.0 & 1.1 ECOBOOST TORQUE MULTIPLIER

OM 4109



TN

259€VAT Excl.



Specifications:

- Torque ratio 5:1 (corresponds to manufacturer's specifications)
- max. input torque 300 Nm - per 1/2" female drive
- max. output torque 1500 Nm - per 3/4" male drive
- 21mm/24mm A/F hexagon sockets included.



CAMSHAFT AND FLYWHEEL TIMING TOOLS FORD 1.5 ECOBOOST ENGINE

OM 4111

TN

199€VAT Excl.

Instead of 274€VAT Excl.*



Applications :

- Ford: Focus (2018), Focus ST (2018), Fiesta (2018), Kuga (2019)

Specific to Ford 1.5L EcoBoost 3-cylinder and Duratec engines since 2018



TIMING TOOLS FORD 2.0 TDCi ECOBLUE WITH PUMP INJECTION TOOL

TN

OM 4131

154€VAT Excl.

Instead of 164€VAT Excl.*



Models :
FORD: Bord (18-21), Connect (18-), Galaxie (18-21), Kuga (19-),
Mondeo (19-21), Ranger (19-), S-MAX (18-21), Transit (16-)

Codes OEM :
303-1643 , 303-1637 , 303-1650



TIMING TOOLS FORD / JAGUAR 2.0 - 2.2 - 2.4 DURATORQ

TN

OM 4230

65€VAT Excl.

Instead of 73€VAT Excl.*



Models :
Citroën : Jumper
Fiat : Ducato
Ford : Focus, Mondéo, Transit,
ranger
Hyundai : Accent, Getz, I10, I20
Kia : Cerato, Picanto, Rio
Land Rover: Defender
Peugeot: Boxer



Engines: 2.0 , 2.2 , 2.4 , 2.8 , 3.2
TDdi/TDCi/HDI
For Engines built between 2002
and 2010



BELT PULLEY PULLER FORD ECOBLUE 2.0L

TN

OM 4132

21€VAT Excl.

Instead of 49€VAT Excl.*

This tool will enable you to
remove the damper pulley on
Ford Kuga, Ranger and Transit
(from 2019) when equipped
with the 2.0L EcoBlue engine.
This tool ensures that the
vibration damper can be
removed without damaging the
bonded rubber section of the
pulley.



Applications :
- Ford: Kuga, Ranger and Transit Custom (>2019), FWD
Transit (>2018), RWD Transit (>2018)



TIMING TOOLS HYUNDAI KIA 1.6 CRDI


OM 4128



TN

139€VAT Excl.

Instead of 184€VAT Excl.*



Models :
KIA: Ceed (18-), Optima (15-20), Proceed (19-), Sportage (16-21), Stonic(17-), XCeed (19-).
HYUNDAI: i40 (18-), Kona (17-), Tucson (15-21).



HIGH PRESSURE PUMP REMOVAL TOOL HYUNDAI/KIA

OM 4471

TN

65€VAT Excl.

Instead of 75€VAT Excl.*




Models :
Kia: Carens, Ceed, Optima, Rio, Soul, Sportage, Venga
Engines: 1.1 TCI, 1.4 TCI, 1.4 CRDI, 1.6 TCI, 1.6 CRDI, 1.7 TCI



Fall SELECTION

TIMING TOOLS LAND ROVER 2.0 T

OM 4240



329€VAT Excl.

Instead of 349€VAT Excl.*




Models :
Land Rover: Discovery Sport, Range Rover Evoque (2015-)
Jaguar : F-PACE , XE , XF (2015-)



TIMING TOOLS LAND ROVER 2.0 D

OM 4245



169€VAT Excl.

Instead of 199€VAT Excl.*



Models :
LAND ROVER: Discovery, Discovery Sport, Range Rover
Evoque, Range Rover Evoque Cabriolet, Range Rover Sport,
Range Rover Velar
JAGUAR: E-Pace, F-Pace, XE, XF



TIMING TOOLS JAGUAR LAND ROVER 2.0

OM 4212



189€VAT Excl.

Instead of 216€VAT Excl.*



Models :
Jaguar : XE (2015-16), XF (2012-15), XJ (2013-16)
Land Rover: Discovery Sport (2015-16), Freelander (2012-15), Evoque (2011-16)
Engines: 2.0 GTDi, Si4
Engine codes: 204PT



MASTER TIMING TOOL SET OPEL/CHEVROLET/ SAAB/FIAT/LANCIA/SUZUKI/FORD

TN

OM 6500

299€VAT Excl.

Instead of 349€VAT Excl.*



Models :

Opel: Corsa B,C, Combo, Tigra, Agila, Tigra B, Meriva, Astra F,G , H, Astravan ,Speedster/ VX220, Zafira A , B, Vectra B , C, Signum, Omega B, Sintra, Frontera A , B , Astravan, Kadett, Ascona, Omega, Monterey, Antara ,Croma ,Speedster/VX220

Chevrolet/Daewoo: Epica, Captiva, Nubira, Lacetti, Evanda

Saab: 9-3, 9-5 (98-04)

Alfa: 145, 146, 147, 156, 159, 166, GT, Crosswagon Q4

Fiat: Punto, Grande Punto, Bravo/Brava, Marea, Weekend, Stilo, Doblò/Cargo, Multipla, Idea, Panda150

Lancia: Ypsilon, Musa, Lybra, Thesys

Suzuki: Ignis, Swift, Wagon R+

Ford: Ka

Engines: 1.0 12V, 1.0 16V, 1.2 16V, 1.4 ,1.6, 1.2-1.4 16V (Chain), 2.0, 2.0 Turbo, 2.2 DI, 2.0-2.2 16V, 1.6 16V, 1.8 16V, 2.0 16V, 2.2 16V, 1.3 JTD MultiJet, 1.3 CDTI, 1.3 TDCI, 1.6 MultiJet, 1.9 JTD, 1.9 MultiJet, 2.4 JTD, 1.9 CDTI, 2.0 MultiJet, 1.5 D, 1.5 TD, 1.7 D, 1.7 TD, 1.6-1.7 D, 3.0 TD, 3.1T D, 2.0-2.2-2.4 TD, 2.0-2.2 DI, 2.0 TDCI, 2.0 D VCDI, 2.2 16V (double camshaft)



TIMING TOOLS OPEL VAUXHALL 1.0 - 1.2 - 1.4 TURBO

TN

OM 4214

85€VAT Excl.

Instead of 89€VAT Excl.*



Models :

Adam, Ampera, Astra-J, Aveo, Corsa-D, Insignia, Meriva-B, Mokka, Zafira-C Tourer

Engines: 1.0, 1.2, 1.4 Turbo



UNIVERSAL CAMSHAFT BELT PULLEY LOCKING LEVER TOOL

OM 3678



TN

299€VAT Excl.

Instead of 179€VAT Excl.*



Contains the special phasing tool for Renault petrol engines.

Codes OEM :
T10172 , T10554



FORK SEAL INSTALLATION/REMOVAL CRANKSHAFT TOOL VAG 1.4-1.6

OM 5035

TN

299€VAT Excl.

Instead of 399€VAT Excl.*

Specially designed installation tool for removing and installing crankshaft seals (rear seals) on 1.2, 1.4 and 1.6 engines on most VAG vehicles.

Allows correct alignment of the gasket in its housing.



Models :

Audi: A3, A4

Seat: Arosa, Ibiza, Cordoba, Leon, Toledo

Skoda: Fabia, Fabia II, Octavia, Roomster

Volkswagen: Lupo, Polo, Polo Classic, Golf, Bora, Beetle,

Caddy, Touran

Engines: 1.2L TDI, 2.0l TDI, 1.4, 1.4 16v, 1.6

Also compatible with certain VAG 3 and 4-cylinder petrol and diesel engines: 1.9-2.0SDI, 2.0TDI, 2.0 Common rail, 1.2l TDI, 1.4T, 1.4-1.6 direct injection petrol; and certain Fiat 1.6 direct injection engines.



SEAL TOOL KIT 24PCS


TN

OM 5038

This box allows the replacement of spinnaker seals from Ø21.5 to Ø64mm. Thanks to its claw extractor, it enables the gasket to be removed without damaging the bearing surfaces. Contents are designed for guided reassembly of the gasket for perfect positioning. 2 pairs of claws L.70 and L.115mm for greater versatility.

165€VAT Excl.

Instead of 174€VAT Excl.*



2
WARRANTY

Fall SELECTION

VIBRATION GLOW PLUG REMOVAL KIT 1/4"

OP 1404

Allows gradual, controlled and safe dismantling of glow plugs. Reduces the risk of electrode breakage in the glow plug seat.

4 torque settings: 10-20-30 or 40Nm
1/4" drive

Contents:

- SA1404: 1/4" vibrating wrench
- SA1408: 8mm vibrating socket
- SA1409: 9mm vibrating socket
- SA1410: 10mm vibrating socket
- SA1411: 11mm vibrating socket
- SA1412: 12mm vibrating sleeve
- SA1413: 50mm vibratory extension
- SA1414: 100mm vibratory extension
- SA1415: vibratory toggle



Minimizes the risk of breakage

199€VAT Excl.*



OFFERED

INJECTOR/GLOW PLUG RELEASER
500ml
CO 1025 10€VAT Excl.



2
WARRANTY

COMMON RAIL INJECTOR TESTER

AC 5240BL

Covers the majority of vehicles fitted with Bosch (excluding Opel), Denso, Delphi and Siemens Common Rail injectors.
Contents detect injector flow problems.

Specifications:

- C1 Bosch 90° injectors
- C2 VDO/Siemens 90° injectors
- C3 Denso 90° injectors
- 50ml vial capacity



44€VAT Excl.

Instead of 87€VAT Excl.*

B.LINE
BUDGET SOLUTION

2
WARRANTY

8-CYLINDER COMMON RAIL INJECTOR TESTER

AC 5280

Covers the majority of vehicles fitted with Bosch (excluding Opel), Denso, Delphi and Siemens Common Rail injectors.
Contents detect injector flow problems.

Adapters for Bosch, Delphi and Denso injectors.



79€VAT Excl.

Instead of 119€VAT Excl.*



8 cylinders

2
WARRANTY

1/2" D. HEX SOCKETS SET FOR REMOVING DIESEL INJECTORS HEADS

TN

OM 0071

39€VAT Excl.

Instead of 50€VAT Excl.*

Socket length 10cm

Contents:

- SA0011: 25mm 1/2" slotted socket
- SA0781: 27mm 1/2" slotted socket
- SA0012: 29mm 1/2" slotted socket
- SA0014: 30mm 1/2" slotted socket



SLIDE HAMMER SET + INJECTOR EXTRACTOR ADAPTORS (14 PCS)

TN

OM 0020BL

159€VAT Excl.

Instead of 199€VAT Excl.*

Enables fast, effortless removal of injectors jammed in the cylinder head.



B.LINE
BUDGET SOLUTION

PNEUMATIC INJECTOR PULLER

TN

OP 9110

229€VAT Excl.

Instead of 269€VAT Excl.*

This device has been designed to extract the most recalcitrant injectors from common-rail diesel engines. Thanks to its pneumatic cylinder, all you have to do is let it do the work, after assembling and securing it to the injector to be extracted.

Designed to hammer up and down at high speed to remove jammed or seized injectors.

The tool requires a regulated working pressure of 5 - 8 Bar (<100L/min).

Suitable for : Bosch, CAT, Cummins, Denso and many others.

Specifications:

- max. cylinder height: 150mm
- min. cylinder height: 135mm
- overall hose length: 780mm
- regulated working pressure from 5 - 8 Bar (<100L/min)

Contents:

- 19 pieces (screws and adapter) M8/M10/M12/M14/M15/M17/M19
- 1 hose
- 1 pneumatic cylinder



UNIVERSAL INJECTOR MECHANICAL-HYDRAULIC EXTRACTION KIT

OH 0027

This kit enables the extraction of Bosch, Siemens, Delphi and Denso injectors.

Two possible extraction solutions: mechanical (screw) or mechano-hydraulic (12T cylinder).

+ Mechanical-hydraulic cylinder: no hydraulic pump required

TN


1799€VAT Excl.

Instead of 1999€VAT Excl.*



Contents:

- SA9276: extraction screw M18x1.5-M18x1 L.150mm Bosch
- SA9277: extraction screw M18x1.5-M25x1 L.150mm Siemens
- SA0028 : extraction screw M18x1.5-M14x1.5 L.150mm Siemens Piezo
- SA9274 : extraction screw M18x1.5-M27x1 L.150mm Siemens Piezo electrics
- SA0011: 25mm 1/2" slotted socket
- SA0012: 29mm 1/2" slotted socket
- SA0781: 27mm 1/2" split socket
- SA0014: 30mm 1/2" slotted socket
- SA0019: extraction screw M18x1.5-M25x1 L.309mm Siemens
- SA0018: extraction screw M18x1.5-M27x1 L.309mm Siemens Electrical Piezo
- SA0025 : extraction screw M18x1.5-M18x1 L.309mm Bosch
- SA0020: extraction screw M18x1.5-M14x1.5 L.309mm Delphi
- SA2700: 12T mechano-hydraulic cylinder
- mounting brackets and accessories



INJECTOR/GLOW PLUG RELEASER 500ml

CO 1025

+ Penetrating foaming formula dissolves scale and soot.



TN

10€VAT Excl.

Instead of 12,50€VAT Excl.*



COMPLETE INJECTOR SEAT CLEANING KIT

TN

OM 9110

249€VAT Excl.

Instead of 299€VAT Excl.*

Contents:

- OM9280 : 1 injector seal extractor
- 1 cutter support
- SA9100: 1 brush drive hose
- SA9110 : 2 small Ø injector well brushes
- SA9111: 2 large-Ø injector well brushes
- SA9112: 1 brush holder
- 6 injector well plugs
- 13 cutters (9 flat, 4 conical)
- 1 flat milling cutter L.14mm Ø14mm
- 1 flat cutter L.15mm Ø19mm
- 1 flat milling cutter L.15.5mm Ø15.5mm
- 5 flat milling cutters L.17mm Ø17-17.5-19-19.5-20mm
- 1 flat milling cutter L.19 Ø21.5mm
- 1 conical cutter L.15.5mm Ø15.5mm
- 2 conical cutters L .17mm Ø17-21mm
- 1 conical cutter L.17.5mm Ø20.5mm
- 1 hexagonal key 2.5mm
- 1 T-handle + extension 170mm
- 1 cleaning tool L.250mm Ø15.5mm



BORE BRUSH SET

TN

OM 0666

35€VAT Excl.

Instead of 45€VAT Excl.*

Specifications:

- Metal-Nylon-Brass
- Ø8 to Ø19mm

Contents:

- 1 handle
 - 1 extension
 - 12 Ø8 to Ø19 mm metal brushes.
 - 12 Ø8 to Ø19 mm brass brushes
 - 12 Ø8 to Ø19 mm nylon brushes
- Consumables available by retail



SPI SEALED INJECTOR WELL DV6 INSTALLATION TOOL

TN

OM 9377

59€VAT Excl.

Instead of 72€VAT Excl.*

Conical guide installation: the joint is guided along the axis.

Specifications:

- handle length: 150mm
- handle outer Ø: 28.3mm
- guide length: 54mm



Does not damage the seal



INJECTOR EXTRACTOR KIT MERCEDES/CHRYSLER 2.1-2.2- 3.0 V6 CDI

TN

OM 5310

349€VAT Excl.

Instead of 399€VAT Excl.*



Contents:

- SA9276: Bosch M18x1.5-M17x1 pull-screw (2.1-2.2)
- M18x1.5-M14x1.5 Delphi pull-screw (3.0V6)
- 1/2" 12-sided open socket 29mm
- OM9277: electrode removal socket 1/2" 6 hex 10mm
- extraction device (2.1-2.2)
- extraction brackets (3.0V6)



INJECTOR EXTRACTION KIT MERCEDES CDI

TN

OM 0075

179€VAT Excl.

Instead of 229€VAT Excl.*



INJECTOR PULLER VOLVO/ RENAULT/MAN/DAF

TN

OM 9441

279€VAT Excl.

Instead of 315€VAT Excl.*



2 ADJUSTMENT JIGS FOR SCANIA PUMP INJECTORS

TN

OM 9442

395€VAT Excl.

Instead of 438€VAT Excl.*

Allows height adjustment (66.9mm) when free-standing BOSH PDE 31/PDE 32 injectors on 12 and 16L engines.



Fall SELECTION

INJECTOR LINER APPLICATION TOOL VOLVO/RENAULT 5-7L

TN

OM 9410

295€VAT Excl.

Instead of 350€VAT Excl.*



INJECTOR EXTRACTOR MAN

TN

OM 9443

For Common Rail TGL injectors on Euro 3-4-5/TGA/TGM/TGX engines.

479€VAT Excl.

Instead of 549€VAT Excl.*



INJECTOR LINER APPLICATION TOOL VOLVO/RENAULT FH-FM

TN

OM 9411

259€VAT Excl.

Instead of 309€VAT Excl.*



INJECTOR LINER APPLICATION TOOL VOLVO/RENAULT FH-FM

TN

OM 9412

229€VAT Excl.

Instead of 269€VAT Excl.*



INJECTOR LINER APPLICATION TOOL PDE SCANIA

TN

OM 9420

320€VAT Excl.

Instead of 399€VAT Excl.*



INJECTOR LINER APPLICATION TOOL XPI SCANIA

TN

OM 9421

359€VAT Excl.

Instead of 399€VAT Excl.*



INJECTOR LINER APPLICATION TOOL HPI SCANIA

TN

OM 9422

320€VAT Excl.

Instead of 399€VAT Excl.*



Fall SELECTION

MULTI-BRAND COMPRESSION GAUGE GAUGE PETROL-DIESEL/DCI

AC 2018BL

Complete set for direct- and indirect-injection petrol and diesel engines.

B.LINE
BUDGET SOLUTION

Specifications:

- quick-connect adapter
- 400mm hose for difficult access
- 0 to 40bar pressure gauge with relief valve



199€VAT Excl.

Instead of 299€VAT Excl.*

TN

2
WARRANTY

PETROL COMPRESSION GAUGE

AC 0115

Complete with connections
M10x1.0-M12x1.25-M14x1.25-
M18x1.5

Pressure gauge from 0 to
20bar
+ universal adapters



29€VAT Excl.

Instead of 44€VAT Excl.*

TN

2
WARRANTY

UNIVERSAL CYLINDER LEAK DETECTOR TESTER

AC 0118

The adapters supplied with the cylinder leak tester fit all spark plug shafts (10, 12, 14, 18mm) and the long adapters (220mm M12, M14) are particularly useful for deep-seated spark plugs.



289€VAT Excl.*

TN

2
WARRANTY

PISTON RING COMPRESSOR Ø90-175mm H.165mm

TN

OM 0155

This tool is indispensable for fitting the pistons in the cylinder block: it fits the pistons perfectly, holds the piston rings in place and allows damage-free insertion.

37€VAT Excl.

Instead of 39€VAT Excl.*



PISTON INSERT GUIDE DAF

TN

OM 0159

89€VAT Excl.

Instead of 105€VAT Excl.*



Conical interior Ø139 to 129mm.



CYLINDER LINER APPLICATION TOOL 60-160mm

TN

OM 7450

For extraction of PL cylinder liners. Also suitable for any other part extraction requiring an internal grip and a flat support.

459€VAT Excl.

Instead of 529€VAT Excl.*



Internal socket Ø60 to 160mm



Fall SELECTION

2 PIVOTING ENGINE SUPPORT HOOKS

TN

OH 0249

199€VAT Excl.



Specifications:

- swivel feet
- ball-bearing hook support
- l.1700mm



500kg ENGINE SUPPORT

TN

OM 0601

169€VAT Excl.

Instead of 195€VAT Excl.*



Specifications:

- 360° swivel head
- adaptable to all Engine models
- 4 adjustable mounting points
- dimensions: 800x864x935mm



500KG

ENGINE SUPPORT 500KG+FLUID RECOVERY TANK

TN

OM 0701N

550€VAT Excl.

Instead of 650€VAT Excl.*

Gear-driven 360° swivel, allowing the operator to position the Engine at the required angle, effortlessly.
Base equipped with fluid collection tray.

Specifications:

- 360° swivel head
- gear-adjustable orientation
- adaptable to all Engines
- 4 adjustable mounting points
- tool compartment
- fluid collection tray
- 4 swivel wheels, 2 of which have brakes for greater stability
- weight: 50kg
- dimensions: 940x610x880mm



500KG

+ Effortless 360° rotation



ETHANOL E85 TESTER

AC 0820

Check the percentage of ethanol in the fuel system quickly and safely.

Because of the huge price difference between E85 and regular gasoline, vehicle owners tend to fill up with E85 in unsuitable vehicles, resulting in:

- engine combustion malfunctions
- engine knocking
- ignition of the engine light on the dashboard
- to impossible engine starting

The fault codes read by the diagnostic unit do not refer to the vehicle's actual malfunction, and lead to the replacement of non-defective and often costly parts.

This kit includes OEM adapters for connection to the vehicle, simply connect the unit with the appropriate adapter and let the engine idle for a few seconds.

+ Test without fuel extraction

390€VAT Excl.

Instead of 419€VAT Excl.*



TN



QUICK APPROACH FUEL TANK SENDER WRENCH

OM 4666

Specifications:

- 3 slotted handles
- adjustable opening from Ø90 to 180mm
- 15mm hexagonal drive



29€VAT Excl.

Instead of 39€VAT Excl.*

+ Universal



TN

AdBlue® TREATMENT 300ml

CO 1059

This additive improves and stabilizes AdBlue® performance during winter and extended storage periods, while maintaining its fluidity.

Specifications:

- 300ml bottle
- liquid appearance
- colorless
- PH5
- flash point lower than 70
- relative density: 1
- non-explosive, non-oxidizing
- 100mL = 10L of AdBlue®

13€VAT Excl.

Instead of 15€VAT Excl.*



TN

AdBlue® TREATMENT 5L

CO 1060

This additive improves and stabilizes AdBlue® performance during winter and extended storage periods, while maintaining its fluidity.

Specifications:

- 5l graduated container
- liquid appearance
- colorless
- PH5
- flash point lower than 70
- relative density: 1
- non-explosive, non-oxidizing
- 100mL = 10L of AdBlue®

109€VAT Excl.

Instead of 119€VAT Excl.*



TN

Fall SELECTION

DIESEL INJECTOR CLEANER 300ml

TN

11€VAT Excl.

Instead of 13€VAT Excl.*

Injection cleaner can be used for both preventive (injection circuit protection) and curative purposes.

- preventive use: 1 bottle for 80L
- curative use: 1 bottle for 40L

If you've never treated your vehicle and the first symptoms of injection malfunction appear, Injection Cleaner will give you a thorough clean.



DIESEL

CO 1010

PETROL

CO 1005



NO WARRANTY

5 IN 1 PETROL ENGINE CLEANER

TN

CO 1081

18€VAT Excl.

Instead of 19€VAT Excl.*

Ideal for cleaning the injection, DPF, Turbo, Intake and EGR systems of gasoline engines.

Treats up to 80 liters with a 375ml dose
Preventive and curative formula
Does not damage injection circuit seals



NO WARRANTY

5 IN 1 DIESEL SCRUBBER & DECALCIFIER TREATMENT 300ml

TN

CO 1073

17€VAT Excl.

Instead of 19€VAT Excl.*

5-in-1 descaling treatment, reduces vehicle pollution and black fumes.

Allows simultaneous action on :

- catalytic converter and DPF
- injectors
- turbo
- valves
- EGR valves

Preventive product to be added to fuel



NO WARRANTY



5-IN-1 DIESEL CLEANER DECALCIFIER 1L

TN

CO 1072

25€VAT Excl.

Instead of 29€VAT Excl.*

5-in-1 descaling treatment reduces vehicle pollution and black fumes.

Allows simultaneous action on :

- catalytic converter and DPF
- injectors
- turbo
- valves
- EGR valves

Curative product to be added to fuel



NO WARRANTY



SMOKE LEAK DETECTOR

AC 0411BL

B.LINE
BUDGET SOLUTION

TN

299€VAT Excl.*

Specifications:

- power supply: 12V
- output pressure: 1.2 bar for turbo system
- flow rate: 8L/min
- smoke adjustment
- operating mode: air only or smoke
- control pressure gauge
- oil capacity: 50ml
- mineral oil 250ml (included)
- supplied with accessories
- test fluid 250ml = 35 hours of use
- weight: 3.7Kg
- dimensions: 180x125x210mm

+ Perfect for occasional use!



Thanks to its compact size, this machine is easy to transport, enabling it to be used throughout the workshop. Its integrated compressor eliminates the need for an air supply.

Compatible with the majority of the vehicle fleet, and connected to the battery terminals, it enables rapid diagnosis of the vehicle's closed circuits (turbo, exhaust, cooling, etc.).

To detect micro-leaks in :

- vacuum (excluding EVAP valves, components and diaphragms not resistant to 1bar pressure)
- exhaust
- turbo insulation (excluding pneumatic Wasgate, may involve certain risks 1bar pressure)
- oil sump
- intake
- cooling

This device considerably reduces leak detection time by releasing a fine, opaque smoke that can be instantly identified even on the smallest leaks.

No risk to user or vehicle.

Contents:

- main unit
- accessory case
- adapter cone
- power cable
- smoke distribution pipe
- funnel
- universal inflatable stopper
- pouch replacement rubber
- test fluid (250 ml)
- oil filler cap adapter (for most BMW vehicles)
- smoke diffuser
- set of blanking plugs

THINK ABOUT IT!

LIQUID FOR SMOKE LEAK DETECTOR
236ml

CO 0430 29€VAT Excl.*

Composant de AC 0410/AC 0411BL/
ADTK00024/ADTK00023



NO WARRANTY



2 WARRANTY

SMOKE LEAK DETECTOR

TN

AC 0410



Integrated compressor
Leakage rate reading

1150€VAT Excl.

Instead of 1375€VAT Excl.*

Thanks to its compact size, this machine is easy to transport, enabling it to be used throughout the workshop.

Its integrated compressor eliminates the need for an air supply.

Compatible with the majority of the vehicle fleet, and connected to the battery terminals, it enables rapid diagnosis of the vehicle's closed circuits (turbo, exhaust, cooling, etc.).

To detect micro-leaks in :

- vacuum
- exhaust
- turbo insulation
- oil pan
- intake
- cooling

This device drastically reduces leak detection time by releasing opaque, fine smoke that can be instantly identified even on the smallest leaks.
No risk to user or vehicle.



Specifications:

- power supply: 12V
- output pressure: 1.2 bar for turbo system / 0.05 bar for exhaust system
- flow rate: 8L/min
- smoke adjustment
- operating mode: air only or smoke
- control pressure gauge
- oil capacity: 50ml
- mineral oil 250ml (included)
- supplied with accessories
- test fluid 250ml = 35 hours of use
- weight: 6Kg
- dimensions: 260x210x230mm

Contents:


- main unit
- accessory case
- adapter cone
- power cable
- smoke distribution pipe
- funnel
- universal adjustable intake bag
- bag replacement rubber
- test fluid (250 ml)
- oil filler cap adapter (for most BMW vehicles)
- smoke diffuser
- EVAP system accessory kit (fuel vapour recovery system)
- set of blanking plugs



DPF ASSEMBLY/DISASSEMBLY SCANIA

OM 7051

For 5- and 6-cylinder Engines (DC09-DC13)



795€VAT Excl.

Instead of 999€VAT Excl.*

TN



2
WARRANTY

DOUBLE FAP SCANIA MOUNTING/ DISMOUNTING TOOL

OM 7052



995€VAT Excl.

Instead of 1199€VAT Excl.*

TN

Codes OEM :
2263984 , 2765 198 , 2765 199 , 2765 200



2
WARRANTY

BCL/B1VL/B2VL

TN

ELECTRIC/HYBRID VEHICLE CONSIGNMENT SET

OE 0376

This kit is dedicated to professionals working on live electrical work.
Dedicated to consignment officers.

590€VAT Excl.

Instead of 920€VAT Excl.*



EG 3110



OE 3010



OE 3011

OE 3012



OE 0564



OE 0757



OE 0758



OE 0764



OE 0840



OE 0562



OE 0563



EG 0031



EG 0035

Composition:

- EG3110: shoulder tool bag
- OE3010: VAT safety tester
- OE3011: black IP2X test probe
- OE3012: red IP2X test probe
- OE0562: lockout bag
- OE0564: lockout padlock
- OE0563: lockout disc
- OE0757: insulated sleeve for 210mmx130mm connector
- OE0758: insulating sleeve for connector 305mmx225mm
- EG0031: steering wheel hazard cover
- EG0035: 200mm micro suction cup electrical hazard sign
- OE0764: self-gripping insulating mat 660 mm x 360 mm
- OE0840: insulated tool kit 1000 V for hybrid and electric vehicles (27 pcs)



B1XL/B2XL

TN

This kit is designed for professionals performing specific tasks. Designed for breakdown/towing services, pollution control/recycling services, technical inspection services, and fire departments.

679€VAT Excl.

Instead of 699 €VAT Excl.*



OE 0844



OE 0840



OE 0764



OE 0562



EG 0031



OE 0563



OE 0564

OPTION 1

E-MOBILITY ELECTRIC/ HYBRID VEHICLE SET

OE 0377



EG 3120

OPTION 2

PACK E-MOBILITE BACKPACK ELECTRIC/ HYBRID VEHICLE

OE 0379



EG 3130

OR

Composition:

- OE0840: 1000V insulated tool kit for hybrid and electric vehicles (27 pcs)
- OE0764: 660mm x 360mm self-adhesive insulating sheet
- OE0844 (x4): insulated fixing clamp
- OE0562: lockout bag
- OE0564: lockout padlock
- OE0563: lockout disc
- EG0031: hazard steering wheel cover
- EG3120: wheeled case



ELECTRIC/HYBRID VEHICLE UNDER VOLTAGE OPERATION SET 97 TOOLS

TN

OE 0378

1699€ VAT Excl.

Instead of 1999 €VAT Excl.*

This kit is dedicated to professionals working on live electrical work. Dedicated to consignment supervisors, bodybuilders/painters, diagnostic technicians, paint strippers/recyclers.

97 TOOLS



OE 0660



OE 0683



OE 0820



OE 0850



OE 0870



OE 0880



EG 0080

Composition:

- EG0076: 4-drawer tool trolley + 1 PL box
- OE0660: ratchet insert and insulated sockets 1/4» (46 pcs)
- OE0683: insulated flat wrench insert (15 pcs)
- OE0820: 3/8» ratchet and insulated sockets (14 pcs)
- OE0850: 12-point insulated offset ring spanners (11 pcs)
- OE0870: insulated pliers (4 pcs)
- OE0880: insulated screwdriver inserts (7 pcs)
- EG0080 (x2): foam storage tray



Fall SELECTION

1000V INSULATED TOOL SET FOR HYBRID AND ELECTRIC VEHICLES (27PCS)

TN

OE 0840

359€VAT Excl.

Instead of 399 €VAT Excl.*



Flash to see the full composition



This kit is ideal for maintenance and repair work on electric and hybrid vehicles. All tools comply with IEC 60900 standards, to guarantee safety during work.

Norme : IEC 60900



MEGOHMMETER 1000V CAT. III & 600V CAT. IV

TN

OE 4002

395€VAT Excl.

Instead of 429 €VAT Excl.*

Specially designed for hybrid and electric vehicles, this device can measure the insulation of electrical equipment, as well as voltages up to 1000V. It measures DC and AC voltage, DC and AC current, temperature, resistance, capacitance, insulation and frequency.



+ Suitable for hybrid and electric vehicles



MARKING/WORK AREA SIGNALING SET

TN

EG 0012

NE PAS FRANCHIR
CLAS ZONE DE TRAVAIL CLAS

159€VAT Excl.

Instead of 179 €VAT Excl.*

Contents :

- EG0019 : 6 yellow and black sign posts
+ - 1 yellow and black chain 25m
- EG0015 : 1 «work zone limit» banner



1.5T CHARGE BALANCER FOR HEV BATTERIES

TN

OH 0260

This tool is an indispensable aid for moving and handling electric vehicle batteries. Its four straps ensure load stability by distributing the weight.



890€VAT Excl.

Instead of 959 €VAT Excl.*

Contents :

- 1 main bar
- 2 crossbars
- 4 straps with eyebolts at each end
- 1 top hook for lifting



1.5T



LIFTING TABLE 1200kg FOR EV BATTERY AND HEAVY ORGANS

TE

OH 1201

+ Precision and maneuverability

4450€VAT Excl.



OFFERED

1.5T CHARGE BALANCER FOR HEV BATTERIES

OH 0260 890 €VAT Excl.





TN



Specifications :

- length: 1860mm
- width: 790mm
- minimum platform height: 710mm
- maximum tray height: 2090mm
- minimum tray length: 1380mm
- maximum platter length: 1580mm
- rise time: +/-50s
- lowering time: +/-30s
- 4 swivel castors with brakes: 130mm
- 4 handles positioned around the table for optimum ease of use when adjusting the load at rest.



1.2T



Fall SELECTION

CHARGING CABLE T2-T2 7.2kW 5m

TN

OE 2041

Charging cable, 16A, 1 phase, 7.2kw for electric vehicles. Type 2 (IEC 62196-2) plug and socket, 5m long.

Specifications :

- 7.2KW
- 16 A
- 1 phase
- length: 5m
- plug: type 2
- interchangeable waterproof cap



169€VAT Excl.

Instead of 179 €VAT Excl.*

7.2kW

NO WARRANTY

CHARGING CABLE T2-T2 22kW 5m

TN

OE 2043

Charging cable, 32A, 3 phases, 22kw for electric vehicles. Type 2 (IEC 62196-2) socket and plug, 5m long.

Specifications :

- 22KW
- 32 A
- 3-phase
- length: 5m
- plug: type 2
- interchangeable waterproof cap



219€VAT Excl.

Instead of 229 €VAT Excl.*

22kW

NO WARRANTY

PORTABLE EV CHARGER T2 3.6kW 5m

TN

OE 2046

Specifications :

- IP66: waterproof and dustproof
- IK 10: withstands the impact of a 5kg weight dropped from 40cm.
- sockets: type 2 & type E
- max output current: 16 A.
- switchable current: 10 A, 13 A and 16 A.
- total length: 5M (3.5M type 2 + 1.5M type E)
- interchangeable waterproof cap



279€VAT Excl.

Instead of 289 €VAT Excl.*

3.6kW

2 WARRANTY



STANDARD HEADLIGHT ADJUSTMENT DEVICE

AC 2005BL

B.LINE
BUDGET SOLUTION



Polycarbonate lens

Specifications :

- mirror-type aligner
- digital luxmeter
- aluminum column (removable) graduated from 20 to 150cm
- sliding adjustment mechanism
- metal case with adjustable inclination
- power supply: 9V battery (included)
- dimensions : L.712xW.580xH.1810mm

Functions :

- 0-4% drawdown measurement and control
- lateral adjustment control $\pm 5\text{cm}/10\text{m}$
- light output measurement 0-150klux/1m, 0-240lux/25m
- intervention on Code, Full and Fog light beams from light sources (Xenon, Halogen, LED...)



TN

695€VAT Excl.

Instead of 820 €VAT Excl.*

2
WARRANTY

DUAL LASER HEADLIGHT ADJUSTMENT DEVICE

AC 2013

+ Precise adjustment against optics using laser

Specifications :

- laser-type aligner (SA2037) compliant with EN 60825 standard
- digital luxmeter
- removable aluminum column graduated from 20 to 150cm
- sliding adjustment mechanism
- thermoplastic housing with adjustable inclination
- laser aligner power supply: 3 x 1.5V batteries (included)
- dimensions : L.712xW.580xH.1810mm
- UTAC NFR 63801 standard



Graduation



Glass lens

Functions :

- 0-4% drawdown measurement and control
- lateral adjustment control $\pm 5\text{cm}/10\text{m}$
- lighting power measurement 0-150klux/1m, 0-240lux/25m
- intervention on headlights (Xenon, Halogen, LED...), fog lights



TN

799€VAT Excl.

Instead of 999 €VAT Excl.*

2
WARRANTY

Fall SELECTION

SAWING WIRE
0.8mmx0.8mm
x44m

TN

OC 2100

17€VAT Excl.

Instead of 20 €VAT Excl.*



Specifications :

- strength: 110kg / 1078N



SQUARE CUTTING WIRE
0.7mmx0.7mm
x44m

TN

OC 3100

27€VAT Excl.

Instead of 31 €VAT Excl.*



Specifications :

- strength: 95kg / 931N



TRIANGULAR WIRE REEL
50m

TN

OC 3401

25€VAT Excl.

Instead of 29 €VAT Excl.*



Specifications :

- strength : 11kg/1078N



PAIR OF PULLING HANDLES

TN

OC 2900

10€VAT Excl.

Instead of 52 €VAT Excl.*



Quick-lock handles



HOLLOW STARTING NEEDLE

TN

OC 4500

17€VAT Excl.

Instead of 20€VAT Excl.*



NYLON WIRE DRAWER 50m

TN

OC 1100

39€VAT Excl.

Instead of 46 €VAT Excl.*



SCREEN ADHESIVE CARTRIDGE 290ml

TN

CO 1041

For fast bonding of windshields, rear windows, quarter windows, etc.

Specifications :

- MS polymer
- integrated primer
- application width: 10 to 14mm
- drying: 2 hours through core (at 20°C)
- hardness: SHORE 60



14€VAT Excl.

Instead of 16 €VAT Excl.*



Use without primer



Fall SELECTION

HAND CUTTER FOR WINDSCREEN CUTTING

OC 0200

Ergonomic sheathed knife for cutting the windshield seal by pulling the blade.

Specifications :

- metal-clad
- flexible T-shaped pull handle



Comes with a 25mm blade

TN

49€VAT Excl.

Instead of 54 €VAT Excl.*

NO WARRANTY

SCRAPER AND UTILITY KNIFE SET

OC 0302

Contents :

- 1 cutter
- 1 scraper
- 5 straight blades 12mm (OC5301)
- 5 straight blades 16mm (OC5302)
- 5 straight blades 20mm (OC5303)
- 5 beveled blades 16mm (OC5304)
- 5 trapezoidal blades (OC5305)



TN

29€VAT Excl.

Instead of 34 €VAT Excl.*

NO WARRANTY

PAIR OF SUCTION CUPS Ø115mm

OC 0550BL

B.LINE
BUDGET SOLUTION

Specifications :

- toggle suction cups to adapt to different glass curvatures
- lever locking
- handling handle
- capacity: 60kg
- suction cups Ø115mm
- supplied with quick-release ratchet strap
- strap length: 4.7m
- strap width: 2.5cm



TN

45€VAT Excl.

Instead of 59 €VAT Excl.*

2 WARRANTY

Max. Kg
60

4,7 m

PAIR OF SUCTION CUPS Ø120mm

OC 0600

+ Work comfort

TN

Specifications :

- toggle suction cups to adapt to different window shapes
- lever locking
- handling handle
- capacity: 120kg
- suction cups Ø120mm
- supplied with quick-release ratchet strap
- strap length: 5m



119€VAT Excl.

Instead of 134 €VAT Excl.*

2 WARRANTY

Max. Kg
120

5 m

Fall SELECTION

WINDSCREEN WIPER REMOVER

OC 1700BL

Technique for covering all axes of support with a highly effective force ratio.
4 different mountings. For approx. 100 brushes.

B.LINE
BUDGET SOLUTION



TN

29€VAT Excl.

Instead of 37 €VAT Excl.*

+

Very compact design

2
WARRANTY

ADHESIVE FILM GLASS PROTECTION TRANSPARENT 500x60cm 0.75mm

OC 3360



TN

29€VAT Excl.

Instead of 39 €VAT Excl.*

5 m

NO
WARRANTY

WINDSCREEN REPAIR KIT

OC 2203

+

Easy to use

TN

429€VAT Excl.

Instead of 449 €VAT Excl.*



Contents :

- SA4104: Battery-powered 12V UV lamp
- OC2202 : Repair resin 10ml, yellow cap
- OC8064 : Finishing resin 10ml, blue cap
- SA4108 : 1 polish
- SA4109 : 1 gel for suction cups
- SA4105 : 1 box of UV sheets
- SA4107 : 1 inspection glass
- 1 scratching pencil
- SA4106 : 1 injector holder
- OC2205x2 : injectors
- 1 box of 10 blades
- 1 user's manual

2
WARRANTY

BODYWORK STAND WITH TARPAULIN

TN

OC 0724

This multi-purpose folding mobile easel is ideal for all bodywork and glazing jobs.



69€VAT Excl.

Instead of 79 €VAT Excl.*

Specifications :

- capacity: 270kg
- folding galvanized steel frame (Ø32mm x 1.2mm)
- height: 1040mm
- width: 1080mm
- working range from 680 to 1040mm (adjustable chains)
- PU support plug
- weight: 6.4kg



Foam protection



PARTS/WINDSCREEN/COVERS DOLLY

TN

OC 6041

Specifications :

- independent, sliding support rods, foam cladding
- support rod height: 570mm
- 6 modular compartments for secure workpiece storage
- length: 1200mm
- width: 700mm
- height: 775mm
- equipped with 2 braked wheels
- Ø wheels: 90mm



299€VAT Excl.

Instead of 360 €VAT Excl.*



UNIVERSAL TELESCOPIC BODYWORK STAND 23-138cm

TN

OC 0716



Does not scratch paint

199€VAT Excl.

Instead of 249 €VAT Excl.*

Specifications :

- width: 22.5 to 138cm
- height: 84 to 132cm
- rubber-coated, non-slip support
- support length: 86cm
- support width: 8cm
- capacity: 100kg
- 4 swivel wheels, 2 with brakes



Fall SELECTION

MULTI-PURPOSE BODY SUPPORT

OC 0726

Multi-purpose bodywork support, adjustable to fit a wide range of parts such as bumpers, doors, hoods, fenders...

Specifications :

- length: 15mm
- width: 600mm
- height: 1250mm



TN

69€VAT Excl.

Instead of 79 €VAT Excl.*



Foldable for easy storage



BUMPER WALL BRACKET

OC 0727

Support for 4 bumpers of different sizes. Locking system for fixed position or wall storage. Keeps bumpers safe after painting. Maximum capacity per shelf 60kg.

Specifications :

- length: 1000mm
- width: 500mm
- height: 1500mm



TN

89€VAT Excl.

Instead of 99 €VAT Excl.*



Space-saving



MULTI-POSITION SUPPORT SHOCK ABSORBER

OC 0729

Multi-position bumper support. Fully adjustable in width, depth and height

Specifications:

- length: 1940-2040mm
- width: 300-600mm
- height: 1300mm



TN

259€HT

Instead of 299 €HT*



Adjustable



Fall SELECTION

BODYWORK SUPPORT

OC 0717

Fully adjustable to fit a wide range of parts such as doors, hoods, fenders...

- Specifications :**
- length: 960mm
 - width: 780mm
 - height: 165mm



TN

299€VAT Excl.

Instead of 324 €VAT Excl.*



ROTATING PAINT RACK 2 RIMS

OC 0728

360° rotating easel for painting wheel rims.
Adjustable in width and height from 1100 to 1420mm.
For rims from 15" to 22".

- Specifications :**
- length: 1360mm
 - width: 600mm
 - height: 980-1260mm



TN

179€VAT Excl.

Instead of 199 €VAT Excl.*



Rotating and adjustable



LOT 16 PINCES ETAUX

OM 8069

135€VAT Excl.

Instead of 155 €VAT Excl.*



Contents :

- OM8082 (x3): vice-grip 285mm
- OM8080 (x5): vice grip 225mm
- OM8083 (x3): vice grip 240mm
- OM8081 (x5): 190mm vise gripper



4T COLLISION REPAIR SET

OC 0803

TN

199€VAT Excl.

Instead of 245 €VAT Excl.*

Specifications :

- minimum pusher cylinder travel: 325mm
- max pusher cylinder travel: 425mm

Contents :

- SA0805: 4T cylinder
- SA0806: 4T 1/4" hand pump
- SA0804 : spacer 500kg
- SA0802: 1/4" flexible hose
- Nozzle/support assortments (available by retail)
- SA1805: set of 4T bodywork jack extensions



4T



10T COLLISION REPAIR SET

OC 0804

TN



High power

299€VAT Excl.

Instead of 379 €VAT Excl.*

Indispensable tool for automotive and industrial repair work on straightening, handling and lifting.

Contents :

- SA0807: 10T cylinder
- SA0808: 10T 1/4" hand pump
- SA0804 : spacer 500kg max opening 105mm
- SA0802: 1/4" flexible hose
- Nozzle/support assortments (available by retail)
- SA1815: set of 10T body jack extensions



10T



BODYWORK SLIDE HAMMER SET

OC 2211

TN

169€VAT Excl.

Instead of 199 €VAT Excl.*

Ideal for body straightening

Contents :

- 4.5kg mass
- weight stroke 50cm
- handle with protection
- SA4221: pigtail Nozzle
- SA4213: long curved hook 6cm
- SA4214: short curved hook 4cm
- SA4223: 90° U-shaped hook
- SA4216: 90° flat hook
- SA4218: Straight Striking Nozzle
- SA4219: Screw Pull Nozzle
- SA4220: chain tie-down Nozzle



BODYWORK CYLINDER SET PUSHER/PULLER 1/4"

TN

OC 0705

520€VAT Excl.

Instead of 599 €VAT Excl.*

Specifications:

- threads: 38X150mm, 33X150mm
- 2T cylinder rod end unscrews to adjust to 40mm length
- SA 1823 protection is compatible with the box

Contents:

- SA0704: push cylinder 2T H. mini 132mm/H. maxi 189mm
- SA0706: push cylinder 4T H. mini 275mm/H. maxi 405mm
- SA0703: mini push cylinder 4T H. mini 42mm/H. maxi 58mm
- SA0705: mini push cylinder 10T H. mini 132mm/H. maxi 189mm
- SA0707: push cylinder 10T H. mini 350mm/H. maxi 500mm
- SA0709: 2T pull cylinder L. max 550mm/L. min 422mm
- SA0708: 5T pulling cylinder L. max 650mm/L. min 520mm



2
WARRANTY

AIR HYDRAULIC PUMP 10T 1/4" & 3/8"

TN

OH 0024

+

Versatility

499€VAT Excl.

Pump to be coupled with a multitude of hydropneumatic tools such as bodywork jacks, straightening brackets, hydraulic extractors etc...



Specifications:

- 700 bar
- Aluminum housing
- oil capacity: 1.3l
- supplied with 2 types of MF 1/4" and 3/8" connections
- air inlet 1/4 MF connection, 25mm long
- air connection type ISO 6150 6mm M
- oil outlet M 3/8 F 1/4

2
WARRANTY

AUTO DENT REPAIR KIT WITH SLIDE HAMMER

TN

OC 0113

This dent removal kit enables the user to repair bodywork that has been dented or dented without even repainting the component.

The process consists of gluing plastic pellets to the body using the gun and glue specially designed for bodywork, and connecting the inertia weight or pulling pliers to bring back the painted sheet metal without damaging it. The pad is simply removed with a surface-cleaning solvent (not supplied) and the nylon chisel.

Contents:

- SA0112: stainless steel inertia hammer+Nozzle
- DSP pulling pliers for removing dents
- SA4205: 240V-200°C-30W glue gun
- SA3110: 8 sticks of super-strong glue
- SA0114: 12 glue pellets of different diameters
- SA0115 : nylon chisel to remove glue pads
- SA0116: bottle of solvent for pad removal
- 1 heavy-duty PVC case



99€VAT Excl.

Instead of 219 €VAT Excl.*



STICKS OF STRONG GLUE 10 PIECES

TN

SA 3110

22€VAT Excl.

Instead of 24 €VAT Excl.*



AIR CAULKING GUN

TN

SA 4205

65€VAT Excl.

Instead of 72 €VAT Excl.*



REAR PARKING SENSOR PUNCH TOOL KIT Ø17-Ø22mm

TN

OM 0700

179€VAT Excl.

Instead of 219 €VAT Excl.*

+ Does not damage paint
No deburring



Specifications:

- hardened steel dies
- max drilling thickness: 4 to 6mm depending on punch diameter
- ratchet and wrench compatible
- 13mm hexagonal drive

Contents:

- OM0717: Ø17mm cookie cutters
- OM0718: punch Ø18mm
- OM0719: cookie cutters Ø19mm
- OM0720: cookie cutters Ø20mm
- OM0721: cookie cutters Ø21mm
- OM0722: cookie cutters Ø22mm

2
WARRANTY

MANUAL VACUUM DENT PULLER

TN

OC 0210

199€VAT Excl.

Instead of 249 €VAT Excl.*



Inertia mass for paintless dent removal

Manual pump requires no external pneumatic power supply

Contents:

- SA0227: suction cup Ø75mm
- SA0228: suction cup Ø100mm
- SA0229: suction cup Ø125mm
- SA0224: draw hook
- SA0410: manual pump for venturi

Weight : 1.22kg

2
WARRANTY

CORDLESS THERMAL STAPLER + 300 STAPLES KIT

TN

OC 6070

Ideal for autonomous plastic repair.

Specifications:

- length (excluding electrode): 220mm
- overall length: 255mm
- width: 35mm
- heating temperature: 600°C
- input current: DC 5V 2A
- output current: 3.7 8A Max
- battery: 3.7V 4000mAh Li-ion
- charging time: 3H
- capacity 400 staples with battery on one charge (hot stapler)

Easy to use thanks to its 4-position articulated head, ideal for working around corners or in confined spaces. Thermal protection (30-second work cycle). Equipped with an LED light at the head to illuminate the working area. Supplied with 300 stainless steel staples.


+ Rapid intervention

99€VAT Excl.

Instead of 149 €VAT Excl.*

OFFERED

BLACK DOUBLE POLAR BEANIE
AP 8500 19 €VAT Excl.*



4 position adjustable head



AIR WEDGE

TN

OC 1103

Allows autoclave doors to be spaced apart and facilitates windshield removal.

Cushion dimensions: 155x165mm

+ Rigid PVC sheet for easy insertion



49€VAT Excl.

Instead of 69 €VAT Excl.*



GARNISHING TRIM SET (27PCS)

TN

OC 8881

The tools are made of composite material to avoid damaging the components. The different models can be used in multiple positions.

Supplied in a heavy canvas storage case with space for each tool.

29€VAT Excl.

Instead of 33 €VAT Excl.*



Fall SELECTION

MULTI-SERVICE BRUSH

TN

OP 1210

- lightweight
- protective housing
- grip handle + auxiliary handle
- use with eraser or brush
- safety trigger
- rear exhaust

Specifications:

- speed: 3,500 rpm
- length: 280mm
- connection: 1/4"
- supply pressure: 6.2bar
- consumption: 110l/min




370€VAT Excl.

Instead of 427 €VAT Excl.*

Supplied with :

- fittings
- SA1210: wire brush L.23mm
- SA1213: adapter for rubber and brush Ø23mm



METAL BRUSH L.23mm

TN

SA 1210

25€VAT Excl.



HARD GUM Ø105mm

TN

SA 1211

33€VAT Excl.



SOFT GUM Ø105mm

TN

SA 1212

33€VAT Excl.



HVLP PROFESSIONAL SPRAY PAINT GUN

TN

OP 1335

HVLP gravity-feed spray gun for bodywork and finishing.

Specifications:

- excellent distribution and atomization
- reworked ergonomics for improved grip
- stainless steel nozzle, Ø2mm treated Aluminum body
- 600ml polyamide cup
- filter
- 1 single gasket
- very light.
- operating pressure: 1 to 2bar

Supplied with fitting and Ø2mm nozzle



139€VAT Excl.

Instead of 185 €VAT Excl.*



CONSUMABLES



GLUES

CO 1047	GREY GLUE AND MASTIC CARTRIDGE 310ml	●	Adhesion without primer on metallic surfaces	16 ^{€VAT Excl.*} Instead of 18 ^{€VAT Excl.*}
CO 1048	BLACK GLUE AND MASTIC CARTRIDGE 310ml	●		16 ^{€VAT Excl.*} Instead of 18 ^{€VAT Excl.*}
CO 1022	WHITE GLUE AND MASTIC CARTRIDGE 310ml	○		15 ^{€VAT Excl.*} Instead of 18 ^{€VAT Excl.*}
CO 1023	MULTI-FUNCTIONAL GLUE SPRAY 400ml	●	Filament-free, remains flexible after drying	10 ^{€VAT Excl.*} Instead of 11 ^{€VAT Excl.*}
CO 1034	ANTI GRAVEL MS POLYMER BLACK CARTRIDGE 310ml	●	Ideal for sprayed joints	13 ^{€VAT Excl.*} Instead of 14,50 ^{€VAT Excl.*}
CO 1057	ANTI GRAVEL MS POLYMER BEIGE CARTRIDGE 310ml	●		13 ^{€VAT Excl.*} Instead of 14,50 ^{€VAT Excl.*}
CO 1058	ANTI GRAVEL MS POLYMER GREY CARTRIDGE 310ml	●		13 ^{€VAT Excl.*} Instead of 14,50 ^{€VAT Excl.*}



PAINTING

CO 1002	PLASTIC PRIMARY SPRAY 400ml	Color: transparent	9 ^{€VAT Excl.*} Instead of 9,90 ^{€VAT Excl.*}
CO 1042	LIGHT GREY FILLER PRIMER 500ml		10 ^{€VAT Excl.*} Instead of 12 ^{€VAT Excl.*}



BODYWORK

CO 1003	BUMPER STRUCTURING SPRAY MEDIUM GRIT 400ml	Color: transparent	9 ^{€VAT Excl.*} Instead of 11 ^{€VAT Excl.*}
CO 1020	BLACK SEALANT CARTRIDGE -40/+250 DEGREES 200ml	Specifications: • Elastomer: 400% elasticity • high-temperature resistant (250°C) • touch-dry: 20min • vacuum, with trigger	25 ^{€VAT Excl.*} Instead of 28 ^{€VAT Excl.*}
CO 1038	MEDIUM-STRENGTH THREAD LOCK 10ml		7 ^{€VAT Excl.*} Instead of 8,50 ^{€VAT Excl.*}
CO 1039	STRONG THREAD LOCK 10ml		7 ^{€VAT Excl.*} Instead of 8,50 ^{€VAT Excl.*}
CO 1035	NO RUST SPRAY 400ml		10 ^{€VAT Excl.*} Instead of 12 ^{€VAT Excl.*}
CO 1033	ANTI STONE-CHIP SPRAY 400ml		13 ^{€VAT Excl.*} Instead of 15 ^{€VAT Excl.*}
CO 0507	BODYWORK DEGREASER 5L		24 ^{€VAT Excl.*} Instead of 26 ^{€VAT Excl.*}

BLACK POLO SHIRT

TN

AP 5300



39€VAT Excl.*

REF	SIZE
AP 5300	S
AP 5301	M
AP 5302	L
AP 5303	XL
AP 5304	2XL
AP 5305	3XL

Specifications:

- 200g quilted mesh
- 100% cotton
- ringspun
- ribbed collar and bottom sleeves
- contrasting lining on collar
- short sleeves
- 2 pearly white buttons on placket
- contrasting gray twill stripe at neckline, button placket, side slits + tag on bottom of sleeve
- cut and sewn
- fitted cut
- spare button on inner side seam
- embroidery CLAS on heart side and tag on bottom of sleeve




TWO-TONE SWEATSHIRT

TN

AP 5200

69€VAT Excl.*

REF	SIZE
AP 5200	S
AP 5201	M
AP 5202	L
AP 5203	XL
AP 5204	2XL
AP 5205	3XL



Specifications:

- 80% combed cotton / 20% polyester
- brushed fleece
- headphone loop in kangaroo pocket and neckline
- ribbed cuffs and bottom hem
- Contrasting lined hood with drawstring
- embroidered CLAS logo on chest
- certified STANDARD 100 by OEKO TEX*N CQ1007/7, IFTH



BLACK TEDDY STRETCH JACKET

TN

AP 7601



Industrial maintenance to
EN ISO 15797

69€VAT Excl.*

Care:

- washing: 75°C
- industrial care according to EN ISO 15797
- wash: 50x max
- tumble dry

Content:

Main fabric:


- twill 47% cotton
- 35% polyester T400
- 18% Cordura® 260g/m polyamide

Ribbed fabric:


- 60% viscose
- 16% cotton
- 20% polyester
- 4% spandex

BLACK

REF	SIZE
AP 7601	S
AP 7602	M
AP 7603	L
AP 7604	XL
AP 7605	2XL
AP 7606	3XL



CLOTHING



CAMEL

REF	SIZE
AP 8601	S
AP 8602	M
AP 8603	L
AP 8604	XL
AP 8605	2XL
AP 8606	3XL

NO
WARRANTY

BLACK STRETCH MULTI-POCKET PANTS WITH KNEE REINFORCEMENT

AP 7301



Cordura® knee reinforcements
Stretch fabric

62€VAT Excl.*



Features:

- Cordura® knee reinforcements
- waistband with button closure and side elastic
- 5 belt loops, including 1 wider loop in center back
- 2 rider pockets
- fly closed with FG spiral
- raised back
- 2 unclosed back patch pockets with rounded corners
- 1 left thigh pocket (2 gussets at bottom and back) closed with fancy flap fastened with 2 ribbon stitches hidden ribbon points
- 1 ruler pocket with 3 compartments at the bottom of the fly pockets
- pre-finished hems, adjustable lower legs (EJ 82 and 86 cm)
- CLAS embroidery on thigh

Contents:

- 64% polyester
- 33% cotton
- 3% Elastolefin
- 285g/m² Oeko Tex Label

BLACK

REF	SIZE
AP 7301	36
AP 7302	38
AP 7303	40
AP 7304	42
AP 7305	44
AP 7306	46
AP 7307	48
AP 7308	50
AP 7309	52



CAMEL

REF	SIZE
AP 8301	36
AP 8302	38
AP 8303	40
AP 8304	42
AP 8305	44
AP 8306	46
AP 8307	48
AP 8308	50
AP 8309	52



NO WARRANTY

BLACK STRETCH MULTI-POCKET SHORTS

TN

AP 7501



Stretch material

57€VAT Excl.*

Features:

- waistband with button closure and side elastic
- 5 belt loops, including 1 wider loop in center back
- 2 rider pockets
- fly closed with FG spiral
- raised back
- 2 unclosed back patch pockets with rounded corners
- 1 left thigh pocket (2 gussets at bottom and back) closed with fancy flap fastened with 2 ribbon stitches hidden ribbon points
- 1 ruler pocket with 3 compartments at the bottom of the fly pockets
- CLAS embroidery on thigh

Contents:

- 64% polyester
- 33% cotton
- 3% Elastolefin
- 285g/m² Oeko Tex Label




BLACK

REF	SIZE
AP 7501	36
AP 7502	38
AP 7503	40
AP 7504	42
AP 7505	44
AP 7506	46
AP 7507	48
AP 7508	50
AP 7509	52

CAMEL

REF	SIZE
AP 8501	36
AP 8502	38
AP 8503	40
AP 8504	42
AP 8505	44
AP 8506	46
AP 8507	48
AP 8508	50
AP 8509	52



NO WARRANTY

MEN'S LONG-SLEEVED BLACK SHIRT

TN

AP 8701

35€VAT Excl.*

Specifications:

- collar with buttoned collar stand
- long sleeves
- back pleats
- contrasting thread detail on last button
- CLAS embroidery on collar
- wash: 40°C

Content:

- 65% polyester
- 35% cotton

BLACK

REF	SIZE
AP 8701	36
AP 8702	38
AP 8703	40
AP 8704	42
AP 8705	44
AP 8706	46



WHITE

REF	SIZE
AP 8801	36
AP 8802	38
AP 8803	40
AP 8804	42
AP 8805	44
AP 8806	46
AP 8807	48

NO WARRANTY

GREY/BLACK SLEEVELESS DOWN JACKET

TN

AP 7701

Specifications:

- slightly high collar with chin protection triangle
- under-flap protection
- middle front opening with inverted zip.
- ripstop reinforcements on the friction-prone lower part, softshell material on the sides
- side pockets with reverse zip, 2 large inside pockets.
- care: wash at 60°.

Content:

- upper front and back (down jacket): 100% PU-coated polyamide
- lower front (ripstop): 100% PU-coated polyamide 100% polyester padding
- sides: Softshell 94%, polyester 6% elastane
- TPU membrane
- fleece interior



REF	SIZE
AP 7701	S
AP 7702	M
AP 7703	L
AP 7704	XL
AP 7705	2XL
AP 7706	3XL

62€VAT Excl.*



CLOTHING

BLACK SOFTSHELL JACKET

AP 7801

Our softshell jacket features a removable, adjustable hood, shoulder and elbow reinforcements, and a middle front zip in inverted nylon with protective underflap. This professional garment meets EN 14058 standards for protection against cool climates.

Composition :

- main outer fabric: 88% polyester, 12% elastane, Ripstop 310gr/m².
- main inner fabric: 100% polyester, TPU membrane
- reinforcement fabric: 100% polyester, PU-coated 300D oxford
- water repellency 8000MM
- breathability 3000MVP


Specifications:

- slim fit
- removable, adjustable hood
- reinforced shoulders and elbows
- middle front inverted nylon zip with protective underflap
- numerous pockets: 1 zipped chest pocket with retro-reflective detail, 2 zipped pockets with waterproof finish, 1 inside smartphone pocket
- adjustable cuffs with Velcro-adjustable rubber bands and thumb cuffs
- care: wash at 30° C



79€VAT Excl.*

REF	SIZE
AP 7801	S
AP 7802	M
AP 7803	L
AP 7804	XL
AP 7805	2XL
AP 7806	3XL



NO WARRANTY

SAFETY SNEAKERS DUO BLACK

AP 7039

Specifications:

- fiberglass toe cap
- hydrocarbon-resistant sole
- antistatic sole
- anti-perforation textile insole
- waterproof
- non-slip sole
- breathable
- metal-free
- HRO standard
- ESD standard
- EVA outsole
- microfiber (mesh)
- leather shoes
- ultra-lightweight
- flexible footwear
- shock absorber



Anti-static



109€VAT Excl.*

REF	SIZE
AP 7039	39
AP 7040	40
AP 7041	41
AP 7042	42
AP 7043	43
AP 7044	44
AP 7045	45
AP 7046	46
AP 7047	47

Fiberglass toe cap
Oil-resistant sole
Anti-static sole



SAFETY SNEAKERS TRIO GREY

AP 8039

Specifications:


- fiberglass toe cap
- hydrocarbon-resistant sole
- antistatic sole
- anti-perforation textile insole
- waterproof
- non-slip sole
- breathable
- metal-free
- HRO standard
- EVA outsole
- microfiber (mesh)
- leather shoes
- ultra-lightweight
- flexible footwear
- shock absorber



Lightweight
and comfortable



109€VAT Excl.*



REF	SIZE
AP 8039	39
AP 8040	40
AP 8041	41
AP 8042	42
AP 8043	43
AP 8044	44
AP 8045	45
AP 8046	46
AP 8047	47

NO
WARRANTY

NASCAR CAP WITH 3D EMBROIDERY

TN

AP 7000

Specifications:

- 260g premium cotton cap
- 6 panels
- pre-curved sandwich visor
- hook-and-loop fastener
- 3D embroidered CLAS logo



15€VAT Excl.*



CLOTHING

BLACK DOUBLE-FLEECE BEANIE

AP 8500

Specifications:

- beanie with fleece-lined cuff
- 60% acrylic / 40% polyester
- unisex
- embroidered CLAS logo



19€VAT Excl.*



NO WARRANTY

CLAS[®]

83 Chemin de la Crouza
73800 Chignin - FRANCE

Tel. +33(0)4 79 72 62 22

contact@clas.com

clas.com