





STEP INTO THE WORLD OF ADVANCED DIAGNOSTICS

Modern diagnostics are complex and unavoidable. Manufacturer lockouts (Secure Gateway*) and workshop difficulties (PassThru** telecoding) are on the increase. To avoid refusing service and gain autonomy, we offer several solutions.

- CLAS with Thinkcar for hardware solutions.
- CLAS with DAF Conseil for technical support.

**CLAS**

The purchase of a CLAS/Thinkcar tool automatically includes **“Tool” Technical Assistance:**

- Re-pairing a Bluetooth device
- Associating the tool with customers' wifi
- Reinstalling/updating diagnostic case software
- Updating devices
- Connecting printers to the tool
- Remote control
- Sending procedures

**DAF conseil**
BOOSTER DE PERFORMANCES

As an option, we offer “Diagnostic” Assistance (subscription required).

- Repair and maintenance assistance for light vehicles (LV)
- Manufacturer's overhaul and scale times
- Resetting of maintenance services
- Assistance in resolving LV/LCV/LCV breakdowns
- Meaning and interpretation of fault codes
- Explanation of technical information for fault resolution
- Remote control of diagnostic tool (if required)

DAF CONSULTING LV DIAGNOSTIC
ASSISTANCE (1Year)

SA 9930



DAF CONSULTING HGV DIAGNOSTIC
ASSISTANCE (1Year)

SA 9931

**Glossary:**

- * Secure Gateway: Manufacturer's lock against piracy, thus preventing certain operations on the vehicle
- ** PassThru: Allows independent garages to access a manufacturer's server and, for example, remote-code ECUs (for a fee).



DAF conseil
BOOSTER DE PERFORMANCES

Remote diagnostics:

a revolution in the workshop!(Service subject to charge).Find our REMOTE-compatible devices by clicking on this logo



Remote Diagnostic or “RemoteDIAG” provides access to operations not available in a multi-brand tool, without moving the vehicle to the dealer's.

Qualified DAF Conseil experts take remote control of the vehicle in the repairer's workshop and carry out the required diagnosis. This technology enables complex tasks such as calibration, component coding and module updates to be carried out, offering unprecedented flexibility and efficiency.

Accept all vehicles in
the workshop

You'll never miss
a single service

Save time and
money

DAF conseil
BOOSTER DE PERFORMANCES

②



The ticket
request reaches
the DAF Conseil
technRANGE
HEREan

①



⑤



③

Sign up:

DAF support hotline:
01 85 74 51 84

Flash to access
the site!



① The repairer is unable to carry out an operation on his customer's vehicle, and therefore decides to call on the “RemoteDIAG” assistance service. The repairer goes to the DAF Conseil RemoteDIAG platform and creates a ticket (a request for intervention) for the service required, **for example:** towbar coding, airbag coding, injector coding, ADAS.

② The request is received by the DAF Conseil technRANGE HEREan, who makes an appointment by telephone with the repairer.

③ The DAF Conseil technRANGE HEREan connects to the repairer's VCI.

④ The DAF Conseil technRANGE HEREan connects the diagnostic tool best suited to the customer's needs (multi-brand or manufacturer).

⑤ He can then carry out the requested service remotely.


Flash to see
the video
explanation!

**CAUTION: VCI COMPATIBLE / LOAD MAINTENANCE (PPS150)
WIRED HIGH-SPEED INTERNET REQUIRED**

Product available for sale only in France and French
overseas departments and territories.



SERVICES/OPTIONS

	Euro 191	Euro 195	Euro 391	Euro 394	Euro 399	Master CV
	30001084	ADTKTEURO195	30000074	ADTKTEURO394	ADTKTEURO399	ADOTKTO4CV
						
Screen	8"	9"	10"	12"	14"	10"
OS	TCOS	ANDROID 10	TCOS	20 TCOS	TCOS	ANDROID 10
CPU	2.0GHz / 4 cores	2.0GHz / 4 cores	2.0GHz / 4 cores	2.2GHz / 8 cores	2.2GHz / 8 cores	2.0GHz / 4 cores
CAMERA	No	8Mpx Ar	13Mpx Ar	13Mpx Ar / 5Mpx Av	20Mpx Ar / 8Mpx Av	8Mpx Ar
STORAGE / RAM	64Go/4Go	128Go/4Go	128Go/4Go	256Go/8Go	256Go/8Go	128Go/4Go
Battery	4150mAh	12600mAh	12600mAh	12600mAh	22400mAh	12600mAh
Functions	35	35	42	42	42	35
Updates included	2 years	2 years	2 years	2 years	2 years	2 years
VCI	Syears fil ThinkDiag Mini 2	Syears fil THINKLINK LITE	Syears fil THINKLINK LITE	Syears fil Thinklink pro	Syears fil autonome Thinklink PRO	Syears fil THINKDIAG H VCI
Application	VL-VUL	VL-VUL	VL-VUL	VL-VUL-VEH	VL-VUL-VEH-VI	PL
Heavy Goods Vehicle	Not compatible	Not compatible	Optional	Optional	Optional	Integrated
TPMS	Optional (30000321)	Optional (30000321)	Optional (30000321)	Optional (30000321)	Optional (30000321)	Optional (30000321)
OBD2 / EOBD	✓					
CAN			✓	✓	✓	✓
CANFD	✓	✓	✓	✓	✓	✓
DoIP	✓	✓	✓	✓	✓	✓
J2534		✓	✓	✓	✓	
Remote Diag	Not compatible	Integrated	Integrated	Integrated	Integrated	Not compatible
Actuator Testing	Yes	Yes	Yes	Yes	Yes	Yes
Auto Vin	Yes	Yes	Yes	Yes	Yes	Yes
Bidirectional flow	Yes	Yes	Yes	Yes	Yes	Yes
Adaptation & coding	Basic	Advanced	Advanced	Advanced	Advanced	Yes
Online coding	No	No	Yes	Yes	Yes	No
Programming	No	No	Yes	Yes	Yes	No
Oscilloscope	Optional	Optional	Optional	Optional	Optional	Optional
ADAS	No	Ready	Ready	Ready	Ready	Ready
Secure GateWay	Optional	Optional	Optional	Optional	Optional	Please contact
Lamp Module (AD000TKWL1)	✗	✓	✗	✗	✗	✓
Thermal Camera Module (AD000TKTR1)	✗	✓	✗	✗	✗	✓
USB videoscope (AD000TKVS2)	✓	✓	✓	✓	✓	✓
Clip-on Battery Tester (AD000TKBT1)	✗	✓	✗	✗	✗	✓
Oscilloscope (AD000TKAS2)	✓	✓	✓	✓	✓	✓
Clipsable printer (AD000TKTP1)	✗	✓	✗	✗	✗	Integrated
Thinkprinter printer (AD000TKTP2)	✓	✓	✓	✓	✗	✗
Wireless Battery Tester (ADTK0034)	✓	✓	✓	✓	✓	✗
Prog Key (AD000TKT12)	✗	✗	✓	✓	✓	✓
PL Pack (AD000TKD03X)	✗	✗	✓	✓	✓	✓
EV Pack (AD000EVP01)	✗	✗	✓	✓	✓	✓
TPMS VENU i-PRO (30000321)	✓	✓	✓	✓	✓	✓
FCA (TKFCA)	✓	✓	✓	✓	✓	✗
RENAULT (TKREN)	✓	✓	✓	✓	✓	✗
MERCEDES (TKMERCEDES)	✓	✓	✓	✓	✓	✗
VAG (TKVAG)	✗	✓	✓	✓	✓	✗

RESET FUNCTIONS

42 Functions	AF	Window calibration	Tire reset	Mode of transportation	Resetting the NOx sensor	Change of language	Injector coding
35 Functions	Air/fuel reset						
34 Functions	Resetting the TPMS system	Resetting the ODO counter	Suspension adjustment	Initialization of the sunroof	Gearbox training	Gearbox reset	Electronic throttle control
28 Functions	Stop/Start reset	Calibration of seat occupancy	Resetting the steering angle	Resetting the service indicator light	Diesel particulate filter regeneration	Coolant flush	Resetting the brake pads
	IMMO software service	Purge of the ABS	EGR adaptation	Airbag reset	Adaptation of the battery	AFS reset	Urea Reset
	AC system relearning/reset	Control of engine power balance	Intelligent speed control system	Engine angle calibration	High-voltage battery diagnostics	Regeneration of the gasoline particulate filter	IMMO software and hardware services
	Resetting the computer	FRM reset	Light and rain sensor	Adaptation of turbocharging	Calibration of gateway module data	Clutch reset	ODO control

*Additional costs depending on the procedure



THINKTOOL READER 8 6.2" DIAGNOSTIC TOOL

30001191

NEW

RAZ
MAINTENANCE

ThinkTool Reader 8 is a complete OBDI scanner, compatible with 95% of passenger cars on the market. It supports full system diagnostics, fault code reading and clearing, actuation testing, and integrates commonly used maintenance functions. The Reader 8 features an all-new compact design and a new 6.2" touch screen. It's an ideal choice for do-it-yourselfers and workshops.




FIND
THE COMPLETE LIST
OF FUNCTIONS
AND ASSIGNMENTS

+ Free updates for life



CAN
protocol



Product available for sale only in France and French overseas departments and territories.

2
WARRANTY



THINKTOOL LITE DIAGNOSTIC TOOL 6"

AD00TKT02L

Light commercial vehicle range:
The most economical tool. 6-inch semi-pro portable automotive diagnostic tool!
Supplied with printer.

Only available in France and French overseas departments and territories.
THINKTOOL Lite is a 6-inch OEM-level diagnostic tool that supports full vehicle system diagnostics, including error code reading and erasing. As well as access to live data streams, bi-directional control, ECU coding and more for 100 automotive brands worldwide.

+ 2 years of updates included




CAN
protocol



Secure
Gateway



FIND
THE COMPLETE LIST
OF FUNCTIONS
AND ASSIGNMENTS



Product available for sale only in France and French overseas departments and territories.

2
WARRANTY



LEADING TECH IN DIAGNOSTICS

EURO 191 9" DIAGNOSTIC TOOL

30001084



MAINTENANCE & CODAGE

TE

THINKCAR has just released a new advanced diagnostic tool, the THINKTOOL 191, with an all-new user interface and a new, lighter and slimmer design, supporting the CAN-FD, DOIP protocols commonly used for vehicles.

Advanced diagnostic function

Full system scan, basic coding, bidirectional control, special function.

- AutoSearch: automatic reading of vehicle VIN to identify manufacturer, year and model, enabling rapid system diagnosis.
- Read / clear fault codes (DTC)
- Real-time data reading
- Actuator testing (bidirectional)
- ECU coding
- Generation and management of diagnostic reports
- History of recorded sessions
- Lightweight, modern design, easy to carry
- Bluetooth Diag Mini 2 connector
- Support for advanced protocols: CANFD, DoIP, OBDII/EOBD
- Over 140 pre-installed vehicle software packages




FIND THE COMPLETE LIST OF FUNCTIONS AND ASSIGNMENTS



CAN protocol

CAN^{FD} protocol

DOIP protocol



Available only in France and French overseas departments and territories.



TO CONSIDER

EURO 191 PACK WITH TPMS TOOLS AND VALVES

19100040



The ultra-complete package including an 8" bidirectional diagnostic solution with TPMS tool and 4 valves - all at the best value for money!

Only available in France and French overseas departments and territories.



LEADING TECH IN DIAGNOSTICS

EURO DIAGNOSTIC TOOL 195 X 9"

ADTKTEURO195

LV/LCV range:
9" professional diagnostic tool with VCI Thinklink lite
Euro 195 is a newly developed, comprehensive diagnostic tool.

Support for:
DoIP and CAN FD

Coverage of an ever-expanding and up-to-date list of vehicles.

The Euro 195 supports the following modules: printer, battery tester, thermal camera, lamp, TPMS module.

AVANCED CODAGE & REMOTE

TE



2 years of updates included



J2534 protocol

CAN protocol

CAN^{FD} protocol

DOIP protocol



ADAS READY









Secure Gateway

HaynesPro



FIND THE COMPLETE LIST OF FUNCTIONS AND ASSIGNMENTS



Available only in France and French overseas departments and territories.



TO CONSIDER

DIAGNOSTIC LOAD-HOLDING TOOLS 150A

PPS150





LEADING TECH IN DIAGNOSTICS

DIAGNOSTIC TOOL TPMS VENU 701 5"

303030115



Comprehensive TPMS service

The integrated TPMS supports TPMS activation, programming and relearning functions.


Vehicle coverage

The VENU 701 supports the latest vehicle diagnostic protocols such as CAN 2.0, DOIP, CAN FD, etc.

Read and clear error codes, live data stream, bidirectional control, special function, advanced coding, etc.



2 years of updates included

FIND
THE COMPLETE LIST
OF FUNCTIONS
AND ASSIGNMENTSCAN
protocolCAN^{FD}
protocolDOIP
protocol

Remote



TO CONSIDER


THINKCAR S2



ADTK00020

TPMS VALVE
THINKCAR
S3 315Mhz &
433Mhz

ADTK00030

VALVE TPMS
VENU 5 PRO
315Mhz &
433Mhz

ADTK5PRO



LEADING TECH IN DIAGNOSTICS

SECURE GATEWAY UNLOCKING PACK FCA, VAG, MERCEDES AND RENAULT



TKPACKSGW

Secure gateway license for:

- FCA (1 year)
- VAG (1 year)
- Mercedes (1 year)
- Renault (20 tokens)

Product available for sale in France only.

SECURE GATEWAY UNLOCKING
FCA MASERATI 1 YEAR

TKFCA

Product available for sale only
in France and French overseas
departments and territories.SECURE GATEWAY UNLOCKING
RENAULT 10 TOKENS

TKREN10

Product available for sale only
in France and French overseas
departments and territories.SECURE GATEWAY UNLOCKING
MERCEDES BENZ 1 YEAR

TKMERCEDES

Product available for sale only
in France and French overseas
departments and territories.UNLOCKING SECURE GATEWAY
VAG 1 YEAR

TKVAG

Product available for sale only
in France and French overseas
departments and territories.




LEADING TECH IN DIAGNOSTICS

EURO 391 10" DIAGNOSTIC TOOL

30000074

REMOTE VL/VUL range:
10" professional diagnostic tool

Product available for sale in France only.

2 years of free
updatesFIND
THE COMPLETE LIST
OF FUNCTIONS
AND ASSIGNMENTSProduct available for sale in France
only.REMOTE
PROGRAMMATION

THINKTOOL Euro 391 is a brand new diagnostic tool. It supports over 120 passenger cars, over 70 electric vehicles with the EV package (optional) and over 150 trucks with the HGV package (optional). The new TCOS system offers an optimized user interface and easier operation.

10.1" IPS display with 1280*800 resolution, high-performance 4-core MT8766 processor, 4GB+128GB memory, 13MP rear flash camera. Supports dual WiFi communication for faster diagnostics. VCI THINKLINK Lite

Combined with VCI THINKLINK LITE, it supports CAN 2.0, CAN FD, DOIP and major diagnostic protocols such as J2534, covering passenger cars and new-energy vehicles.

Full OE-level system diagnostics

The new Euro 391 supports advanced diagnostic functions such as full system scan, actuation test, coding and online programming functions.

Supports THINKCAR function modules such as battery test, videoscope, oscilloscope, TPMS, key programmer.

• 42 reset modules:

AdBlue reset; Adaptive front lighting system reset; Airbag reset; Air/fuel ratio reset; ABS flush; Battery adaptation; Gearbox reset; Brake pad reset; Coolant flush; FAP regeneration; EGR adaptation; Electronic throttle adaptation; Gearbox learning; IMMO software service; Injector coding; Language change; NOx sensor reset; ODO meter reset; Service light reset; Steering angle reset; Seat occupancy calibration; Stop/Start reset; Sunroof initialization; Suspension adjustment; TPMS reset; Transport mode; Tire reset; Window calibration; AC system reset/initialization; Engine power balance check; Particle filter regeneration; High-voltage battery diagnostics; Intelligent cruise control; Engine angle calibration; IMMO software + hardware service; Clutch reset; ECU reset; FRM reset; ODO control



TO CONSIDER

HGV OPTION WITH VCI

AD000TKD03





DIAGNOSTIC TOOL EURO 394 12"

ADTKTEURO394

REMOTE LV/LCV/EV range:
12" professional diagnostic tool with IA

Product available for sale in France only.





The device is capable of diagnosing both internal combustion and EV/HEV cars, covering 98% of all vehicle models on the market.

High-performance hardware:

The device is equipped with an ultra-fast 8-core processor, 8GB RAM and 256GB ROM, a 13MP rear camera and a 5MP front camera

The ultra-clear, high-brightness 12-inch 1080P IPS display offers unrivalled working comfort.



TO CONSIDER

HGV OPTION WITHOUT VCI

AD00TKD03X



THINKCAR

LEADING TECH IN DIAGNOSTICS

DIAGNOSTIC TOOL EURO 399 14"

ADTKTEURO399

REMOTE LV/LCV/EV/HGV range:
14" professional diagnostic tool with IA

BIGGER, SMARTER, MORE POWERFUL

2 years of updates included



Diagnostic support for gasoline, diesel and electric vehicles, the device integrates the world's first TCOS system, deeply customized on the basis of AI-assisted diagnostic models.


With an all-new industrial design. It supports dual RTC diagnostics, dual VCI display and THINKCAR AI diagnostics.

Its ultra-clear, high-brightness 14" 2.5K IPS display makes diagnostics smarter and more powerful.

The device is equipped with a high-performance 8-core processor, 8GB RAM + 256GB memory. A 20MP rear camera and 8MP front camera complete the package.

Combined with the THINKLINK PRO, featuring a high-brightness 6.54" IPS touchscreen, 1GB RAM + 8GB memory, it supports the CAN, CAN FD and DOIP diagnostic protocols, as well as the main diagnostic protocols such as J2534, RP1210, covering passenger cars, commercial vehicles and new energy vehicles. (VCI 9 to 36V)

The pioneering RTC dual diagnostics function, which supports the connection of a second VCI (optional) to diagnose two vehicles simultaneously, improving work efficiency.



TO CONSIDER

HGV OPTION WITHOUT VCI

AD00TKD03X

Product available for sale only in France and French overseas departments and territories





10" THINKTOOL MASTER CV DIAGNOSTIC TOOL

AD0TKT04CV


LCV/HGV range:
Intelligent 10" diagnostic tool for commercial vehicles and trucks.

THINKTOOL Master CV is a 10-inch diagnostic tool for heavy and commercial vehicles with bi-directional capabilities that supports over 150 makes. Master CV provides comprehensive functions for technRANGE HEREans, such as complete vehicle analysis, fault code reading and clearing, live data streaming, actuator testing, special functions, service reset functions and DPF regenerations.

- coverage of over 150 brands
- automatic updates if connected to WiFi network
- special functions
- supplied with 13 connectors (BENZ / IVECO / MAN / ISUZU / VOLVO / RENAULT)
- precise calibrations:
Idle adjustment, speed limit, cruise control, idle stop system, PTO, coolant level switch, exhaust brake valve, intake air preheat, vehicle speed control, air conditioning, oil pressure sensor, electronic fan, ABS, automatic transmission

• 13 reset modules:
FAP regeneration; FAP reset; Ash accumulation reset; Injector coding; MIL reset; Maintenance confirmation; Injection adjustment; Differential pressure sensor reset; Pressure control valve reset; Trip reset; Urea circuit purge; Variable geometry turbo (VGT) installation/calibration; SCR test

Product available for sale in France only



Product available for sale in France only.

FIND
THE COMPLETE LIST
OF FUNCTIONS
AND ASSIGNMENTS



2 WARRANTY

TE

HGV



2 years of updates included

TE

HGV

WORKLIGHT

AD0000TKWL1

Accessory de AD0000TKX16/ADTKT04EMX/AD0000TKX16/AD0000TKRE7/ADTKT03EMSE/ADTKT03EML/AD0000TKT02L/AD0000TK900/AD0000TKTT78/AD0000TKTT77/ADTKTEURO195/ADTKTEURO399/30000074/30001084



Specifications:

- 3-level brightness adjustment
- 144 high-brightness LED lights
- COB light source, white light
- 25000K, long-range illumination
- long life, up to 10,000 hours
- work with Dock Module

ACCESSORIES

VIDEO SCOPE

AD0000TKVS2

Accessory de AD0000TKX16/ADTKT04EMX/AD0000TKX16/AD0000TKRE7/ADTKT03EMSE/ADTKT03EML/AD0000TKT02L/AD0000TK900/AD0000TKTT78/AD0000TKTT77/ADTKTEURO195/ADTKTEURO399/30000074/30001084



Specifications:

- 1280x720 high definition
- Ø5.5mm
- 59-inch (150 cm) super-long cable reel
- 6 bright LED auxiliary lights
- water, oil and corrosion resistant
- IP67 alkali-resistant

SET OF 10 THERMAL PRINTER PAPER ROLLS

AD0000TKPT

Component of AD0000TKT02L



NO WARRANTY

THINKPRINTER CLIP-ON PRINTER

AD0000TKTP1

Quickly print diagnostic reports anytime, anywhere!

Only available in France and French overseas departments and territories.



TE

TE

THINKPRINTER 2

AD0000TKTP2

Accessory de AD0000TKX16/ADTKT03EML/AD0000TK900/AD0000TKTT78/AD0000TKTT77/30001084

Fast, clear printing: the 30mm/s print speed can print the diagnostic report immediately.
The thermal paper roll is easy to place, easy to maintain and looks great.
Easy to use, reliable and economical, make sure you print easily, reduce costs and transport easily.



TE

OSCILLOSCOPE MODULE

AD0000TKAS2

Accessory de AD0000TKT06/ADTKT04EMX/AD0000TK5EM/ADTKT03EMSE/ADTKT03EML/AD0000TKTT78/AD0000TKTT77/AD0000TKT02L/ADTKTEURO195/AD0000TKT04CV/ADTKTEURO393/AD0000CEEVD/30000074/30001084

100M bandwidth, 4 channels.
Up to 1GSa/s sampling rate, with 50Mpts recording length.
Perform different vehicle ignition tests and a variety of sensor and actuation tests.
Supports BUS decoding of multiple vehicles.



2 WARRANTY



THINKEASY BLUETOOTH BATTERY TESTER

ADTK00034

Accessory de ADOTKT05EM/ADTKT03EMSE/ADTKT03EML/
AD000TKT02L/AD000TKT06/ADTKT04EMX/AD000TKT77/ADTKTEU-
RO393/30000074/30001084A fast, accurate tool for testing car batteries on your cell phone via
Bluetooth connection.

Display battery health.

Check your vehicle's starting and charging system, Low battery
inspection.

Supports all lead-acid batteries.

No overheating, no sparks, no risk.




THERMAL IMAGER

AD000TKTR1

Accessory de AD000TKX16/ADTKT04EMX/ADOTKT05EM/ADTKT03EMSE/
ADTKT03EML/AD000TKT02L/AD000TK900/ADTKTEURO195Accessories range :
Identify faults with massive data comparison.

Product available for sale only in France.



Specifications:

- 320x240 ultra-high pixels, easy-to-see details
- 0 to 530° (0.07°C) thermal sensitivity
- thermal database for defect comparison

DIAGNOSTIC LOAD-HOLDING TOOLS 150A

PPS150

PPS 150 is a professional tool that provides a secure, stabilized
power supply for ECUs during reprogramming.

Multi-application:
Charge maintenance
Fast battery charger
Battery activation and repair
Exposure mode
Booster function



Specifications:

- nominal voltage: 240V
- programming supply voltage range: 10.8V-15V
- frequency: 50 Hz/60 Hz
- open circuit losses: 20W
- rated input power: 3.8kVA
- enclosure protection: IP21S
- load current/voltage: 20A-12V
- cable: L5m
- size (mm): 520x410x290
- starting current/voltage: 400A-12V
- gross weight: 14.1Kg



BATTERY TESTER

AD000TKBT1

Accessory de AD000TKX16/AD000TK900/ADTKTEURO195/
AD000TKT02L/ADOTKT04CV/ADTKT04EMXIntegrated into the ThinkTool HD screen for clearer display.
High-precision data monitoring, with more accurate results.
Supports detection of battery voltage, resistance, lifetime,
current...

THINKTOOL TROLLEY

AD000TKC01



Specifications:

- multifunctional tool cart with 5 levels
- tilting design of the upper level
- for ease of use
- lockable drawer for safer storage
- special design for wire arrangement
- heat-eliminating laptop/equipment holder
- 360° rotating handle and wheels, take the cart wherever
you want
- made of high-quality steel at least 2 mm thick



MULTI-PRESSION COMPLETE DIGITAL ROLLER CABINET

AC 0840

Contents:

- 1 tester 7" color TFT display with resistive touchscreen
- battery: lithium polymer 3.7V / 2000mA
- intelligent USB battery charging with LED indicator
- PC connection via USB port
- ABS case with rubber bumpers
- all screws mounted on brass inserts
- 1/4-thread brass insert on rear for mounting bracket
- 1 sensor 0/300 bar (2m)
- 1-1/+3 bar sensor (2.90m)
- 1 universal diesel compression adapter (dummy injector)
- 3 universal gasoline compression adapters (dummy spark plug)
- 1 bag of accessories
- 1 precision valve
- 8 extremely flexible OEM quick connectors

Drawer 2:

- 0-2000 bar sensor (2m)
- sensor plug for direct pump pressure,
- 2 M12x150 hoses for most common applications.
- recovery tank
- 8 dummy regulators with 1 flange

Find all the
details of the
composition on clas.com

EG 1500

Composition :
CONTROL PANEL AND
ACCESSORIES INSERT

AC 0841



TIROIR 1

ENGINE COMPRESSION AND
CYLINDER LEAK INSERT

AC 0843



TIROIR 3



HIGH PRESSURE FUEL INSERT

AC 0842




TIROIR 2

OIL PRESSURE INSERT,
ETHANOL AND BP FUEL

AC 0844



TIROIR 4




E85





WIRELESS-COMPATIBLE DIGITAL MULTI-PRESSURE TESTER

AC 0920

1 box
45 pieces

NEW VERSION of our famous AC 0800 digital pressure gauge, now compatible with the AC 0925 wireless option for easy road tests.

This upgraded version also features a more powerful processor, completely redesigned menus for optimum ergonomics, increased memory, and fast USB-C charging.

This universal digital measurement tool can be used to check all types of pressure, whether pneumatic or hydraulic, in order to compare the physical and real values of the circuit with those transmitted by the sensors via the diagnostic readout.

Thanks to this comparison, you can quickly identify the source of a fault, whether mechanical or electrical.

This version is designed for the following controls:

- gasoline engine compression
- diesel engine compression via injector, optional see available dummy spark plugs
- oil pressure, to be connected to standard fitting (not supplied) see option if required
- low fuel pressure
- urea pressure, PSA, others..
- vacuum
- particle filter
- cooling circuit
- turbo

A 2000 bar high-pressure test kit and an engine leak test accessory are also available as options.

The unit is equipped with an audible and visual sensor identification system, and calibration is simple and integrated into the unit.

Recording for expert appraisal.

OPTION
WIRELESS MODULE

AC 0925

Accessory de AC 0920

This module can be placed under the hood of the vehicle and communicates directly with the tablet via a wireless link. In this way, the tablet can be used freely in the vehicle cabin, without the need for a wired connection, for improved ergonomics and road tests.


Not compatible with older AC 0800 models



AVAILABLE FUNCTIONS

- ENGINE COMPRESSION
- LOW FUEL PRESSURE
- TURBO PRESSURE
- UREA PRESSURE
- DEPRESSION TEST
- PARTICULATE FILTER
- PRESSURE SYSTEM COOLING

- HIGH PRESSURE TEST DIESEL/GASOLINE
- LEAKS IN THE CYLINDERS
- OIL PRESSURE
- E85 PERCENTAGE
- BLUETOOTH OPTION

1 TABLET
1 INFINITE
MEASUREMENTS

WHY GET EQUIPPED?

1. MAKES
DIAGNOSIS
MORE RELIABLE

3. APPROPRIATE
& RELEVANT
INTERVENTION

2. QUICKLY IDENTIFIES THE
FAULTY COMPONENT

4. TIME SAVINGS
& PRODUCTIVITY



AVAILABLE ACCESSORIES



ENGINE COMPRESSION

▶▶ IDENTIFY THE FAULTY CYLINDER AT A GLANCE

FLEXIBLE SPARK PLUG PETROL M10x1 200mm
AC 0811



FLEXIBLE SPARK PLUG PETROL M12x1.25 200mm
AC 0812



FLEXIBLE SPARK PLUG PETROL M14x1.25 200mm
AC 0813



DIESEL GLOW PLUG KIT

AC 2024



Covers 90% of the park, Applications on request.

UNIVERSAL GLOW PLUG

AC 0817



M8/M9/M10



2 WARRANTY



TURBO

▶▶ PRECISE CONTROL OF THE CONDITION OF THE WASTEGATE AND TURBO FLAPS

MITYVAC 2.0 ADAPTER
AC 0814



Accessory de HU 0550


SET OF TURBOCHARGER PRESSURE TAPS
AC 0819



LOW PRESSURE FUEL & COOLING

▶▶ ANALYZE THE ENGINE FUEL SUPPLY AT LOW FUEL PRESSURE AND COOLING PRESSURE

SCHRADER CONNECTOR 7/16" x 20UNF
AC 0807



SCHRADER CONNECTOR 8v1
AC 0808

SCHRADER CONNECTOR M8x100
AC 0809



OIL



E85


▶▶ CHECK OIL PRESSURE

OIL PRESSURE ADAPTERS
AC 0815



▶▶ CHECK THE % OF ETHANOL

ETHANOL E85 CONTROL ADAPTERS
AC 0818



Quick and easy reading



▶▶ CHECK THE TIGHTNESS OF A CYLINDER

CYLINDER LEAKAGE TESTER
AC 0816



ADDITIONAL OPTIONS



▶▶ ANALYZE THE ENGINE FUEL SUPPLY IN HP

HIGH PRESSURE FUEL

HIGH PRESSURE FUEL INSERT
AC 0842



FORMAT 3/3 DRAWER

NO WARRANTY

Composition :

HIGH-PRESSURE KIT

AC 0801



COMMON RAIL DUMMY REGULATOR KIT
AC 0803

Checks the status of the high-pressure pump regulator.



HP DIESEL ELBOW ADAPTERS
AC 0805



HP GASOLINE ADAPTERS
AC 0804

Contents:
• M12x150
• M12x125
• M14x150
• M10x100
• M8x100

COMMON RAIL PLUGS KIT
AC 0802

M12/M14
Identifies the faulty injector by isolating it on the rail.

2 WARRANTY



CAT.I DIGITAL MULTIMETER

OE 3008BL



Specifications:

- DC voltage: 200mV-2000mV-20V-200V-500V
- AC voltage: 200V-500V
- DC current: 200uA-20mA-200mA
- resistance: 200ohm-2000ohm-20Kohm-200Kohm-2000Kohm
- battery: 6LR61 PP3
- dimensions: 126x70x24mm



DIGITAL MULTIMETER CAT. III

OE 3004



Specifications:

- DC voltage: 200mV-2V-20V-200V-300V
- AC voltage: 200mV-2V-20V-200V-300V
- DC current: 20mA-200mA-10A
- AC current: 20mA-200mA-10A
- resistance: 200ohm-2kohm-20kohm-200kohm-2Mohm-20Mohm
- diode test: approx. 2.8V
- temperature: 0-1000°C
- battery test: 1.5-9V-12V
- continuity: <30ohm
- overhead lighting



CLAMP METER 1000A

OE 5020

• clamp opening: 55mm
 • dc voltage: 600V±(0.5%+5)
 • AC voltage: 600V±(1%+5)
 • direct current: 200/1000A±(2.5%+5)
 • alternating current: 200/1000A±(2.5%+5)
 • resistance: 200ohms ±(1.2%+5)
 • frequency: 2kHz±(2%+5)
 • power supply: 9Vx1

Specifications:

- current test
- ammeter test
- diode test
- continuity test
- data storage
- IEC-61010 CATII with overload protection
- 3-digit 16mm LCD digital display
- automatic scales
- supplied with battery and cord



READER DEFAULT CODE OBDII



AC 5248


This OBDII reader is designed for your car's "Engine" management system ("Engine" light). It includes basic OBDII functions such as: reading and deleting error codes with their designations, reading "real-time" data, displaying freeze frame, displaying I/M readiness, and displaying vehicle information.

Note: In the event of a "permanent code" being read by the device, the OBDII reader will be able to clear the fault code and switch off the engine light only when the necessary repairs have been carried out.

Multilingual: English, French, German, Spanish and Portuguese.

Models :

- OBDII protocols: CAN, J1850 PWM, J1850 VPW, ISO9141 and KWP2000
- 12v voltage supplied by OBD socket (16-pin) on post-1996 OBDII-compliant American, European and Asian vehicles



CONNECTOR KIT FOR ELECTRICAL MEASURING TOOLS

OE 5115

Allows you to comply with manufacturer's recommendations, as it doesn't damage harnesses, especially on multiplexed networks where tapping on the wire is prohibited.



Compatible with diag instruments, multimeters, oscilloscopes, etc.

NOTE

SEE THINKCAR
p. 264

Potentiomètre à résistance variable. 5kΩ.	2		Permet de simuler le signal de sondes et capteurs résistifs de 0 à 5kΩ.
Connecteur à LED.	2		Permet le contrôle de signaux. Indique la polarité par un changements de couleur.
Connecteur SRS.	2		Outils de maintenance pour le remplacement d'airbag.
Pinces crocodiles.	2		Se connectent aux outils de mesure : multimètre, oscilloscope...
Pointes de touche.	2		Se connectent aux rallonges de câbles fournies et aux outils de mesure : multimètre, oscilloscope...
Pointes de touche aciculaire.	4		Ø 0,7 mm - Longueur 30 mm
Connecteur double : permet la connection en parallèle d'un outil de mesure sur un fil ou une connectique.	2		
Connecteur simple.	4		



Cosses mâles connectable à un outil de mesure.	36		Plates : 0.6 x 0.6 - 3 pièces jaunes 0.6 x 0.9 - 3 pièces rouges 0.6 x 1.3 - 3 pièces noires 0.6 x 1.9 - 3 pièces bleues 0.6 x 2.3 - 3 pièces jaunes 0.8 x 2.8 - 3 pièces rouges 0.8 x 4.7 - 3 pièces noires 0.8 x 6.0 - 3 pièces bleues
Cosses femelles connectable à un outil de mesure.	36		Rondes : 1.6 mm - 3 pièces jaunes 2.3 mm - 3 pièces rouges 3.5 mm - 3 pièces noires 3.9 mm - 3 pièces bleues
			Plates : 0.6 x 0.6 - 3 pièces jaunes 0.6 x 0.9 - 3 pièces rouges 0.6 x 1.3 - 3 pièces noires 0.6 x 1.9 - 3 pièces bleues 0.6 x 2.3 - 3 pièces jaunes 0.8 x 2.8 - 3 pièces rouges 0.8 x 4.7 - 3 pièces noires 0.8 x 6.0 - 3 pièces bleues

SET OF RECESSES EXTRACTION PLUGS	OM 2005		Extracts plugs from coolant sensors, ECU connectors, wiring harnesses, etc. Compatible with VAG connectors.
			Preserves wires and terminals

ELECTRIC SPRAY CLEANER 400ml

CO 1049

Cleans and protects electrical connectors. Dissolves corrosion. Eliminates false contacts, leakage currents and reduces voltage drops. Improves productivity.

Also available in box of 12





CHARGING SYSTEM DIAGNOSTICS

LOAD TESTER (LED) FOR 12V BATTERIES AND ALTERNATORS

OE 0035BL

Reads the charge level of 12V batteries and alternators with 3-color LED indicators (red/yellow/green).



BLINE
BUDGETSOLUTION

2
WARRANTY

6/12/24V VEHICLE BATTERY TESTER WITH PRINTER

AC 5254

Oscilloscope mode
Color display



The battery tester with integrated printer is compatible with 6V / 12V / 24V battery tests.

Light vehicles, commercial vehicles, trucks, motorcycles, boats, farm machinery.



Detachable
cable

Specifications:

- capacity (CCA): cold-start current: 100 to 2000 CCA
- cables: L.2.5m
- clamps: insulated
- battery type: ordinary, AGM flat or spiral technology, GEL, EFB, LITHIUM
- language: 12
- printer: SA 5245 coil
- weight: 2.07kg (with case)
- dimensions: L.255mmxL.104mmx36mm.

Battery standards:

- Cold Cranking Amps (CCA)
- International Electrotechnical Commission (IEC)
- Europe-Norm (EN)
- Deutsche Industrie-Norm (DIN)
- Cranking Amps (CA)
- Battery Council International (BIC)
- Marine Cranking Amps (MCA)
- Society Of Automotive Engineers (SAE)
- Japanese Industry Standard (JIS)

2.5 m
6-12-24V

SA 5246 BATTERY TESTER CABLE

SA 5245 2 PAPER ROLL SET 40mm

13 €HT

6-12-24V

2
WARRANTY

MEMORY SAVER OBDII CIGARETTE LIGHTER

OE 0164

Supplies power to the vehicle while the battery is disconnected to retain memories (radio code, electric seats, etc.)
Stores electronic data
Vehicle powered via OBDII socket
Via cigarette-lighter socket or auxiliary battery
Equipped with power indicator and reverse polarity protection

3 m



2
WARRANTY

POLARITY/CONTINUITY TESTER 3 TO 48V

OE 0065BL

BLINE
BUDGETSOLUTION

Automotive, truck and motorcycle voltage and battery tester.
Positive/negative cable testing.

1 m

3-48V

2
WARRANTY



3-SIDED CONDENSER SOCKET START AND STOP PSA

OM 5250

Specific for Peugeot and Citroën e-Hdi



For PSA capacitor OEM code: 98 017 393 80
IMPORTANT: discharge the capacitor before servRANGE HEREng.

1.2 m

2
WARRANTY

12V RELAY TESTER

AC 5111

Allows fast, accurate testing of electromechanical relays.
Saves operator time and ensures reliable diagnostics.

4 or 5-pin relay compatible

Specifications:

- overvoltage protection
- suitable for diode relays
- LED result display
- 12V test voltage
- powered by crocodile clips

12V



2
WARRANTY