





HAND TOOLS

Solutions





REPAIR BAG 4 INSERTS 99 TOOLS

EG 3111



- Contents:**
- EG3110: tool bag with shoulder strap
 - OS3900: 1/2" ratchet inserts (23pcs)
 - OS3700: 1/4" ratchet inserts (55pcs)
 - OS5300: pliers insert (4pcs)
 - OS4100: 6-24mm combination wrench inserts (17pcs)



OS 3900



OS 3700



OS 5300



OS 4100

TN

REPAIR BACKPACK 139 TOOLS

EG 3131



- Contents:**
- EG3130: 20l backpack
 - OS3050BL: 1/4"-1/2" tool set (108pcs)
 - OS1201: ph-slot diamond screwdriver (8pcs)
 - OS5300 : pliers insert (4pcs)
 - OS4100: combination wrench insert 6-24mm (17pcs)
 - OE3008BL: cat.1 digital multimeter



OE 3008BL



OS 3050BL



OS 4100



OS 1201



OS 5300

TN

REPAIR CASE 6 INSERTS 111 TOOLS

EG 3121



- Contents:**
- EG3120: wheeled case
 - OS3900: 1/2" ratchet insert (23pcs)
 - OS3700: 1/4" ratchet insert (55pcs)
 - OS5300: pliers insert (4pcs)
 - OS4100: 6-24mm combination wrench inserts (17pcs)
 - OS5200: circlip pliers insert 178mm inside-outside (4pcs)
 - OS1200: PH-slot diamond screwdriver insert (8pcs)



OS 3900



OS 3700



OS 5300



OS 4100



OS 5200



OS 1200

TN

SUITCASE 166 TOOLS

OS 3320BL

- Contents:**
- 1 case
 - 1 telephone pliers 150mm
 - 1 long nose pliers 200mm
 - 1 combination pliers 180mm
 - 1 locking pliers 250mm
 - 1 adjustable wrench 250mm
 - 6 pin drivers 150mm: 2-3-4-5-6mm
 - 3 chisels 150mm
 - 9 hexagonal wrenches: 1.5-2-2.5-3-4-5-6-8-10
 - 9 torx wrenches: T10-15-20-25-27-30-40-45-50
 - 1 telescopic magnet
 - 1 saw 450mm
 - 1 caliper 0-150mm
 - 2 files 200mm
 - 1 hammer 1kg
 - 2 circlip pliers
 - 13 open-end wrenches: 7-8-9-10-11-12-13-14-15-16-17-18-19mm
 - 7 screwdrivers
 - 1 tension tester
 - 1 1/2" ratchet
 - 2 1/2" extension cords: 125-250mm
 - 16 1/2" sockets: 10-11-12-13-14-16-17-18-19-20-21-22-24-27-30-32mm
 - 1 1/2" gimbal
 - 1 1/4" ratchet
 - 2 1/4" extensions: 50-100mm
 - 12 1/4" sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13mm
 - 1 1/4" socket holder
 - 1 1/4" Nozzle holder
 - 1 1/4" gimbal
 - 1 box of Nozzles (32pcs)
 - 24 Nozzles: T40-30-27-25-20-15-10-9-8,PH3-2-1-0,SL7-6.5, M12-10-8,H8-7-6-5-4-3
 - 1 cutter 18mm
 - 10 spare blades 18mm



TN



SHOULDER TOOL BAG

EG 3110

This sturdy bag is practical for small outdoor jobs, thanks to its multiple interior and exterior storage compartments. It can hold 4 CLAS tool inserts, or numerous loose tools, and is also suitable for carrying power tools.


ADVANTAGE
Opening support armature



Specifications:

- length: 46cm
- width: 25cm
- height: 28cm
- 15 pockets:
- 6 parallel inside 12 X 4cm + large storage space
- 9 outside, including 3 front Velcro pockets 12 x 12cm,
- 3 open pockets on back 14 x 14cm
- 1 pocket 14 x 22cm on right side, 2 pockets 10 x 14cm on left side

Lockable zip closure with padlock.



Hard shell



TN

WHEELED SUITCASE

EG 3120

This sturdy case is practical for outdoor work, thanks to its multiple interior and exterior storage compartments. It can hold 6 CLAS tool inserts, or numerous loose tools, and is also suitable for transporting power tools. Can be heavily loaded up to 25kg.

+ Opening support armature



Specifications:

- length: 50cm
- width: 30cm
- height of retractable handle, folded: 40cm
- height of unfolded retractable handle: 100cm

19 pockets:
8 inside, including 1 with Velcro along the length, 1 in aerosol format, 6 in identical 6 x 12cm format, large main storage compartment
11 outside, including 1 with scratch on front 20 x 20cm, and 4 in 10 x 12cm format
3 + 3 lateral (1 8 x 18cm 2 6 x 18cm)



Compatible foam insert,
1/3 size of tool trolley
(tools not included).



TN

BACKPACK

EG 3130

This sturdy bag is practical for small outdoor jobs, thanks to its multiple interior and exterior storage compartments. It can accommodate a multitude of tools thanks to its various interior pockets and sewn-on elastic loops.

Carried by the handle or on the back thanks to the shoulder straps, you can take your tools anywhere, either loose or stored in the compartments. This bag offers great flexibility for tool storage, thanks to its multiple external zipped pockets and internal storage spaces (pockets, elastane loops). The bottom of the bag is made of a rigid shell, so it can be used on any occasion, while protecting your tools. Reflective strips optimize the bag's visibility. The 2 rear outside pockets are reinforced: when the central zip is fully opened, they provide optimum working comfort.



Reflective strips = optimal visibility

Side straps = better support

Protection



Hard shell


Storage pocket for consumables ø70mm



Tools not included

Specifications:

- height: 50cm
- length: 35cm
- width: 25cm
- external storage: 4 zipped pockets + 1 single pocket + storage slots
- interior storage: 18 pockets + 40 storage slots



TN



EQUIPPED TOOL CABINETS

7-DRAWER TROLLEY + 138 TOOLS

EG 1300BL



B.LINE
BUDGETSOLUTION

TN

Contents:

-1 7-drawer trolley
Dimensions: 710x450x970mm
Height excluding wheels: 820mm

• 1 sockets and ratchets inserts (62pcs)

13 1/4" sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
2 1/4" extensions: 50mm and 100mm
11/4" socket driver
17 1/2" sockets: 10-11-12-13-14-15-16-17-18-19-21-22-23-24-27-30-32mm
2 1/2" extension sockets: 75mm and 150mm
3 1/2" impact sockets: 17-19-21mm
2 universal joints: 1/4" and 1/2
2 72-tooth ratchets: 1/4" and 1/2
2 sliding T-handles: 1/4" and 1/2
9 hex keys: H 1.5-2-2.5-3-4-5-6-8-10
9 torx wrenches: T 10-15-20-25-27-30-40-45-50

• 1 pliers, hammer and wrench insert (25pcs)

13 combination wrenches: 7-8-9-10-11-12-13-14-15-16-18-19-21mm
1 long nose pliers 150mm
1 outside circlip pliers 150mm
1 cutting pliers 150mm
1 universal pliers 200mm
1 mutriprise pliers 250mm
1 hammer 1000g
4 pin drivers: 3x150, 5x150, 6x150, 8x150mm
1 cutter 18mm
1 box of 10 cutter blades

• 1 screwdriver insert (51pcs)

7 torx screwdrivers: T9x75-T15x100-T20x100-T25x100-T27x100-T30x100-T40x150mm
4 phillips screwdrivers: PH2x38-PH2x100-PH3x150-PH1x75mm
4 slot screwdrivers: SL6x38-SL5x75-SL6x100-SL6.5x150mm
1 Nozzle screwdriver holder
3 slotted precision screwdrivers: SL1-2-3
2 phillips precision screwdrivers: PH0-1
3 Nozzles 1/4" pozidrive: PZ0-1-2-3
6 Nozzles 1/4" torx: T10-15-20-25-30-35
10 1/4" phillips bits: PH0x2-1x2-4x2-3x3
10 bits 1/4" slot: SL3x2-4x2-5x2-6x2-7x2



B.LINE
BUDGETSOLUTION

TN

7-DRAWER TROLLEY + 274 TOOLS

EG 1310BL



Contents:

-1 7-drawer trolley

Dimensions: 710x450x970mm
Height excluding wheels: 820mm

• 1 sockets and ratchets insert (65pcs)

13 1/4" sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
15 3/8" sockets: 8-9-10-11-12-13-14-15-16-17-18-19-21-22-24mm
17 sockets 1/2": 10-11-12-13-14-15-17-18-19-21-22-23-24-27-30-32mm
2 1/4" extensions: 50mm and 100mm
2 extension sockets 3/8": 75mm and 150mm
2 extensions 1/2": 127mm and 254mm
3 universal joints: 1/4", 3/8" and 1/2
3 72-tooth ratchets: 1/4", 3/8" and 1/2
3 sliding T-handles: 1/4", 3/8" and 1/2
1 socket screwdriver: 1/4
3 1/2" impact sockets: 17-19-21mm
1 1/2" torque wrench 40-210Nm 450mm

• 1 pliers and hammer insert (16pcs)

3 circlip pliers 150mm
1 long nose pliers 150mm
1 outside circlip pliers 150mm
1 cutting pliers 150mm
1 universal pliers 200mm
1 mutriprise pliers 250mm
1 vice-grip pliers 250mm
1 hammer 1000g
4 pin drivers: 3x150, 5x150, 6x150, 8x150mm
1 cutter 18mm
1 box of 10 cutter blades

• 1 wrench insert (40pcs)

13 ratcheting combination wrenches: 8-9-10-11-12-13-14-15-16-17-19-21-22mm
8 contra-angle wrenches: 6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22mm
9 hex keys: H 1.5-2-2.5-3-4-5-6-8-10
9 torx wrenches: T 10-15-20-25-27-30-40-45-50
1 adjustable wrench 200 mm

1 screwdriver insert (51pcs)

7 torx screwdrivers: T9x75-T15x100-T20x100-T25x100-T27x100-T30x100-T40x150mm
4 phillips screwdrivers: PH2x38-PH2x100-PH3x150-PH1x75mm
4 slot screwdrivers: SL6x38-SL5x75-SL6x100-SL6.5x150mm
1 Nozzle screwdriver holder
3 slotted precision screwdrivers: SL1-2-3
2 phillips precision screwdrivers: PH0-1
3 Nozzles 1/4" pozidrive: PZ0-1-2-3
6 Nozzles 1/4" torx: T10-15-20-25-30-35
10 1/4" phillips bits: PH0x2-1x2-4x2-3x3
10 bits 1/4" slot: SL3x2-4x2-5x2-6x2-7x2

• 1 bit insert (102 pcs)

24 nozzles 30 mm: SL8-10-12 / T40-45-50-55-60-70 / PZ3-4 / PH3-4 / H7-8-10-12-14 / TT40-45-50-55-60-70
48 1/4" 35mm nozzles: T8-9-10-15-20-27-30-40 / TT8-9-10-15-20-25-27-30-40 / PH0-1-2-3 / SL4- 5.5-6.5-7 / PZ0-1-2-3 / M7-8-10-12 / H3-4-5-6-7-8 / TS10-15-20-25-27-30-40-45-50
6 Nozzles 1/2" 55 mm: M16 / H14-17-19-22-24
22 long 1/2" sockets: MP7x240-8x250-9x100-10x140 / H5x160-7x240-10x140-11x140-13x140 / M9x100-10x140-12x140-14x140-16x100 / T30x140-40x140-45x140-50x140-55x140-60x140-70x140-80x100
1 adapter: 1/2"
1 1/2" impact socket: M15





7-DRAWER ROLLER CABINET + 169 TOOLS

EG 1410

- Contents:**
- EG1007: 7-drawer trolley
 - OS1200: ph-slot diamond screwdriver insert (8pcs)
 - OS3900: ratchet insert 1/2" 90 teeth (23pcs)
 - OS2000: hexagonal T-wrench insert 3-10mm (7pcs)
 - OS4100: combination wrench insert 6-24mm (17pcs)
 - OS6000: special bits insert (43pcs)
 - OS3700: 1/4" 90-tooth ratchet insert (55pcs)
 - OS1306BL: pliers and hammer insert (16pcs)

NEW



TN

DRAWER 1



OS 1306BL



DRAWER 2



OS 3900



OS 4100



OS 3700

3 inserts = 1 drawer



DRAWER 3



OS 6000



OS 2000



OS 1200

3 inserts = 1 drawer



7-DRAWER ROLLER CABINET + 388 TOOLS

EG 1430

- Contents:**
- EG1007: 7-drawer trolley
 - OS1200: diamond ph-slot screwdriver insert (8pcs)
 - OS1210: diamond torx screwdriver insert T10-40 (7pcs)
 - OS3900: ratchet insert 1/2" 90 teeth (23pcs)
 - OS2000: hexagonal t-wrench insert 3-10mm (7pcs)
 - OS4100: combination wrench inserts 6-24mm (17pcs)
 - OS6000: special bits insert (43pcs)
 - OS3700: ratchet insert 1/4" 90 teeth (55pcs)
 - OS5300: pliers insert (4pcs)
 - OS5200: 178mm inside-outside circlip pliers (4pcs)
 - OS6100: bit inserts (208pcs)
 - OS4020: reversible ratchet insert 8-19mm (12pcs)

NEW




TN


DRAWER 1



OS 6000



OS 6100



DRAWER 2



OS 5300



OS 3900



OS 3700

3 inserts = 1 drawer



DRAWER 3



OS 1200



OS 2000



OS 1210

DRAWER 4



OS 5200



OS 4100



OS 4020



7-DRAWER ROLLER CABINET
+ 446 TOOLS

EG 1450



Contents:

- EG1007: 7-drawer trolley
- OS1200: diamond ph-slot screwdriver insert (8pcs)
- OS1210: diamond torx screwdriver insert T10-40 (7pcs)
- OS3900: ratchet insert 1/2" 90 teeth (23pcs)
- OS2000: hexagonal t-wrench insert 3-10mm (7pcs)

- OS4100: combination wrench inserts 6-24mm (17pcs)
- OS6000: special bits insert (43pcs)
- OS3700: ratchet insert 1/4" 90 teeth (55pcs)
- OS5300: pliers insert (4pcs)
- OS5200: 178mm inside-outside circlip pliers (4pcs)
- OS6100: bit inserts (208pcs)
- OS3800: ratchet insert 3/8" teeth 90 teeth


- OS4020: reversible ratcheting combination wrench insert 8-19mm (12pcs)
- OS5399: 6-sided pipe wrench insert 8-19mm (12pcs)
- OS0070: pipe wrench inserts 8-19mm (6pcs)
- OS5499: 6-sided pipe wrench inserts 20-24mm (5pcs)
- OS4200: wrench inserts 27-32mm (4pcs)
- OS0850: hammer insert (10pcs)



OS 4020



OS 4100



OS 4200

3 inserts = 1 drawer



OS 5200



OS 5300



OS 0850

3 inserts = 1 drawer




OS 5399



OS 0070



OS 5499



OS 3700



OS 3800



OS 3900




OS 1200




OS 2000



OS 1210



OS 6000



OS 6100

TN



4-DRAWER ROLLER CABINET
+ 435 TOOLS

EG 1480



Composition:

- EG0076: 1 x maxi tool trolley with 4 drawers + 1 box
- OS1200: 1 x diamond screwdriver insert ph-slot (8 pcs)
- OS1210: 1 x diamond screwdriver insert torx t10-40 (7 pcs)
- OS3900: 1 x 1/2" ratchet insert, 90 teeth (23 pcs)
- OS2000: 1 x hexagonal T-wrench insert, 3-10 mm (7 pcs)
- OS4100: 1 x combination wrench insert, 6-24 mm (17 pcs)
- OS6000: 1 x special bit insert (43 pcs)
- OS3700: 1 x 1/4" ratchet insert, 90 teeth (55 pcs)
- OS5300: 1 x pliers insert (4 pcs)

- OS5200: 1 x circlip pliers insert, 178mm inside-outside (4 pcs)
- OS6100: 1 x socket insert (208 pcs)
- OS3800: 1 x 3/8" 90-tooth ratchet insert (21 pcs)
- OS4020: 1 x reversible ratchet combination wrench insert 8-19mm (12 pcs)
- OS5399: 1 x 6-point socket wrench insert 8-19mm (12 pcs)
- OS4200: 1 x combination wrench insert 27-32mm (4 pcs)
- OS0850: 1 x hammering insert (10 pcs)



OS 0850



OS 3700



OS 3800



OS 3900



OS 4020



OS 4100



OS 4200



OS 5399



OS 5200



OS 5300



OS 1200




OS 1210



OS 2000



OS 6000



OS 6100



EG 0076





TOOL CABINETS

3 TRAY ROLLER CABINET

EG 0083

Specifications:

- dimensions: 766x415x840mm
- tray dimensions: 760x410x60mm
- 2 fixed wheels Ø100mm
- 2 swivel wheels Ø100mm with brakes
- 2.5mm EVA foam tray protection
- load capacity per tray: 30kg
- total load capacity: 90kg

Max. Kg
90

KG
16



TN

2
WARRANTY

7-DRAWER TROLLEY

EG 0081BL

NEW

Specifications:

- overall dimensions: 710x450x970mm
- height excluding wheels: 820mm
- 5 drawers: 580x400x54mm
- 2 drawers: 580x400x137mm
- load capacity per small drawer: 30kg
- load capacity per large drawer: 40kg
- total load capacity: 250kg
- empty weight: 44.3kg



Max. Kg
250

2
WARRANTY

B.LINE
BUDGETSOLUTION

TN



7 DRAWERS ROLLER CABINET

EG 1007

NEW



Steel handle

Drawer opens 100%

Wheels with brakes

Specifications:

- dimensions : W.795xD.460xH.975mm
- 5 drawers: 575x400x58mm
- 2 drawers: 575x400x129mm
- steel thickness body: 0.8mm
- drawer steel thickness: 0.7 to 0.8mm
- 2 fixed wheels PP Ø125mm
- 2 PP Ø125mm swivel wheels with brakes

- total load capacity: 300kg
- load capacity per small drawer: 30kg
- load capacity per large drawer: 40kg
- load capacity on tray: 80kg
- empty weight: 53.5kg

Max. Kg
250



WOODEN TRAY FOR TROLLEY

OS 0090

Specifications:

- dimensions: 689x455x20mm
- weight: 4kg



NEW

2
WARRANTY

PREMIUM 7 DRAWERS ROLLER CABINET

EG 1500

NEW



Steel handle

Drawer opens 100%

Wheels with brakes

Specifications:

- dimensions: 835x464x995mm
- 5 drawers: 575x400x66mm
- 2 drawers: 575x400x124mm
- ball-bearing slides
- anti-tilt interlocking system
- stainless steel worktop
- handle release
- 2 fixed wheels TPR Ø125mm
- 2 TPR Ø125mm swivel castors with brakes
- key lock (2 keys supplied)

- load capacity per drawer: 25kg
- load capacity on tray: 300kg
- total load capacity: 500kg
- empty weight: 57kg

Max. Kg
500

2
WARRANTY





4 DRAWERS + 1 DOOR ROLLER CABINET HGV

EG 0076

Wide and sturdy, it offers a comfortable work surface and a total load capacity of 500kg.
Perforated on 2 sides, the trolley can be fitted with a wide range of accessories.
(workshop waste garbage can, hand towel dispenser...)

+ Large storage capacity

Wooden tray



Specifications:

- dimensions: L.881xW.460xH.858mm
- 100% drawer opening
- 4 drawers H.75mm int.774x400mm
- 1 pedestal H.540mm int.774x450mm
- wooden top
- ball-bearing runners
- ABS drawer handles
- key lock (2 keys supplied)
- wheels on sealed bearings
- 2 fixed wheels Ø125mm
- 2 Ø125mm swivel wheels, 1 with double brake (rotation + swivel)
- load capacity per drawer: 40kg
- total load capacity: 500kg



THE ESSENTIAL ACCESSORIES FOR THE TOOL CABINETS

4PCS MAGNETIC TOOL TRAY SET

EG 8004



20 MAGNETIC HOOKS SET

EG 8008



MAGNETIC TRAY

EG 8007



MAGNETIC SPRAY CAN AND SCREWDRIVER HOLDER

EG 8006



BAG OF 10 SINGLE HOOKS Ø6mm L.100mm

EG 0347



MAGNETIC TOOL HOLDER

EG 0070



METAL WORKSHOP WASTE FOR DRAWER


EG 8001



DISPENSER/HAND TOWEL ROLL STAND FOR DRAWERS

EG 8009





TOOL SETS

TN



Dimensions of a 1/3 insert:
390x190x35mm



DIAMOND
SCREWDRIVER
INSERT PH-
SLOTTED (8PCS)
OS 1200



7 PCS T10-40
DIAMOND TORX
SCREWDRIVER
INSERT
OS 1210



HEX T-HANDLE
WRENCH INSERT
3-10mm (7 PCS)
OS 2000



RATCHET INSERT
1/4" 90 TEETH
(55PCS)
OS 3700



RATCHET INSERT
3/8" 90 TEETH
(21PCS)
OS 3800



RATCHET INSERT
1/2" 90 TEETH
(23PCS)
OS 3900



ADJUSTABLE
RATCHETING
COMBINATION
WRENCH INSERT
8-19mm (12 PCS)
OS 4020



COMBINATION
WRENCH INSERT
6-24mm (17 PCS)
OS 4100



COMBINATION
WRENCH INSERT
27-32mm (4 PCS)
OS 4200



HEX SOCKET
SPANNER INSERT
8-19mm (12 PCS)
OS 5399



HEX SOCKET
SPANNER INSERT
20-24mm (5 PCS)
OS 5499



FLARE NUT
WRENCH INSERT
8-19mm (6 PCS)
OS 0070



INSERT PLIERS
(4PCS)
OS 5300



4PCS CIRCLIP
PLIER INSERT
178mm INSIDE-
OUTSIDE
OS 5200



SPECIAL BIT
INSERT (43PCS)
OS 6000




MEASURING
TOOLS INSERT
(6PCS)
AC 0000



HAMMERING
INSERT (10
PCS)
OS 0850



FOAM STORAGE
TRAY
EG 0080



INSERT BITS
(208PCS)
OS 6100



EMPTY FOAM BAG
195x190mm
EG 0039



INSULATED TOOL INSERTS

TN



INSULATED
SCREWDRIVER
INSERT (7 PCS)
OE 0880




INSULATED
RATCHET
AND SOCKET
INSERT 3/8"
(14 PCS)
OE 0820



INSULATED
RATCHET
AND SOCKET
INSERT 1/4"
(46 PCS)
OE 0660



INSULATED
OPEN END
WRENCH
INSERT (15
PCS)
OE 0683



INSULATED
OFFSET RING
SPANNER
DOUBLE HEX
INSERT (11
PCS)
OE 0850



INSULATED
CLAMPS INSERT
(4 PCS)
OE 0870





TOOL CASES

← FIND THE ALL **TOOL CASES** RANGE HERE



TOOL CASES

MINI 1/4" RATCHET SET + SOCKETS + BITS (39PCS)

OS 1050

Contents:

- 1 1/4" reversible ratchet
- 1 bit-holder screwdriver
- 9 1/4" sockets: 5-6-7-8-9-10-11-12-13mm
- 1 55mm extension
- 1 100mm extension
- 24 precision bits 6.35x25mm
- 1 adapter

Dimensions :
Closed case: 160x90x45mm
Open case: 160x180x33mm



TN

1/4"-1/2" TOOL SET (108PCS)

OS 3050BL

Contents for mechanical and industrial applications 1/4" and 1/2".

Contents:

- black plastic case
- 3 hexagonal wrenches 1.5-2-2.5mm

Contents 1/2":

- 11/2" ratchet 45 teeth
- 17 1/2" hexagon sockets: 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32mm
- 5 long hexagon sockets 1/2": 14, 15, 17, 19, 21mm
- 2 extension sockets 1/2" L.125 and 250mm
- 1 1/2" gimbal
- 8 1/2" Torx sockets: E10-E11-E12-E14-E16-E18-E20-E24
- 2 1/2" spark plug sockets: 16-18-21mm
- 1 1/2" reducer

Contents 1/4":

- 11/4" ratchet 45 teeth
- 13 hexagon sockets 1/4": 4-4.5-5-5.5-6-7-8-9-10-11-12-13-14mm
- 8 long 1/4" sockets: 6-7-8-9-10-11-12-13mm
- 2 extension sockets 1/4" L.125 and 250mm
- 1 1/4" universal joint
- 1 sliding bar 1/4" 115mm
- 1 sliding bar square
- 1 1/4" sliding handle
- 1/4" Nozzles:
Flat: SL4-5.5-6.5
Phillips: PH1-2 PZ1-2
Hexagonal: 3-4-5-6 T8-10-15-20-25-27-30mm
5 1/4" Torx sockets: E4-E5-E6-E7-E8

17 Nozzles 30mm:
SL8-10-12 T40-45-50-55-60
Phillips: PH3-4
Pozidrive: PZ3, PZ4
Hexagonal: 7-8-10-12-14mm



Flash to see
the complete
composition!



TN

B.LINE
BUDGET SOLUTION

TOOL CASES

FIND THE ALL **TOOL CASES** RANGE HERE →



1/4"-3/8"-1/2" TOOL SET (216PCS)

OS 3285BL



Contents for mechanical and industrial applications 1/4", 3/8" and 1/2".

Contents:

- 1 plastic case
- 7 allen keys: 1.25 to 5 mm
- 12 combination wrenches: 8 to 21 mm
- 74 bits: (44 x L.25 mm, 30 x L.30 mm)

1/2" set:

- 1 ratchet (72 teeth) + 1 sliding T-handle
- 2 extensions + 1 universal joint + 1 bit adapter
- 15 hex sockets: 10 to 32 mm
- 5 long hex sockets: 16 to 22 mm
- 5 Torx® sockets: E20 to E24 & T55-T60
- 2 spark plug sockets: 16-21 mm

3/8" set:

- 1 ratchet (72 teeth)
- 1 extension + 1 adapter + 1 universal joint
- 10 hex sockets: 10 to 19 mm
- 6 long hex sockets: 10 to 15 mm
- 6 Torx® E sockets: E10 to E18
- 1 spark plug socket: 18 mm

1/4" set includes:

- 1 ratchet (72 teeth) + 1 sliding T-handle
- 2 extensions + 1 universal joint + 1 adapter
- 1 bit holder screwdriver + 1 ratcheting socket driver
- 13 hex sockets: 4 to 14 mm
- 7 long hex sockets: 4 to 10 mm
- 5 Torx® sockets: E4 to E8
- 30 bit sockets



TN

B.LINE
BUDGET SOLUTION

SUITCASE 166 TOOLS

OS 3320BL

Contents:

- 1 case
- 1 telephone pliers 150mm
- 1 long nose pliers 200mm
- 1 combination pliers 180mm
- 1 locking pliers 250mm
- 1 adjustable wrench 250mm
- 6 pin drivers 150mm: 2-3-4-5-6mm
- 3 chisels 150mm
- 9 hexagonal wrenches: 1.5-2-2.5-3-4-5-6-8-10
- 9 torx wrenches: T10-15-20-25-27-30-40-45-50
- 1 telescopic magnet
- 1 saw 450mm
- 1 caliper 0-150mm
- 2 files 200mm
- 1 hammer 1kg
- 2 circlip pliers
- 13 open-end wrenches: 7-8-9-10-11-12-13-14-15-16-17-18-19mm
- 7 screwdrivers
- 1 tension tester
- 1 1/2" ratchet
- 2 1/2" extension cords: 125-250mm
- 16 1/2" sockets: 10-11-12-13-14-16-17-18-19-20-21-22-24-27-30-32mm
- 1 1/2" gimbal
- 1 1/4" ratchet
- 2 1/4" extensions: 50-100mm

- 12 1/4" sockets: 4-4.5-5-5.5-6-7-8-9-10-11-12-13mm
- 1 1/4" socket holder
- 1 1/4" Nozzle holder
- 1 1/4" gimbal
- 1 box of Nozzles (32pcs)
- 24 Nozzles: T40-30-27-25-20-15-10-9-8, PH3-2-1-0, SL7-6.5, M12-10-8, H8-7-6-5-4-3
- 1 cutter 18mm
- 10 spare blades 18mm



TN

B.LINE
BUDGET SOLUTION



TOOL SETS

TN

COMBINATION WRENCH INSERT 6-24mm (17 PCS)

OS 4100



COMBINATION WRENCH INSERT 27-32mm (4 PCS)

OS 4200



- Specifications:**
- 1/3 drawer format
 - insert dimensions: 390x190x35mm
 - finish: micro satin
 - material: chrome vanadium
 - angle: 13°
 - DIN ISO 3113



Components available for retail purchase: visit clas.com



ADJUSTABLE RATCHETING COMBINATION WRENCH INSERT 8-19mm (12 PCS)


OS 4020

TN



Flash to see the full composition!

- Specifications:**
- 1/3 drawer format
 - insert dimensions: 390x190x35mm
 - finish: micro satin
 - material: chrome vanadium
 - angle: 15°
 - DIN ISO 691
 - DIN ISO 1711-1



ADJUSTABLE WRENCH 200mm

OS 0061BL

TN



KEY INSERTS (40PCS)

OS 1307BL



- Contents:**
- 13 ratchet combination wrenches: 8-9-10-11-12-13-14-15-16-17-19-21-22mm
 - 8 contra-angle wrenches: 6×7-8×9-10×11-12×13-14×15-16×17-18×19-20×22mm
 - 9 hex keys: H 1.5-2-2.5-3-4-5-6-8-10
 - 9 torx wrenches: T 10-15-20-25-27-30-40-45-50
 - 1 adjustable wrench 200 mm




COMBINATION WRENCH SET (25PCS)

OS 4125



- Contents:**
- 6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-30-32 mm



- Specifications:**
- dimensions (set unfolded): 685mm * 550mm
 - material: chrome vanadium
 - angle: 15°





CLAW WRENCHES

HEX SOCKET SPANNER
INSERT 8-19mm (12 PCS)

OS 5399



Specifications:

- 1/3 drawer format
- Finish: Micro satin
- Material: chrome vanadium



TN

HEX SOCKET SPANNER
INSERT 20-24mm (5 PCS)

OS 5499



FLARE NUT WRENCH INSERT 8-19mm
(6 PCS)

OS 0070



Specifications:

- angle: 13°.
- recess: 6-sided.
- steel: CRV.



TN

ALUMINIUM CLAW WRENCH 320mm

OS 5014

Specifications:

- length: 320mm
- opening: 50mm
- weight: 920g



24" ALUMINUM CLAW WRENCH

OS 5024

Specifications:

- length: 607mm
- opening: 76mm
- weight: 2400g



TN



1/4" SOCKET & RATCHET

MINI 1/4" RATCHET SET + SOCKETS
+ BITS (39PCS)

OS 1050



Contents:

- 1 1/4" reversible ratchet
- 1 bit-holder screwdriver
- 9 1/4" sockets: 5-6-7-8-9-10-11-12-13mm
- 1 55mm extension
- 1 100mm extension
- 24 precision bits 6.35x25mm
- 1 adapter

Dimensions:

Closed case: 160x90x45mm

Open case: 160x180x33mm



TN



1/4"TORX PLUS SOCKETS EP 6-7-8-10-11-12 L.25mm

OM 7019

Specially designed for Torx Plus cavities.
More resistant to torsion, longer life than standard Torx.

Nissan, Renault, cylinder head screws...
Not compatible with standard Torx



**Torx Plus =
better grip/
less cavity wear**



TN

SET 7 SOCKETS TS TIPS 1/4" D. TS10-
TS15-TS20-TS25-TS27-TS30-TS40

OM 7006

These 5-star Nozzles are found on Renault, Peugeot, Mercedes,
Rover and diesel injection pumps.



TN

BIT SET TS PLUS - TORX PLUS 1/4"-3/8"

(23 PCS)

OM 0645

Not compatible with
standard Torx sockets

**Torx Plus =
better grip and less
cavity wear**



TN



SOCKET & RATCHET • 1/4" SOCKET & RATCHET

FIND THE ALL 1/4" SOCKET & RATCHET RANGE HERE



RATCHET INSERT 1/4" 90 TEETH (55PCS)

OS 3700

Contents:

- 1 ratchet 1/4" 90 teeth
- 1 1/4" sliding handle
- 2 1/4" extensions 50 and 100mm
- 1 1/4" socket holder screwdriver
- 13 short 1/4" sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 4 long 1/4" sockets: 6, 7, 8, 10 mm
- 3 hexagonal wrenches
- 6 1/4" E sockets (female Torx)
- 24 1/4" screwdriver bits:
 - Hexagonal: H3, H4, H5, H6, H7, H8, H10
 - Flat: 4, 5.5, 6.5
 - Phillips: PH1, PH2, PH3
 - Pozidrive: PZ1, PZ2, PZ3
 - Torx: T8, T10, T15, T20, T25, T27, T30, T40

Specifications:

- 1/3 drawer format
- Insert dimensions: 390x190x35mm
- DIN ISO 2725-3



90 teeth

1/4" RATCHET 90 TEETH

OS 3701

Component of OS 3700



TN



1/4"

MORE
DETAIL

6.3

TN

6-SIDED SOCKETS



SIZE	SHORT	LONG	REF
4mm	•		OS 3259
4.5mm	•		OS 3260
5mm		•	OS 3261
5.5mm	•		OS 3201
6mm	•		OS 3202
		•	OS 3203
7mm	•		OS 3204
		•	OS 3205
8mm	•		OS 3206
		•	OS 3207
9mm	•		OS 3208
		•	OS 3209
10mm	•		OS 3210
		•	OS 3262
11mm	•		OS 3263
		•	OS 3264
12mm	•		OS 3265
		•	OS 3266
13mm	•		OS 3267
		•	OS 3268
14mm	•		OS 3269

TORX+ SOCKETS



SIZE	SHORT	LONG	REF
EP6	•		SA 7086
EP7	•		SA 7087
EP8	•		SA 7088
EP10	•		SA 7089
EP11	•		SA 7090
EP12	•		SA 7091

SOCKETS BITS
TS



SIZE	SHORT	LONG	REF
TS10	37mm		SA 0432
TS15	37mm		SA 0433
TS20	37mm		SA 0459
TS25	37mm		SA 0460
TS27	37mm		SA 0461
TS30	37mm		SA 0462
TS40	37mm		SA 0463
TS45	37mm		SA 0464
TS50	37mm		SA 0465

SOCKET & RATCHET • 3/8" SOCKET & RATCHET

FIND THE ALL 3/8" SOCKET & RATCHET RANGE HERE



3/8" SOCKET & RATCHET



RATCHET INSERT 3/8" 90 TEETH (21PCS)

OS 3800

Contents:

- 14 hexagon sockets: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 24mm
- 1 3/8" ratchet, 72 teeth
- 2 extensions 150 and 250mm
- 1 3/8" universal joint adapter
- 1 3/8" sliding handle
- 1 adapter 3/8"x1/2"
- 1 bit holder 10mm

Specifications:

- 1/3 drawer format
- Insert dimensions: 390x190x35mm



90 teeth

RATCHET 3/8" 90 TEETH

OS 3801

Component of OS 3800



Flash to see the
full composition!



IMPACT SOCKET KIT 10-19mm 3/8" (8 PCS)

OS 3300



Contents:

- OS3301: 10mm impact socket
- OS3302: 11mm impact socket
- OS3303: 12mm impact socket
- OS3304: 13mm impact socket
- OS3305: 14mm impact socket
- OS3306: impact socket 15mm
- OS3307: impact socket 17mm
- OS3308: impact socket 19mm



DIN ISO 2725-3



3/8"D.x1/2"D. INCREASER

OS 3620

Component of OS 3600/OS 3270/OS 3800



1/2"D. x 3/8"D. REDUCER

OM 0047





SOCKET & RATCHET • 1/2" SOCKET & RATCHET

FIND THE ALL 1/2" SOCKET & RATCHET RANGE HERE



1/2" SOCKET & RATCHET

RATCHET INSERT 1/2" 90 TEETH (23PCS)

OS 3900



90 teeth

- Specifications:**
- 1/3 drawer format
 - Insert dimensions: 390x190x35mm
 - DIN ISO 2725-3

- Contents:**
- 1 ratchet 1/2" 90 teeth
 - 18 hexagon sockets: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32mm
 - 2 extensions 125mm and 250mm
 - 1 1/2" universal joint
 - 1 1/2" sliding handle



TN



1/2" TORX PLUS SOCKETS EP10 TO EP20 L.37mm (6 PCS)

OM 7017

Specially designed for Torx Plus imprints on automatic transmissions, Nissan clutches and others.
More resistant to torsion, longer life than standard Torx.



Not compatible with standard Torx

TN



TORX "E" SOCKET SET 1/2" D. E10 TO E24 (9 PCS)

OM 7013

- Contents:**
- OS3031: torx socket E10
 - OS3032: torx socket E11
 - OS3033: torx socket E12
 - OS3034: torx socket E14
 - OS3035: torx socket E16
 - OS3036: torx socket E18
 - OS3037: E20 torx socket
 - OS3038: torx socket E22
 - OS3039: torx socket E24



TN



1/2" RATCHET 90 TEETH

OS 3901

Component of OS 3900



90 teeth



TN



1/2" DRIVE L. 600MM FORCE HINGED HANDLE

OS 3024



- Specifications:**
- articulated force bar with replaceable head (SA3025)
 - 1/2" drive
 - length: 600mm

TN



SOCKET & RATCHET • 1/2" SOCKET & RATCHET

FIND THE ALL 1/2" SOCKET & RATCHET RANGE HERE



IMPACT SOCKET KIT 10-27mm 1/2" (10 PCS)

OS 3100



10mm - 11mm - 13mm - 14mm - 17mm - 19mm - 21mm - 22mm - 24mm - 27mm



DIN ISO 2725-3



IMPACT SOCKETS SET 1/2" D. L.76mm E10 TO E24 (9 PCS)

OM 7047



E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24

DIN ISO 3121



LONG HEX IMPACT SOCKET SET 10-30mm 1/2" (13 PCS)

OS 3130

10mm - 11mm - 12mm - 13mm - 14mm - 16mm - 17mm
19mm - 21mm - 22mm - 24mm - 27mm - 30mm



DIN ISO 2725-3



1/2"D. x 3/8"D. REDUCER

OM 0047



3/8"D.x1/2"D. INCREASER

OS 3620

Component of OS 3600/OS 3270/OS 3800



1/2"D.x3/4"D. INCREASER

OM 0045



3/4"D. x 1/2"D. REDUCER

OM 0044





1/2"

MORE
DETAIL

12.5

6-SIDED SOCKETS



SIZE	SHORT	LONG	REF
8mm	•		OS 3029
10mm	•		OS 3001
11mm	•		OS 3002
12mm	•		OS 3003
13mm	•		OS 3004
14mm	•		OS 3005
		•	OS 3006
15mm	•		OS 3007
		•	OS 3008
16mm	•		OS 3009
17mm	•		OS 3010
		•	OS 3011
18mm	•		OS 3099
19mm	•		OS 3012
		•	OS 3013
20mm	•		OS 3014
21mm	•		OS 3015
22mm	•		OS 3016
23mm	•		OS 3017
24mm	•		OS 3026
27mm	•		OS 3018
30mm	•		OS 3027
32mm	•		OS 3028

TORX SOCKETS



SIZE	SHORT	LONG	REF
E10	•		OS 3031
E11	•		OS 3032
E12	•		OS 3033
E14	•		OS 3034
E16	•		OS 3035
E18	•		OS 3036
E20	•		OS 3037
E22	•		OS 3038
E24	•		OS 3039

TORX+ SOCKETS



SIZE	SHORT	LONG	REF
EP10	•		SA 7084
EP12	•		SA 7085
EP14	•		SA 7080
EP16	•		SA 7081
EP18	•		SA 7082
EP20	•		SA 7083

IMPACT HEX
SOCKETS



SIZE	SHORT	LONG	REF
10mm	•		OS 3136
		•	OS 3137
11mm	•		OS 3138
		•	OS 3139
12mm		•	OS 3140
13mm	•		OS 3141
		•	OS 3142
14mm	•		OS 3101
		•	OS 3102
16mm		•	OS 3143
17mm	•		OS 3103
		•	OS 3104
19mm	•		OS 3105
		•	OS 3106
21mm	•		OS 3107
		•	OS 3131
22mm	•		OS 3132
		•	OS 3108
24mm	•		OS 3109
		•	OS 3110
27mm	•		OS 3133
		•	OS 3134
30mm		•	OS 3135

CV JOINT IMPACT
SOCKETS



SIZE	REF
11mm	SA 0489
12mm	SA 0490
13mm	SA 0491
14mm	SA 0492
15mm	SA 0493
16mm	SA 0494
17mm	SA 0495

TORX-IMPACT
SOCKETS



SIZE	SHORT	LONG	REF
E10		•	OS 3112
E11		•	OS 3113
E12		•	OS 3114
E14		•	OS 3115
E16		•	OS 3116
E18		•	OS 3117
E20		•	OS 3118
E22		•	OS 3119
E24		•	OS 3111



1/2" HEX SOCKET BIT SET (30 PCS)

OM 2335

Contents:

- 9 sockets 55mm:
5, 6, 7, 8, 10, 12, 14, 17, 19mm
- 8 sockets 100mm:
5, 6, 7, 8, 10, 11, 12, 13mm
- 7 sockets 140mm:
5, 6, 7, 8, 10, 12, 14mm
- 6 sockets 200mm:
5, 6, 7, 8, 10, 12mm



Sockets available at retail



1/2" D. IMPACT HEX BIT IMPACT SOCKET SET H5-H19 (8 PCS)

OM 7112

Contents:

- SA0477: socket H5 L.78mm
- SA0478: socket H6 L.78mm
- SA0479: socket H8 L.78mm
- SA0480: socket H10 L.78mm
- SA0481: socket H12 L.78mm
- SA0482: socket H14 L.78mm
- SA0483: socket H17 L.78mm
- SA0484: socket H19 L.78mm



1/2" TORX SOCKET BIT SET (32 PCS)

OM 2333

Contents:

- 10 sockets 55mm:
T20, T25, T27, T30, T40, T45, T50, T55, T60, T70
- 10 sockets 100mm:
T20, T25, T27, T30, T40, T45, T50, T55, T60, T70
- 6 sockets 140mm:
T40, T45, T50, T55, T60, T70
- 6 sockets 200mm:
T40, T45, T50, T55, T60, T70



Sockets available at retail



1/2" D. IMPACT TORX® SOCKET SET T20-T70 (9 PCS)

OM 7009

Contents:

- SA7009: TORX® T20 impact socket
- SA7012: TORX® T25 impact socket
- SA7013: TORX® T30 impact socket
- SA2352: TORX® T40 impact socket
- SA7019: TORX® T45 impact socket
- SA7023: TORX® T50 impact socket
- SA7024: TORX® T55 impact socket
- SA7025: TORX® T60 impact socket
- SA7026: TORX® T70 impact socket



Sockets available at retail





SOCKET & RATCHET • 1/2" SOCKET & RATCHET

FIND THE ALL 1/2" SOCKET & RATCHET RANGE HERE

NOZZLE INSERT (102PCS)

OS 1308BL

NEW



- Contents:**
- 24 nozzles 30 mm: SL8-10-12 / T40-45-50-55-60-70 / PZ3-4 / PH3-4 / H7-8-10-12-14 / TT40-45-50-55-60-70
 - 48 1/4" 35mm nozzles: T8-9-10-15-20-27-30-40 / TT8-9-10-15-20-25-27-30-40 / PH0-1-2-3 / SL4- 5.5-6.5-7 / PZO-1-2-3 / M7-8-10-12 / H3-4-5-6-7-8 / TS10-15-20-25-27-30-40-45-50
 - 6 Nozzles 1/2" 55 mm: M16 / H14-17-19-22-24
 - 22 long 1/2" sockets: MP7x240-8x250-9X100-10x140 / H5x160-7x240-10x140-11x140-13x140 / M9x100-10x140-12x140-14x140-16x100 / T30x140-40x140-45x140-50x140-55x140-60x140-70x140-80x100
 - 1 adapter: 1/2"
 - 1 1/2" impact socket: M15



INSERT MOUSSE 3/3

NO WARRANTY

1/2" XZN SOCKET BIT SET (26 PCS)

OM 2334



- Contents:**
- 8 sockets 55mm: M5, M6, M8, M9, M10, M12, M14, M16
 - 7 sockets 100mm: M5, M6, M8, M9, M10, M12, M14
 - 7 sockets 140mm: M5, M6, M8, M9, M10, M12, M14
 - 4 sockets 200mm: M8, M10, M12, M14



NO WARRANTY

1/2" D. IMPACT RIBE WRENCH END SET 78mm M5-M14 (9 PCS)

OM 7113



Sockets available for retail sale



- Contents:**
- SA0450: ribe M5 L.78mm impact socket
 - SA0451: ribe M6 L.78mm impact socket
 - SA0452: ribe M7 L.78mm impact socket
 - SA0453: nozzle ribe M8 L.78mm
 - SA0454: nozzle ribe M9 L.78mm
 - SA0455: nozzle ribe M10 L.78mm
 - SA0456: nozzle ribe M12 L.78mm
 - SA0457: nozzle ribe M13 L.78mm
 - SA0458: ribe impact socket M14 L.78mm



2 WARRANTY

SOCKET & RATCHET • 1/2" SOCKET & RATCHET


FIND THE ALL 1/2" SOCKET & RATCHET RANGE HERE



1/2"


MORE
DETAIL

12.5




HEX

SIZE	SHORT	LONG	REF
5mm	55mm		SA 0387
		100mm	SA 0388
		140mm	SA 0389
6mm	55mm	200mm	SA 0390
			SA 0391
		100mm	SA 0392
7mm	55mm	140mm	SA 0393
		200mm	SA 0404
			SA 0416
8mm	55mm	100mm	SA 0417
		140mm	SA 0394
		200mm	SA 0395
10mm	55mm	230mm	SA 0396
			SA 0397
		100mm	SA 0398
11mm	55mm	140mm	SA 0399
		200mm	SA 0422
			SA 0370
12mm	55mm	100mm	SA 0371
		140mm	SA 0372
		200mm	SA 0373
13mm	55mm	100mm	SA 0374
		140mm	SA 0375
			SA 0376
14mm	55mm	100mm	SA 0377
		140mm	SA 0378
		200mm	SA 0379
17mm	55mm	100mm	SA 0380
		140mm	SA 0381
			SA 0382
19mm	55mm	140mm	SA 0383
			SA 0384
			SA 0385
22mm	55mm		SA 0386



TORX BIT SOCKETS

SIZE	SHORT	LONG	REF
T20	55mm		SA 0289
		55mm	SA 0290
		100mm	SA 0291
T25	55mm		SA 0292
		100mm	SA 0293
			SA 0294
T27	55mm	100mm	SA 0261
			SA 0262
			SA 0264
T30	55mm	100mm	SA 0265
		100mm	SA 0266
		140mm	SA 0267
T40	55mm	200mm	SA 0268
			SA 0269
		100mm	SA 0271
T45	55mm	140mm	SA 0272
		200mm	SA 0273
			SA 0274
T50	55mm	100mm	SA 0275
		140mm	SA 0276
		200mm	SA 0277
T55	55mm		SA 0278
		100mm	SA 0279
		140mm	SA 0280
T60	55mm	200mm	SA 0281
			SA 0282
		100mm	SA 0283
T65	55mm	140mm	SA 0284
		200mm	SA 0285
			SA 0286
T70	55mm	100mm	SA 0287
		140mm	SA 0288



RIBE BIT SOCKETS

SIZE	SHORT	LONG	REF
M5	55mm		SA 0320
		100mm	SA 0321
			SA 0322
M6	55mm	100mm	SA 0323
			SA 0324
		100mm	SA 0325
M7	55mm	240mm	SA 0436
			SA 0437
		100mm	SA 0300
M8	55mm	140mm	SA 0301
		200mm	SA 0302
		240mm	SA 0303
M9	55mm		SA 0295
		100mm	SA 0296
		140mm	SA 0297
M10	55mm	200mm	SA 0298
		240mm	SA 0299
			SA 0304
M12	55mm	100mm	SA 0306
		140mm	SA 0307
		200mm	SA 0308
M13	55mm		SA 0309
		100mm	SA 0310
		140mm	SA 0311
M14	55mm	200mm	SA 0312
			SA 0313
		100mm	SA 0314
M16	55mm	140mm	SA 0315
		200mm	SA 0316
			SA 0317
M18	55mm	100mm	SA 0318
		140mm	SA 0319
		200mm	SA 0325

XZN SOCKET BIT

SIZE	SHORT	LONG	REF
M5	55mm		SA 0359
		100mm	SA 0360
		140mm	SA 0364
M6	55mm		SA 0408
		100mm	SA 0361
		140mm	SA 0362
M8	55mm	100mm	SA 0363
		140mm	SA 0365
		200mm	SA 0368
M9	55mm	200mm	SA 0369
			SA 0366
		100mm	SA 0367
M10	55mm	140mm	SA 0343
			SA 0344
		100mm	SA 0345
M12	55mm	140mm	SA 0346
		200mm	SA 0347
			SA 0348
M14	55mm	100mm	SA 0349
		140mm	SA 0350
		200mm	SA 0351
M16	55mm	100mm	SA 0352
		140mm	SA 0353
		200mm	SA 0354
M18	55mm	100mm	SA 0355
		140mm	SA 0356
		200mm	SA 0357
M20	55mm	100mm	SA 0358

END SLEEVES

HEXAGONAL IMPACT

SIZE	SHORT	LONG	REF
4mm		78mm	SA 0477
5mm		78mm	SA 0477
6mm		78mm	SA 0478
8mm		78mm	SA 0479
10mm		78mm	SA 0480
12mm		78mm	SA 0481
14mm		78mm	SA 0482
17mm		78mm	SA 0483
19mm		78mm	SA 0484
COFFRET		78mm	OM 7112



3/4" SOCKET & RATCHET

HGV 3/4" SOCKET SET XZN 16-18 TORX T70-T100 (6 PCS)

OM 2332

Contents:

- SA0470: Socket T70
- SA0471: socket T80
- SA0472: socket T90
- SA0473: socket T100
- SA0474: socket XZN M16
- SA0475: socket XZN M18



HEX IMPACT SOCKET KIT 26-38mm 3/4" (8 PCS)

OS 3400

Contents:

- OS3401: 26mm impact socket
- OS3402: 27mm impact socket
- OS3403: 29mm impact socket
- OS3404: 30mm impact socket
- OS3405: 32mm impact socket
- OS3406: 35mm impact socket
- OS3407: impact socket 36mm
- OS3408: impact socket 38mm



DIN ISO 2725-3



3/4" LONG HEX IMPACT SOCKET SET 26-38mm (8 PCS)

OS 3430

Contents:

- OS3431: 26mm 3/4" long hex impact socket
- OS3432: 27mm 3/4" long hex impact socket
- OS3433: impact socket, hexagonal, long 29mm 3/4" (3/8")
- OS3434: impact socket 6 hex long 30mm 3/4" (1.5")
- OS3435: Impact socket 6 hex long 32mm 3/4" (1.5")
- OS3436: Impact socket 6 hex long 35mm 3/4" (3/8")
- OS3437: Impact socket 6 hex long 36mm 3/4" (3/8")
- OS3438: impact socket 6 hex long 38mm 3/4"



DIN ISO 3129



1" D. 3/4" D. REDUCER

OM 0043



1/2"D.x3/4"D. INCREASER

OM 0045



3/4"D. x 1/2"D. REDUCER

OM 0044



3/4"D.x1"D. INCREASER

OM 0033



RATCHET + 10 DOUBLE HEX SOCKET SET 3/4" D. 22-50mm

OM 2355BL

B.LINE
BUDGET SOLUTION

Contents:

- OS3411: 12-sided 22mm socket
- OS3412: 12-sided socket 24mm
- OS3413: 12-sided socket 27mm
- OS3414: 12-sided socket 30mm
- OS3415: 12-sided socket 32mm
- OS3416: socket 12 hex 36mm
- OS3417: 12-sided socket 38mm
- OS3418: 12-sided socket 41mm
- OS3419: socket 12 hex 46mm
- OS3420: 12-socket 50mm
- OS3421: 3/4" ratchet
- OS3422: 100mm extension
- OS3423: 200mm extension
- OS3424: toggle
- OS3425: sliding T-handle



3/4" RATCHET L.495mm

OS 3421

Component of OM 2355/OM 2355BL



3/4" DRIVE L. 950MM FORCE HINGED HANDLE

OS 3426

+
Maximum leverage



Specifications:

- articulated force bar with replaceable head (SA3026)
- drive: 3/4
- length: 950mm



3/4" D. DOUBLE HEX SOCKET Ø56mm FORD TRANSIT

OM 0156



HUB WRENCH DOUBLE HEX Ø65mm 3/4" IVECO DAILY/FORD TRANSIT

OM 0065





SOCKET & RATCHET • 1" SOCKET & RATCHET

← FIND THE ALL 1" SOCKET & RATCHET RANGE HERE

1" SOCKET & RATCHET

HEX IMPACT SOCKET KIT 24-50mm 1" (9 PCS)

TN

OS 3500

DIN ISO 2725-3



Contents:

- OS3501: 24mm impact socket
- OS3502: 27mm impact socket
- OS3503: 30mm impact socket
- OS3504: 32mm impact socket
- OS3505: 35mm impact socket
- OS3506: 38mm impact socket
- OS3507: impact socket 41mm
- OS3508: impact socket 46mm
- OS3509: impact socket 50mm



1" LONG HEX IMPACT SOCKET SET 24-50mm (9 PCS)

TN

OS 3530

Contents:

- OS3531: impact socket 6 hex long 24mm 1" Length 90mm
- OS3532: impact socket 6 hex long 27mm 1" Length 90mm
- OS3533: impact socket 6 hex long 30mm 1" Length 90mm
- OS3534: impact socket 6 hex long 32mm 1" Length 90mm
- OS3535: impact socket 6 hex long 35mm 1" Length 90mm
- OS3536: impact socket 6 hex long 38mm 1" Length 95mm
- OS3537: impact socket 6 hex long 41mm 1" Length 95mm
- OS3538: impact socket 6 hex long 46mm 1" Length 95mm
- OS3539: impact socket 6 hex long 50mm 1" Length 100mm



DIN ISO 3129



RATCHET HANDLE+HEX SOCKETS SET 1" D. FOR HGV 36-80mm (15 PCS)

TN

OM 2354BL

B.LINE
BUDGET SOLUTION

Contents:

- OS3511: 36mm hexagon socket
- OS3512: 38mm hexagon socket
- OS3513: hexagon socket 41mm
- OS3514: 46mm hexagon socket
- OS3515: hex socket 50mm
- OS3516: hexagon socket 55mm
- OS3517: hexagon socket 60mm
- OS3518: hexagon socket 65mm
- OS3519: hexagon socket 70mm
- OS3520: hexagon socket 75mm
- OS3521: hexagon socket 80mm
- OS3522: ratchet
- OS3523: 190mm extension
- OS3524: 365mm extension
- OS3525: sliding T-handle




1" RATCHET

TN

OS 3522

Component of OM 2354/OM 2354BL



Specifications:

- overall length: 65.5cm
- handle length: 12.5cm





SCREWING

SCREWDRIVER INSERT (51PCS)

OS 1304BL



B.LINE
BUDGET SOLUTION

TN

Composition:

- 7 torx screwdrivers: T9x75-T15x100-T20x100-T25x100-T27x100-T30x100-T40x150mm
- 4 phillips screwdrivers: PH2x38-PH2x100-PH3x150-PH1x75mm
- 4 slot screwdrivers: SL6x38-SL5x75-SL6x100-SL6.5x150mm
- 1 bit holder screwdriver
- 3 slotted precision screwdrivers: SL1-2-3
- 2 phillips precision screwdrivers: PH0-1
- 3 1/4" pozidrive bits: PZO-1-2-3
- 6 bits 1/4" torx: T10-15-20-25-30-35
- 10 bits 1/4" phillips: PH0x2-1x2-4x2-3x3
- 10 bits 1/4" slot: SL3x2-4x2-5x2-6x2-7x2



INSERT MOUSSE
3/3

NO
WARRANTY



DIAMOND SCREWDRIVER INSERT PH-SLOTTED (8PCS)

OS 1200

8 PCS PH - FLAT DIAMOND SCREWDRIVER

OS 1201

Contents:

- OS1202: slot screwdriver 3x75mm
- OS1203: slot screwdriver 5.5x38mm
- OS1204: slot screwdriver 5.5x100mm
- OS1205: slotted screwdriver 6.5x150mm
- OS1206: slotted screwdriver 8x200mm
- OS1207: PH0x75mm screwdriver
- OS1208: screwdriver PH1x38mm
- OS1209: screwdriver PH2x125mm



Diamond powder-treated tip
= High breaking strength



S2 blade = high twisting
power



Insert dimensions :
390x190x35mm

DIAMOND SCREWDRIVER INSERT PH-SLOTTED (8PCS)

OS 1210

7 PCS T10-40 TORX SCREWDRIVER

OS 1211

Contents:

- OS1212: screwdriver
T10x100mm
- OS1213: screwdriver
T15x100mm
- OS1214: screwdriver
T20x100mm
- OS1215: screwdriver
T25x100mm



Triangular bi-material
handle

WARRANTY



SCREWDRIVER+BITS SET (58PCS)
OS 1031BL

NEW

B.LINE

BUDGET SOLUTION

TN

Contents:

- 3 flat-blade screwdrivers (6x125, 5x100, 6x38)
- 4 Phillips screwdrivers (2x125, 2x100, 1x75, 2x38)
- 6 Torx precision screwdrivers (T5x50, T6x50, T7x50, T8x50, T9x50, T10x50)
- 2 Phillips precision screwdrivers (0x50, 00x50)
- 2 flat precision screwdrivers (2.0x50, 2.5x50)
- 1 screwdriver bit holder
- 40 bits 6.35x25:
 - Flat 3x2-4x2-5x2-6x2
 - PH 0x2-1x2-2x2-3x3
 - T15x2-T20x2-T25x2-T30x2
 - H2x2-H2.5x2-H3x2-H4x2-H5x2-H6x2-H8x2

2

WARRANTY

SCREWDRIVER+BIT SET (114PCS)
OS 1030BL

B.LINE

BUDGET SOLUTION

TN

Contents:

- 5 Phillips screwdrivers (0x75, 1x75, 1x100, 2x100, 2x150)
- 3 Torx screwdrivers (T10x75, T15x75, T20x75)
- 2 square screwdrivers (S1x75, S2x100)
- 1 bit holder
- 48 Nozzles 6mm: Flat 3-4-4.5-5.5-6-7-8-2xPH0-2xPH1-2xPH2-2xPH3-2xPZ0-2xPZ1-2xPZ2-2xPZ3-T6-T8-T10-T15-T20-T25-T27-T30-T35-T40-H1.5-H2.5-H3-H3.5-H4-H4.5-H5-H5.5-H6-H8-S0-S1-S2-S3
- 16 hexagonal wrenches: 1.5-2-2.5-3-4-5-5.5-6mm (1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4")
- 20 precision Nozzles: 2x1-2x1.5-2x2mm (2xPH000-2xY000-2xTE0.8-2xTE1.2-2xT4-2xT5-2xT6)
- 6 sockets: 6-7-8-9-10-11 for screwdriver with 6-sided 6mm drive
- 6 precision screwdrivers 2.5x40, 3.0x40, PH00x40, PH0x40, T6x40, T8x40mm
- 1 precision Nozzle holder: S3

2

WARRANTY

FLEXIBLE HOSE CLAMP DRIVER 6-7mm
OM 0950

B.LINE

BUDGET SOLUTION

TN

Specifications:

- flexible length: 200mm
- handle length: 120mm
- reversible socket 6 and 7mm

2

WARRANTY

14 BIT IMPACT SCREWDRIVER SET
OM 0679

B.LINE

BUDGET SOLUTION

TN

Nozzles:

- slotted 5-6-8-10-12mm
- hexagonal 4-5-6-8mm
- phillips 1-2-3-4
- torx 40

NO

WARRANTY



HEX T-HANDLE WRENCH INSERT
3-10mm (7 PCS)
OS 2000

B.LINE

BUDGET SOLUTION

TN

Specifications:

- 1/3 drawer format
- Insert dimensions: 390x190x35mm
- Ergonomic bi-material PP+TPV handle
- DIN ISO 2396

2

WARRANTY

390mm

190mm

1/3

+

Magnetic Nozzle

SVCM steel blade

INSERT

MOUSE

1/3

NO

WARRANTY

SET OF H1.5-10 SPHERICAL
HEXAGONAL WRENCHES (9 PCS)
OS 3218BL

B.LINE

BUDGET SOLUTION

TN

Sizes: 1.5-2-2.5-3-4-5-6-8-10mm

Length H10: 119mm

NO

WARRANTY

TORX WRENCH SET T10-50
(9 PCS)
OS 3219BL

B.LINE

BUDGET SOLUTION

TN

Sizes: T 10-15-20-25-27-30-40-45-50

T50 length: 117mm

NO

WARRANTY

SPHERICAL HEX KEY SET H1,5-10 (9
PCS)
OS 3220

B.LINE

BUDGET SOLUTION

TN

Spare parts of OS 3200/OS 3270

Contents:

- OS3221: H1.5 spherical hexagonal key
- OS3222: Spherical hex key H2
- OS3223: H2.5 spherical hex key
- OS3224: H3 spherical hex key
- OS3225: H4 spherical hex key
- OS3226: H5 spherical hex key
- OS3227: H6 spherical hex key
- OS3228: H8 spherical hex key
- OS3229: H10 spherical hex key

NO

WARRANTY

TS 7 KEY SET TS10-TS15-TS20-
TS25-TS27-TS30-TS40
OM 7005

B.LINE

BUDGET SOLUTION


TN

Contents:

- TS10: 10mm TS key
- TS15: 15mm TS key
- TS20: 20mm TS key
- TS25: 25mm TS key
- TS27: 27mm TS key
- TS30: 30mm TS key
- TS40: 40mm TS key

NO

WARRANTY




BITS

SPECIAL BIT INSERT (43PCS)

OS 6000

- Specifications:**
- 1/3 drawer format
 - Insert dimensions:390x190x35mm
 - DIN ISO 1173
 - DIN ISO 3126
- Contents:**
- 7 L.30mm 1/4" short Nozzles
Pozidrive: PZ1, PZ2, PZ3
Hexagonal: H4, H5, H6, H7
 - 14 short Nozzles L.30mm 10mm drive
Hexagonal: H8, H10
Torx drilled: T10, T15, T20, T25, T30, T35
Torx: T45, T50, T55
XZN: M6, M8, M10
 - 20 long Nozzles L.75mm drive 10mm
Hexagonal: H4, H5, H6, H7, H8, H10
Torx drilled: T10, T15, T20, T25, T30, T40
Torx: T30, T40, T45, T50
XZN: M5, M6, M8, M10
 - 1/4" bit holder, 1/4" square drive
 - 10mm bit-holder socket, 1/2" square drive



NO WARRANTY

PACK OF 30 1/4" SCREWDRIVER BITS

OS 1170BL

- Contents :**
- 4 pozidrive Nozzles: 0-1-2-3
 - 6 torx bits: 10-15-20-25-30-50
 - 10 phillips bits: 0x2-1x2-2x4-3x2
 - 10 flat Nozzles: 3x2-4x2-5x2-6x2-7x2



NO WARRANTY

32 PCS SCREWDRIVER BIT 1/4" SET

OS 3230

- Spare parts of OS 3200*
- Contents:**
- 30 Nozzles:
Pozidrive: PZ1, PZ2 (x2), PZ3
Phillips: PH1, PH2 (x2), PH3
Flat: 3, 4, 5, 6
Hexagonal: H3, H4, H5, H6
Torx: T10, T15, T20, T25, T27, T30, T40
Torx drilled: T10, T15, T20, T25, T27, T30, T40
 - 1 1/4" magnetic bit-holder socket
 - 1 bit holder adapter for screwdriver



NO WARRANTY

SCREW BIT SET (100 PCS)

OM 0655BL

- Contents:**
- 1 magnetic Nozzle holder
 - 1 Y adapter
 - 1 1/4" hexagonal square male/male adapter
 - 1 1/4" hexagonal square female/female adapter
 - 1 1/4" drive bit holder socket
 - 95 Nozzles L.25mm:
Phillips: 0-1-2(x5)-3
Pozidrive: 0-1-2(x5)-3
Square: R0-1-2-3
Flat: 3-4-4.5-5-5.5-6-6.5-7-8
Torx: T8-10-15-20-25-27-30-40-45

- Torx drilled: T8-10-15-20-25-27-30-35-40
- Hexagonal metric: H1.5-2-2.5-3-4-5-5.5-6-8
- Hexagonal inch: H1/16-5/64-3/32-7/64-1/8-9/64-5/32-3/16-7/32-1/4
- Hexagonal drilled metric: HT2-2.5-3--4-5-6
- Hexagonal drilled inch: HT5/64-3/32-7/64-1/8-9/64-5/32
- XZN: M5-6-8
- Tri-wings: TW1-2-3-4
- Spanner: SN4-6-8-10
- Clutch: CG1-2-3



NO WARRANTY



BITS SET

6.3



SIZE	DESIGNATION	REF
	5 BITS SET 1/4" SHORT PZ1	OS 6002
	5 BITS SET 1/4" SHORT PZ2	OS 6003
	5 BITS SET 1/4" SHORT PZ3	OS 6004
	5 SCREWDRIVER BITS SET 1/4" H3	OS 3238
	5 BITS SET 1/4" SHORT H4	OS 6005
	5 BITS SET 1/4" SHORT H5	OS 6006
	5 BITS SET 1/4" SHORT H6	OS 6007
	5 BITS SET 1/4" SHORT H7	OS 6008
	5 SCREWDRIVER BITS SET 1/4" PH1	OS 3231
	5 SCREWDRIVER BITS SET 1/4" PH2	OS 3232
	5 SCREWDRIVER BITS SET 1/4" PH3	OS 3233
	5 SCREWDRIVER BITS SET 1/4" SLOTTED 3	OS 3234
	5 SCREWDRIVER BITS SET 1/4" SLOTTED 4	OS 3235
	5 SCREWDRIVER BITS SET 1/4" SLOTTED 5	OS 3236
	5 SCREWDRIVER BITS SET 1/4" SLOTTED 6	OS 3237
	5 SCREWDRIVER BITS SET 1/4" T10	OS 3239
	5 SCREWDRIVER BITS SET 1/4" T15	OS 3240
	5 SCREWDRIVER BITS SET 1/4" T20	OS 3241
	5 SCREWDRIVER BITS SET 1/4" T25	OS 3242
	5 SCREWDRIVER BITS SET 1/4" T27	OS 3243
	5 SCREWDRIVER BITS SET 1/4" T30	OS 3244
	5 SCREWDRIVER BITS SET 1/4" T40	OS 3245
	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T10	OS 3246
	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T15	OS 3247
	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T20	OS 3248
	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T25	OS 3249
	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T27	OS 3251
	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T30	OS 3252
	5 SCREWDRIVER BITS SET 1/4" TORX TAMPER T40	OS 3253

HEX BITS



10

6

SIZE	SHORT	LONG	REF
H4	•		SA 2325
		•	SA 2326
H5	•		SA 2331
		•	OS 6009
H6	•		OS 6010
		•	SA 2353
H7	•		OS 6023
		•	OS 6024
H8	•		OS 6025
		•	OS 6026
H10	•		OS 6027
		•	OS 6028

FLAT BITS



10

6

SIZE	SHORT	LONG	REF
P02	•		SA 2334
P03	•		SA 2335

TORX BITS



10

6

SIZE	SHORT	LONG	REF
T20	•		SA 2317
		•	SA 2340
T25	•		SA 2318
		•	SA 2341
T30	•		SA 2319
		•	OS 6035
T40	•		SA 2320
		•	OS 6036
T45	•		OS 6017
		•	OS 6037
T50	•		OS 6018
		•	OS 6038
T55	•		OS 6019
		•	SA 2346
T60	•		SA 2347
		•	SA 2324

XZN BITS



10

6

SIZE	SHORT	LONG	REF
M5	•		SA 2312
		•	OS 6039
M6	•		OS 6020
		•	OS 6040
M7	•		OS 6021
		•	OS 6041
M8	•		OS 6022
		•	OS 6042
M9	•		SA 2316
		•	SA 2339

TORX BITS DRILLED



10

6

SIZE	SHORT	LONG	REF
T10	•		OS 6011
		•	OS 6029
T15	•		OS 6012
		•	OS 6030
T20	•		OS 6013
		•	OS 6031
T25	•		OS 6014
		•	OS 6032
T30	•		OS 6015
		•	OS 6033
T40	•		OS 6016
		•	OS 6034

NO WARRANTY



PLIERS

← FIND ALL **PLIERS** RANGE HERE



PLIERS

TN



INSERT PLIERS (4PCS)

OS 5300

NEW



Lifetime warranty

Specifications:

- 1/3 drawer format
- Insert dimensions: 390x190x35mm



INSERT
MOUSSE
1/3



WARRANTY



UNIVERSAL PLIERS L.180mm

OS 5303

NEW

Specifications:

- Max. opening: 25mm
- 60CRV
- PVC handle
- Standard DIN 5746



MULTIPURPOSE PLIERS L.250mm QUICK ADJUSTING

OS 5304

NEW

Specifications:

- knob SIZE adjustment: positions
- max. opening: 65mm
- 40 CRV
- tPR handle
- standard DIN ISO 8976: 2006



LONG NOSE PLIERS L.200mm

OS 5302

NEW

Specifications:

- Max. opening: 50mm
- 60CRV
- PVC handle
- Standard DIN 5745



WARRANTY



CUTTING PLIERS L.160mm

OS 5301

NEW

Specifications:

- Max. opening: 15mm
- 60CRV
- PVC handle
- Standard DIN 5749



WARRANTY

PLIERS

← FIND ALL **PLIERS** RANGE HERE



TN

4PCS CIRCLIP PLIER INSERT 178mm INSIDE-OUTSIDE

OS 5200

Specifications:

- invisible spring
- material: body: S45C
- bearing steel 48-52HRC
- tips hardness 52HRC high tensile strength
- bolted joint

- DIN ISO 5254 (exterior) and ISO 5256 (interior)



High-strength tips



CURVED PLIER EXTERNAL CIRCLIP 178mm

OS 5203



STRAIGHT PLIER EXTERNAL CIRCLIP 178mm

OS 5202



STRAIGHT PLIER INNER CIRCLIP 178mm

OS 5201



CURVED PLIER INNER CIRCLIP 178mm

OS 5204

INSERT
MOUSSE
1/3



WARRANTY

MULTIPURPOSE PLIERS L.300mm QUICK ADJUSTING

OS 5305

NEW



Lock button

Specifications:

- 29-position knob adjustment
- max. opening 75mm
- 40 CRV
- PVC handle
- standard DIN ISO 8976: 2006



WARRANTY

2 PCS HGV CIRCLIP SET (INTERIOR-EXTERIOR)

OM 0111



Maximum opening:
75mm

Specifications:

- easy-to-adjust rack-and-pinion mechanism
- 3 pairs of interchangeable Nozzles for each clamp
- 420mm length
- max. opening 75mm



WARRANTY



HAMMERING TOOLS

FIND ALL HAMMERING TOOLS RANGE HERE



HAMMERING TOOLS

HAMMERING INSERT (10 PCS)

OS 0850

Contents:
OM0160: rivet hammer with composite handle
OM0170: mallet with 32mm interchangeable nozzles
OM0803: automatic punch
OM0801: set of 6 pin-chasers
OM0800: extra-flat chisel



NO WARRANTY

DEAD BLOW HAMMER WITH INTERCHANGEABLE TIP 32mm

OM 0170

Specifications:
• nylon shore 100+92
• ash handle
• length 300mm
• head length 93mm
• compliant with DIN 1195 (eye) and DIN 5111 (handle) standards



SA 1073	INTERCHANGEABLE TIP 32mm POLYURETHANE
SA 1070	2 INTERCHANGEABLE TIPS 32mm NYLON

NO WARRANTY

RIVOIR HAMMER COMPOSITE HANDLE 1000gr

OM 0160

Handle lenght : 360mm

Specifications:
Complies with DIN 1195 (for the eye),
DIN 1193 (for the weft).



WARRANTY

RIVOIR HAMMER ASH TREE HANDLE 1500gr

OM 0161

handle lenght : 360mm

Specifications:
• complies with DIN 1195 (eye), DIN 1193 (weft) and DIN 5111 (handle) standards
• ash handle length 360mm
with nylon protection sleeve
• 44mm square striking
• weight: 1.5kg



WARRANTY

FORGED STEEL HAMMER 1250g

OM 0125

Specifications:
• forged C45 steel, hardness HRC50-58
• chamfered edges
• ergonomic handle with rubber grip
• length: 260mm
• weight: 1250g



Handle lenght : 260mm

WARRANTY

HAMMERING TOOLS

FIND ALL HAMMERING TOOLS RANGE HERE



ANTI-REBOUND HAMMER 4.5kg L.900mm

OM 0135



Allows truck wheels to be lifted off when stuck to the hub.

Specifications:
• anti-bounce technology
• plastic handle L.780mm
• head dimensions: L.180xW.105xH.105mm



NO WARRANTY

RUBBER HAMMER 300mm 540g

OM 0540

Allows seals, bearings, etc. to be fitted without damaging them



Specifications:
• handle: wood
• head: rubber Ø57mm
• length: 300mm

NO WARRANTY

AUTOMATIC PUNCH

OM 0803

Automatic spring-loaded release allows metal to be pointed without using the hammer.
Adjustable striking force by means of thumbwheel.



Specifications:
Length: 143mm
Striking power 36kg

NO WARRANTY

6 PIN DRIVER SET WITH BASE

OM 0801



Specifications: Ø3-4-5-6-8-10mm
Length: 150mm
Standards NFE 71211, DIN 6450C

NO WARRANTY

EXTRA LONG BRASS DRIFT 250X20mm

OM 0810



Complies with EN 13463-1 standard

NO WARRANTY



HAMMERING TOOLS

FIND ALL HAMMERING TOOLS RANGE HERE

13 PCS HOLLOW PUNCH SET Ø5-Ø35mm

OM 0581



Contents:
Supplied in a box
• die holder
• cookie cutters Ø5-6-8-10-11-13-16-19-22-25-28-32-35mm



TN

EXTRA FLAT SPLITTING CHISEL

OM 0800

Extra-flat chisel in chrome vanadium steel, resharpenable.
Standard: DIN 5463



Length: 240mm
Width: 26mm
Thickness: 7mm



TN

LEVER SET WITH STRIKE DISK (4 PCS)

OM 0258



Contents:
• SA0242: lever with striking pad L.200mm
• SA0243: lever with impact pad L.300mm
• SA0244: lever with impact pad L.450mm
• SA0246: lever with impact pad L.600mm



TN

TORQUE WRENCHES • TORQUE WRENCHES

FIND ALL TORQUE WRENCHES RANGE HERE



TORQUE WRENCHES

TORQUE WRENCH 1/2" 40-210Nm 450mm

OM 0790BL

Supplied with calibration certificate



TN



TORQUES WRENCHES

High precision torque wrench in Newton meter, graduated in decimal with precision of 1 in 1.
The wrench also works for reverse pitch torque.
The audible click is easily recognizable when the set value is reached.
The spring-loaded setting ring automatically locks in the desired torque value.
No risk of losing the value during use.
The 72-tooth reversible ratchet allows for a short adjustment, with push-button locking of the sockets.



72-teeth ratchet



Automatic locking



Supplied with calibration certificate

REF	Drive	Tightening torque	Length	Weight	Precision	Reading
OM 0791	1/4"	1-6 Nm	197 mm	260 g	+/- 3% (tightening)	0.05 -> 0.05
OM 0794	1/4"	5-25 Nm	240 mm	320 g		0.25 -> 0.25
OM 0795	3/8"	10-60 Nm	295 mm	410 g		0.5 -> 0.5
OM 0796	3/8"	20-120 Nm	420 mm	1000 g		1 -> 1
OM 0792	1/2"	40-220 Nm	525 mm	1150 g	+/- 6% (tightening)	1 -> 1
OM 0793	3/4"	100-600 Nm	1000 mm	4890 g		2.5 -> 2.5
OM 0797	1"	300-1500 Nm	1000 mm + 800 mm	6700 g		1 -> 1



TN



TELESCOPIC L-SHAPED WRENCH 1/2"

OM 0764BL

Specifications:

• length: 365-530mm

• ball socket retainer

1/2"

2

WARRANTY

B.LINE

BUDGET SOLUTION

120Nm PRESET 1/2" D. TORQUE WRENCH

OM 0765

Indispensable for tightening wheels: thanks to its preset torque, the operator loses no time.

The wrench has a length of 375mm and a 105° bend for rapid stud tightening. An audible click signals that the torque has been reached.

Specifications:

• triggering accuracy ± 4%

• weight: 825g

• length: 375mm

1/2"

2

WARRANTY

DIN ISO 6789 standard

+

Supplied with calibration certificate

TORQUE WRENCH WITH INTERCHANGEABLE HEADS 3/8" D. 30-110Nm 331mm

OM 0784

Forks: 10-11-12-13-14-15-16-17-18-19

Compliant with DIN ISO 6789 2017-1

Supplied with calibration certificate

3/8"

5

WARRANTY

APPROVED BY

SNR

SEAL OF NEW CONSTRUCTION

1/2" D. ANGLE WRENCH WITH MAGNETIZED ARM

OM 0750

1/2"

2

WARRANTY

MEASUREMENT & CONTROL

FIND ALL MEASUREMENT & CONTROL RANGE HERE

MEASUREMENT & CONTROL

MEASURING TOOLS INSERT (6PCS)

AC 0000

Contents metrology for precision measurement.

Includes measuring tools for specific applications (bores, bearings, valve pads, cylinders, etc.).

Foam insert module for optimum tool storage.

Contents:

• AC0513: caliper

• AC0517: micrometer

• AC0002: depth gauge 200mm

• AC0003: square 100X70mm

• AC0004: scribe

• AC0005: ruler 150mm

Specifications:

• 1/3 drawer format

• ruler: 150mm

• scribing tip: 146mm

• depth gauge: 200mm

• square: 100X70mm

• caliper: 150mm

• micrometer 0-25mm

INSERT MOUSSE 1/3

2

WARRANTY

CALIPER TOOL

AC 0513

Spare parts of AC 0000

Calibration certificate

2

WARRANTY

DIGITAL CALIPER

AC 0511

Calibration certificate

2

WARRANTY

MICROMETER 0-25mm

AC 0517

Spare parts of AC 0000

2

WARRANTY

MICROMETER 25-50mm

AC 0528

2

WARRANTY

204 | CLAS

| CLAS | 205