


clas.com



OE 0145BL



€VAT Excl.

Instead of 19,90 €VAT Excl.*



Hand lamp equipped with a dimmer. Rechargeable via USB cable provided.



















TN

360° IKO7 MINI LAMP

OE 0129

TN

€VAT Excl.

Instead of 36 €VAT Excl. *





TN




















TN

MINI RECHARGEABLE INSPECTION LAMP **3W COB+1SMD**

OE 0395



€VAT Excl.

Instead of 34 €VAT Excl.*





UV MINI RECHARGEABLE INSPECTION LAMP

OE 0396





€VAT Excl.

USB-C 0.1

Instead of 39 €VAT Excl.*



















RECHARGEABLE ALUMINUM RAMP **32 LED IK07**

OE 0178

The light ramp is simple and fast to set up to work hands-free, under the car's hood or inside the car.















€VAT Excl.

Instead of 135 €VAT Excl.*







WARRANTY

DUAL LIGHT FLEXIBLE HEADLAMP

OE 0057

The stretchy silicone headband fits all head sizes and provides comfort during use.

Powerful lamp with 5 lighting modes, it illuminates up to 230°. Its contactless sensor allows a «hands-free" use.

Multiple uses.







BUY €VAT Excl. X12 €VAT Excl.

Instead of 22 €VAT EXCL.*





TN

ULTRATHIN CORDLESS RECHARGEABLE LAMP WITH VARIABLE INTENSITY 7W IK07

USB-C 0.07

OE 0143

Lamp equipped with a dimmer, allowing an optimal intensity adjustment in all situations.

The headlight can be used alone or simultaneously with the front lighting thanks to the separate switch.

Impact-resistant ABS body with rubber coating for perfect grip.



Instead of 65 €VAT Excl.*

X12



Precise light intensity





















BOOSTER 12V 1600A

OE 5050

Compatible with all 12V vehicles

Specifications:

- peak current (HPCA): 530A
- starting current (AC): 350A
- cold start current (CCA): 270-280A
- capacity: 15Ah
- cables: 25mm², L.64cm
- integrated cigarette lighter socket
- charging time: 4-8h
- · LED charge indicator
- oversized and insulated copper/brass clips
- shockproof ABS case
- battery: AGM • weight: 6.7kg
- dimensions: 260x140x260mm







342 €VAT Excl.*

BATTERY CHARGER OE 8004) 69 €VAT Excl.



FREE!



BOOSTER 12V 2500A

OE 5051

Compatible with all 12V vehicles

Specifications:

- peak current (HPCA): 1000A
- starting current (AC): 450A
- cold start current (CCA): 300-330A
- capacity: 22Ah
- cables: 25mm² (1.5in)
- integrated cigarette lighter socket
- charging time: 4-8h
- oversized and insulated copper/brass clamps
- Fuse integrated to the clamp
- shockproof ABS case
- battery: AGMweight: 10.6kg
- dimensions: 320x130x300mm







€VAT Excl. 399

Instead of 439 €VAT Excl.

BATTERY CHARGER 4A


OE 8004 69 €VAT Excl.*

FREE!



BOOSTER 12-24V 6200A/3100A

OE 5052



Specifications:

- peak current (HPCA): 2540A (12V) / 1270A (24V)
 starting current (AC): 1580A (12V) / 790A (24V)
 cold start current (CCA): 1040-1100A (12V) / 520-550A (24V)
- capacity: 2x33Ah (12V) / 33Ah (24V)
 cables: 50mm², L.165cm
 integrated cigarette lighter socket

- charging time: 4-8h
- · voltmeter digital charge indicator
- battery: AGMweight: 29kg
- dimensions: 410x280x550mm






SAVE 230€

€VAT Excl.

Instead of 1520 €VAT Excl. *

















TIRE CHANGER WITH LEVERLESS 13-28" 2 SPEED SYSTEM 400V


DM 1900

2-speed automatic tire changer with mounting aid (assist arm) + pneumatic assistance on leverless stem.

Automatic tire changer specially designed for effortless mounting and demounting of all passenger car, commercial vehicle and 4x4 tires.

Equipped with articulated bead lift and push device.





Specifications:

- horizontal arm moving on roller for easy translation
- jib equipped with leverless pneumatic finger
- inflator with pressure gauge
- maximum tire diameter: 1100mm
- max. tire width: 3 to 14 inches
- curved platform with anti-pinch safety device
- outer rim diameter: 13 to 24 inches
- inner rim diameter: 15 to 28 inches
- 2 speeds without switch: rotation speed 1: 6.5 rpm rotation speed 2: 13rpm
- ergonomic, intuitive pedals
- 2-position telescopic and swiveling take-off shovel with double-acting cylinder
- operating pressure: 8-10bar
- air cleaner and oil lubricator
- tubeless inflation safety valve: 3.5bar
- noise level < 70dB
- power supply: 400V-50Hz
- power: 0.85-1.1kW
- detent power: 2800kg
- dimensions: 1900x1580x2000mm









ROLL PLATFORM FOR BEAD BREAKER

DM 0200

Easy wheel rotation while using the bead breaker. Attach to the ground at the same level as the detaching shovel.



Workshop ergonomics increased



109 €VAT Excl.

Instead of 169 €VAT Excl.*



€VAT Excl.

SAVE 409€

890

Instead of 4299 €VAT EXCL*

AUTOMATIC TIRE CHANGER 10"-24" 1 SPEED SYSTEM 230V

DM 1522

1-speed automatic tire changer with mounting aid (assistance arm) Automatic tire changer specially adapted for the effortless mounting and dismounting of all car, utility and 4×4 tires. Equipped with the bead pusher device with articulated bead pusher arm, adjustable to fit to each type of rim and tires.



Ideal for Run Flat or low-profile tires


Specifications:

- roller-supported horizontal arm
- inflator with pressure gauge
- max. wheel diameter: 1180mm
- tire width: 3"-12"
- turntable with anti-pinch device
- outside clamp diameter: 10"-21"
- inside clamp diameter: 12"-24"
- turntable rotation speed: 6.5rpm
- ergonomic foot pedal
- adjustable 2 positions bead breaker blade with protection and double acting cylinder jack
- working air pressure: 8-10bar
- air cleaner and oil lubricator
- tubeless inflator safety valve: 3.5bar
- sound level < 70 dB
- power supply voltage: 230V
- power: 0,75kW
- bead breaker arm power: 2500kg
- tire changer weight: 315kg
- dimensions: 1850x1800x1980mm









Specifications:

OP 0689

- 18L aluminum tank
- 2 PU barrels, no damage to rims
- barrel width: 250mm
- height: 680mm
- ergonomic 45° handle
- pressure gauge 0-16bar
- 10.0bar safety valve
- operating pressure: between 6 and 8 bar
- weight: 13kg







€VAT Excl.*






2 ARRANTY











MOTORIZED WHEEL BALANCER WITH **DIGITAL DISPLAY**

EQ 1000

Motorized wheel balancer equipped with a large digital display and manual measurement of 3 parameters for precise, simple and rapid work on wheels for LV, LCVs and 4x4s.

- european software
- automatic cycle
- · multipurpose keys
- static and dynamic program (dual plane) in a single measuring run
- 9 modes: 7 Alu (hidden weight)+Optimization+Motocycle balancing
- automatic reset/Machine calibration: 50g weights
- auto diagnostic with error codes
- multiple operator function
- simultaneous display of weights and weight positions
- measuring precision: ±1g
- display precision: 1g/5g





Specifications:

- power supply voltage: 220V-50Hz
- dimensions (wheel guard opened): 1550x1160x1490mm
- sound level < 69dB
- digital display (automatic standby mode if the machine is not being in use after 5min)
- max. wheel diameter: 1100mm
- max. wheel weight: 70kg
- rim diameter: 1-28"
- rim width: 1.5-20"
- wheel 3 parameters manual measurement
- · automatic wheel guard
- one balance time: 7s
- rotating speed: 140rpm
- shaft: L.210mm-Ø40mmx4mm
- ergonomic and functional weight holder top with large trays for different types of counterweights and tools.
- 4 storage media
- support of positioning weight
- weight: 149kg














TN

CYLINDRICAL UNIVERSAL CENTERING PLATE Ø40mm

EQ 6400BL







Instead of 489 €VAT Excl.*





• 165mm

• 168mm





MANUAL MOTORIZED WHEEL BALANCER LED SCREEN

EQ 0600BL

W

/ 177 \

Wheel balancer designed for dynamic or static balancing of VL-VUL-4X4 wheels. The advantage of this machine is its modern, ergonomic design. The intuitive calibration system makes work easier and improves balancing accuracy. The machine is equipped with an LED display. Manual parameter entry.





Specifications:

- power supply: 230V-50Hz
- motor power: 180W
- dimensions open housing: 880x980x1420mm
- LED display
- maximum wheel weight: 65kg
- minimum rim diameter: 10 inches
- max rim diameter: 24 inches
- rim width: from 1 to 20 inchesmanual measurement of 3 parameters: offset-
- diameter-width
- safety housing
- rotation speed: 200 rpm
- · compartmentalized tray for cones and weights
- 4 storage racks
- noise level <70dB
- weight: 87kg









1599 €VAT Excl.

MULTIFUNCTIONAL TIRE PLIERS

OC 8034 28 €VAT Excl.*

FREE!

2-IN-1 REVERSIBLE VALVE/VALVE CORE REMOVAL

OM 7008 21 €VAT Excl.*

FREE!





The ergonomic, compact design offers greater





€VAT Excl.

Instead of 69 €VAT EXCI.*

Features:

- 4-position variator
- exhaust handle
- one-hand reverser

EN ISO 15744:2008 **FN ISO 4871** EN ISO 11148-6:2012

Specifications:

- dual hammer technology
- loosening torque: 1600Nm
- tightening torque: 850Nm
- speed: 8,500 rpm
- connection: 1/4"
- recommended hose Ø: 10mm
- supply pressure: 6.2bar
- consumption: 170l/min
- length: 185mm
- net weight: 2.1kg
- supplied with connector











One-hand reverser



1600Nr



TN

AIR REEL Ø8mm 10m

OP 0083BL

9 €VAT Excl.*

VARIABLE BLOWGUN BLACK METALLIC NOZZLE OP 0520 19 €VAT Excl.



Specifications:

- high-quality PU tubing
- resistant PP housing • length 10+1.5m
- · Øint. 8mm
- Øext. 12mm
- 1/4" connection
- 180° swivel wall bracket
- high-strength spring tension
- 10bar pressure
- · deactivatable shut-off device

TN

1/2" D. IMPACT WRENCH SET 1600Nm FOR WHEELS (19 PCS)

OP 1550BL







€VAT Excl.*

Specifications:

- · double hammer technology
- loosening torque: 1600Nm
- max tightening torque: 850Nm
- speed: 8.500rpm
- connection: 1/4"
- recommended hose Ø: 10mm
- supply pressure: 6.2bar
- consumption: 170l/min
- length: 185mm
- · net weight: 2.1kg





EG 6020) 53 €VAT Excl.*



















HU 1121





650 €VAT Excl.*

SET OF 6 BRAKE/ **CLUTCH BLEED** WRENCHES 95 €VAT EX OM 0501

FREE!



TN







BRAKE BLEEDER PLUG SET (16PCS)

HU 1122





179 €VAT Excl.*

SET OF 6 BRAKE/ **CLUTCH BLEED WRENCHES**

OM 0501 95 €VAT Excl.*

FREE!



TN

BRAKE DISC THICKNESS GAUGE

AC 0532BL

Using range: from 0 to 45mm







Instead of 25 €VAT Excl.*





TN

BRAKE FLUID TESTER PROBE

AC 5004

Dot 3-4-5



€VAT Excl.

Instead of 21 €VAT EXCI. *



TN

1.7I PRESSURE SPRAYER BRAKE **CLEANER**

OC 1510

- **Specifications:** Viton® seals
- adjustable nozzle
- · capacity: 1.5I+10%
- graduation: 0.5I-16oz
- graduation dilution 5 and 10 • side relief valve
- expanded Base





5L CONTAINER OF BRAKES CLEANER

CO 1530



€VAT Excl.

Instead of 46 €VAT Excl.*



PNEUMATIC SPRING COMPRESSOR WITH **ARTICULATED JAWS**

OP 2031

Specially designed to adapt to widely spaced loop springs and securely hold them in place.

Thanks to the innovative articulation system, automatic adjustment takes place when the spring is compressed.

SAVE 209€

€VAT Excl.

Instead of 1999 €VAT Excl.*



SPRING LOCKING CLAMP 27mm

OM 1180 127 €VAT Excl.*

FREE!



Specifications:

· height: 1400mm

opening of the grid OP2005: protective grid • OP2003 : articulated jaws • SA6904 : 1 cup Ø125 à Ø205mm • SA6916: 1 cup Ø78 à Ø130mm · SA6906: fall arrest support

· base:

Contents:

Length: 650mm

Width: 400mm

- · working pressure: 6bar/max. 8bar
- compression strength 1226kg
- · use and maintenance instruction book.

• SA2035: air supply contact breaker at the

- weight: 62kg







TN

REINFORCED PNEUMATIC SPRING **COMPRESSOR WITH ARTICULATED JAWS**

OP 3221

Specially designed to adapt to widely spaced loop springs and securely hold them in place.

Thanks to the innovative articulation system, automatic adjustment takes place when the spring is compressed.



€VAT Excl.

Instead of 2799 €VAT Excl.*

CLAMP 27mm

FREE!

Contents:

- OP2003: articulated upper jaws
- SA6904: lower cup 125-205mm
- SA6916: reinforced lower cup 78-130mm
- SA6906: fall protection support

Specifications:

- height: 1600mm
- length: 847mm
- width: 628mm • working pressure 6bar/max 10bar
- compression strength 2452kg
- · use and maintenance instruction book.
- · color: grey
- 2 position adjustable lower cup (e.g. Chrysler, Dodge RAM long travel shock absorber...)
- weight: 70kg







CLAS















25L WASTE OIL DRAINER

HU 0185BL

This vacuum tool can also be used to carry out draining on its own, both indoor and outdoor.

This oil drainer allows you to change engine oil by suction only. Thanks to its various probes (rigid and flexible) with diameters ranging from 5mm to 8mm.





Specifications:

- tank height: 470mm
- tank drain 1400mm
- 1400mm suction hose
- 3 flexible probes: Ø8; Ø6; Ø5 / L: 910mm
- 2 rigid probes: Ø6; Ø8 / L: 700mm
- case for probe L 680mm
- mano: from 0.2b to -1b
- venturi system
- supply: 6 to 8bar
- supply for tank emptying: 1bar Max
- · level indicator





FOLDABLE INSPECTION CREEPER

EG 0113BL




Specifications:

 dimensions: 92x38x9.5cm







€VAT Excl.

Instead of 45 €VAT Excl. *



TN

METAL TRANSFER PUMP

HU 0014BL

Specifications:

flow: 20I/min



Instead of 33 €VAT Excl. *



MANUAL PRIMING PUMP WITH **TAPPET** HU 0657BL





- flow: 181/min with anti-drip system
- standardized clamping ring
- 1100mm hose
- polyethylene pump





 $N\odot$



70I MIXED WASTE OIL DRAINER

HU 0189NBL

This oil drainer changes engine oil by suction or gravity. It features various probes (rigid and flexible) with diameters ranging from 5mm to 8mm.

The graduated scale on the used oil collection bowl allows you to monitor the quantity of oil removed.

Ideal for vehicles not equipped with level control probes.







- transparent pre-chamber with level indicator
- 1400mm suction hose
- 1400mm tank drain hose
- 3 flexible probes: Ø8; Ø6; Ø5 / L: 910mm
- 2 rigid probes: Ø6; Ø8 / L: 700mm
- gravity drain
- suction drain
- power supply: 6 to 8bar
- Ø bowl: 415mm
- pre-chamber capacity: 101
- supply for tank discharge: 1bar
- level indicator
- weight: 25kg
- min. height: 1320mm
- max. height: 1590mm





MAINTENANCE STATION FOR **AUTOMATIC GEARBOX**

HU 8011

Preventive tool designed to extend the life of automatic gearboxes. Avoids complex technical interventions and reduces intervention costs.

No specific knowledge required.





6700 €VAT Excl.*



2 storage drawers for connection



Connected touch tablet

Automatic flows detection



2 x 20-litre cans

Automatic filtering and separation of used oil



LED indicator for operation status





Swivel wheels





PETROL TECHNICAL CONTROL PACK

CO 1007

Contents:

• CO1009: engine oil treatment 300ml


High performance preventive and curative treatment for oil circuits. Cleans parts in contact with oil, improves combustion, reduces friction and deposits a wear-resistant coating on all petrol and diesel engines. Revives gaskets.

 CO1005: gasoline injector cleaner 300ml High performance fuel treatment: dissolves polluting deposits (calamine, gum, varnish...) for clean combustion at optimal efficiency. Lubricates and protects cylinders.



24 €VAT Excl.

Instead of 31 €VAT Excl. *





DIESEL TECHNICAL CONTROL PACK

CO 1008

Contents:

· CO1009: engine oil treatment 300ml

High performance preventive and curative treatment for oil circuits.

Cleans parts in contact with oil, improves combustion, reduces friction and deposits a wear-resistant coating on all petrol and diesel engines.

Revives gaskets.

• CO1010: diesel injectors cleaner 300ml

High performance fuel treatment for diesel engines with direct injection, common rail, pump duse...

Dissolves polluting deposits (calamine, gum, varnish, combustion residues...) for clean combustion at optimal efficiency.

Lubricates and protects moving parts of diesel engines. Makes cold starting easier.



Optimal result after 300km

Instead of 31 €VAT Excl. *





TN



5 IN 1 DIESEL ENGINE CLEANER

CO 1080





5 IN 1 PETROL ENGINE CLEANER

CO 1081











Instead of 29 €VAT Excl.*



250ml BIOETHANOL INJECTOR CLEANER

CO 1085

Ideal for cleaning and stabilizing bioethanol over long periods of engine operation.

Easy to use without dismantling or immobilizing the vehicle. Concentrated formula treats up to 20 liters of bioethanol with a dose of 20ml (1:1000 ratio).

Preventive or curative formula

Does not damage injection system seals

Neutralizes acid derivatives (pH control). Avoids the risk of biofuel demixing associated with prolonged storage. Prevents the formation of deposits (gum, resin, varnish, etc.) Disperses condensation water. Enhances lubrication. Protects the entire combustion system against corrosion. Cleans the injection system, restoring operating reliability. Improves bio-fuel combustion for greater eco-compatibility, helping to comply with anti-pollution standards.





19 €VAT Excl.

Instead of 29 €VAT EXCI.*



WARRANTY




ULTRASONIC CLEANER 9I 200W 40KHz

OE 7201

699 €VAT Excl.*





SA 7070 49 €VAT Excl.*

FREE!



- heating temperature adjustable from 0 to 80°C
- timer from 1 to 99 minutes
- power: 200W
- digital display
- tank drain valve
- · tank capacity: 91
- external dimensions: 330x310x270mm
- tray dimensions: 300x240x150mm















TN

PETROL INJECTOR CLEANER 300ml

CO 1005

High-performance fuel treatment:

- dissolves polluting deposits (calamine, gum, varnish...) for clean combustion for optimal performance
- lubricates and protects cylinders
- cleans the injection systemHigh-performance fuel treatment:
- dissolves polluting deposits (calamine, gum, varnish...) for clean combustion for optimal performance
- lubricates and protects cylinders
- cleans the injection system









€VAT Excl. Instead of 24 €VAT Excl.*

DIESEL INJECTOR CLEANER 300ml

CO 1010


High-performance fuel treatment for direct injection diesel engines, common rail...:

- dissolves polluting deposits (calamine, gum, varnish, combustion residues...) for clean combustion for optimal performance
- lubricates and protects mobile parts in diesel engines
- · facilitates cold-starts
- cleans the injection systemHigh-performance fuel treatment for direct injection diesel engines, common rail...
- dissolves polluting deposits (calamine, gum, varnish, combustion residues...) for clean combustion for optimal performance
- lubricates and protects mobile parts in diesel engines
- · facilitates cold-starts
- cleans the injection system











Instead of 14 €VAT Excl.*







FEMALE CYLINDER HEAD SOCKET TYPE E12X140

OM 4552







Specifications:

- material: 50BV30
- length 140mm
- 1/2" drive



TN

2 PIECE PULLEY LOCK WRENCH SET FOR RIBBED BELTS AND TOOTHED BELTS

OM 3759

Holds distribution pulleys in place and helps to avoid rotation when unscrewing. Holds distribution pulleys in place and helps to avoid rotation when unscrewing.



Specifications:

- max. pulley Ø: 220mm
- handle length: 325mm
- · length of the strap: 775mm



RIBBED PULLEY PULLER WITH **INTERCHANGEABLE ARMS**

OM 9879BL

Universal puller for multi groove pulley from 33mm to 160mm



€VAT Excl.

Instead of 25 €VAT EXCI. *



Specifications:

- mini pulley : 33mm
- maximum pulley: 160mm

Contents:

- 1 x extractor
- 1 x BTR wrench





POLYGONAL L-SHAPE WRENCHES FOR **DISTRIBUTION PULLEYS + FITTINGS (15PCS)**

OM 9049BL

These wrenches are specially designed for working on hard-to reach pulley nuts and belt tensioners. These wrenches are specially designed for working on hard-to reach pulley nuts and belt tensioners.





Instead of 86 €VAT Excl.*



Specifications:

- heads can be easily exchanged due to the retaining system using an automatic pin
- rubber handle
- wrench length 470mm
- Torx: E10, E12, E14, E16, E18
- XZN diameter: 12, 13, 14, 15, 16, 17, 18 and 19mm



6 DRAWERS ROLLER CABINET RENAULT/ PSA GEN 1+2

OM 6594

SAVE **341€**

1989 €VAT EXCL.

Instead of 2330 €VAT Excl.*



RECHARGEABLE WIRELESS SPEAKER PORTABLE LIGHT IKO7

OE 0159 89 €VAT Excl.*

FREE!













OM 6200



OM 6100



OM 6210



PETROL COMPRESSION GAUGE

AC 0114BL

■9 ■



Specifications:

- 3 to 20bar manometer
- release valve
- straight universal adapter
- screw connector 14 and 18mm



VACUUM PUMP AND FUEL CONTROL SET

AC 0001BL

This gasoline pump kit not only checks mechanical pumps, but also hoses, and tests valves, intake manifolds and vacuum hoses for leaks.

Specifications:

- allows vacuum settings of 0 -28inHg or 0-70cmHg
- allows pressure settings of 0-0.7Kg/cm2 or 0-10PSIG

Delivered with 1 connection hose and its accessories



19 €VAT Excl.


Instead of 32 €VAT Excl.*





AC 1005BL

The intelligent coolant filler funnel prevents air from entering the expansion tank, thanks to the 5 plugs supplied.







24 €VAT Excl.*



Specifications:

- · Supplied with 5 plugs and cover
- 2 45° elbows
- 1 straight 127mm extension
- 2 rubber sheaths
- · Automatic valve





TN

TN

COOLING SYSTEM TESTER (18 PCS)

AC 1120BL

€VAT Excl. Instead of 149 €VAT Excl.*





Contents:

- 1 test pump with air release valve
- 0 to 2.5bar manometer
- 10 ABS screwed plugs (coded by color and number)
- 3x1/4 turn metal plugs
- 1 plug screwing wrench1 thermometer 0 to 200°C
- 2 R123/R124 and R123/R125 connectors







TN





Treats 4 to 8L of liquid.

CO 1012



High performance curative cleaner for descaling and cleaning cooling circuits.

Dilution: 6 to 7.5% (one bottle for 4 to 5L of coolant)

CO 1013

		Selection price	Catalog price*
CO 1012	300ml RADIATOR LEAK SEALER	9.50 €VAT Excl.	12 EVAT Exct
CO 1013	300 ml COOLING SYSTEM CLEANER	9.50 €VAT Excl.	12 EVAT Exct



MULTI-PRESSION COMPLETE DIGITAL ROLLER CABINET

AC 0840

The perfect diagnostic roller cabinet. Comes with all optional accessory kits.





FIND OUT ALL ABOUT THE COMPOSITION ON CLAS.COM



SAVE **250€**

5950

€VAT Excl.

TN

TN

Instead of 6200 €VAT EXCI.*



RECHARGEABLE WIRELESS SPEAKER PORTABLE LIGHT IKO7

OE 0159 89 €VAT Excl.*

FREE!

COMPOSITION

CONTROL PANEL AND ACCESSORIES INSERT

AC 0841



FORMAT 3/3 OF DRawer













HIGH PRESSURE FUEL INSERT

AC 0842



FORMAT 3/3 OF DRAWER



ENGINE COMPRESSION AND CYLINDER LEAK INSERT

AC 0843



FOR D

FORMAT 3/3 OF DRAWER OIL PRESSURE INSERT, ETHANOL AND BP FUEL

AC 0844













3X FORMAT 1/3 OF DRAWER

TN



29 €VAT Excl.

Instead of 33 €VAT Excl. •

Robust & airtight thanks to the welded base





















TN


PIT JACK 600kg

OH 0266



9 €VAT Excl.

Instead of 319 €VAT Excl.*



Weight	A (mm)	B (mm)	C (mm)
34 kg	1180	2000	800

Specifications:

- foot control
- chromed rod diameter 30mm
- overload safety
- deadman lowering control
- 4 swiveling wheels









SPRINGLECTION

CAR WASH SET (7PCS)

EG 0011BL

This composition is ideal for cleaning not only rims, but also the interior of the passenger compartment.




14 €VAT Excl.*











TN

Contents:

- 4 soft-bristle brushes: 10-14-16-18mm
- 3 stiff brushes
- 2 flat brushes: 45-120mm
- 1 round-head brush: 85mm

WORKSHOP CLEANING WIPES (80 PCS)

CO 0502

Specifications:

- Double-sided: soft & rough
- Removes dirt, grease and grime
- Hypoallergenic and paraben-free
- Protects the epidermis: enriched with Aloe vera
- Citrus fragrance

Impregnated wipe 20x25 cm. PH 8.00 low base



Double-sided: soft & rough
Hypoallergenic and paraben-free



24 €VAT Excl.

Instead of 29 €VAT Excl.*



CAR CLEANING WIPES (80PCS)

CO 0503

Specifications:

- cleanses
- protects
- antistatic
- water-repellenthigh gloss
- biodegradable

Impregnated wipe 20x25 cm. PH 7.00 neutral



Instead of 49,90 €VAT Excl.*



Cleans, protects, antistatic, waterrepellent, high-gloss











		Selection price	Catalog price*
CO 6254	ANTI ANIMAL SMELL SPRAY 200ml	6 €VAT Excl.	9-EVAT Excl
CO 6255	ANTI-SMOKING SMELL SPRAY 200ml	6 €VAT Excl.	9-EVATEXEL
CO 1076	CAR CABIN PURIFIER 400ml MINT	8 €VAT Excl.	10 EVATENCE
CO 1075	CAR CABIN PURIFIER 400ml MUSK	8 €VAT Excl.	10-EVATENCE
CO 1074	CAR CABIN PURIFIER 400ml LEMON	8 €VAT Excl.	10-EVAT Excl
CO 6216	CABIN PURIFIER 400ml LAVENDER	8 €VAT Excl.	10 EVATENCE
CO 6218	CABIN PURIFIER 400ml PINE	8 €VAT Excl.	10 EVATENCE
CO 6217	CABIN PURIFIER 400ml FOAMING	8 €VAT Excl.	10 EVATENCE
CO 6220	CABIN PURIFIER 400ml VANILLA	8 €VAT Excl.	10 EVAT Excl

PNEUMATIC PORTABLE VACUUM

EG 0407

Lets you vacuum in hard-to-reach places (plug wells...)



€VAT Excl.

Instead of 59 €VAT Excl.*



TN

Supplied with 3 bits + 1 extender

DRY AND WET VACUUM CLEANER 2x1000W

EG 0040





- · stainless steel tank mounted on a 4-wheel dolly
- 2 motors of 1000W each
- 80l tank Ø420mm
- drain on 500mm tank
- pressure: 21kPa
- air flow: 1081/s
- sound level: 73dB
- power supply 230V 4m cable
- power: 2000W
- dimension (lengthxdepthxheight): 540x595x940mm

Included accessories:

- SA0442: thin tip with connector Ø42mm
- SA0443: Ø60mm brush with connector Ø42mm
- \bullet Ø42mm handle with accessory connector Ø37mm
- SA0440: 2200mm flexible hose Ø42mm
- SA0444: Ø37mm scraper
- SA0445: Ø37mm brush length 400mm
- SA0441: cloth filter











€VAT Excl.

Instead of 429 €VAT Excl.*



TN

BODYWORK RENOVATION



CO 0505

Wipes to revive all types of ABS thanks to their exclusive formula. Simple to use and risk-free for painted parts, a single wipe restores the original appearance of your ABS plastics Rénovation Plastique wipes are

compatible with all shades of grayblack and all colors. Individual packaging guarantees

that the wipes are always well impregnated.

Specifications:

- · restores the original appearance of plastics
- effective on all types of ABS
- safe for painted parts
 - · compatible with all shades
- impregnated wipe



Tarnished chrome renovation wipes. The special formula eliminates traces of oxidation and restores your chrome to its original shine.

Effective on various metals: copper, stainless steel, brass.

Individual packaging guarantees a wipe that's always well impregnated. Contains no silicone.

CO 0504

- restores metal shine
- eliminates traces of oxidation
- easy to use

Specifications:


• impregnated wipe PH 9.00 Low base

	<u> </u>	
	Selection price	Catalog price*
CO 0505 5 PLASTIC RENOVATION WIPES	8 €VAT Excl.	10 EVAT Excl.
CO 0504 5 CHROME RENOVATION WIPES	11 €VAT Excl.	15-EVAT-Excl










STRIPPER | DEGREASER



Perfect for rust stripping with precise, drip-free application.



CO 1087



CO 1086

Perfect for rust stripping, special high-efficiency soaking.



Great for dissolving rust and freeing parts.



CO 1088



TN

TN

		Selection price	Catalog price*
CO 1087	500ml STRIPPING GEL	14 €VAT Excl.	15 EVAT Excl
CO 1086	STRIPPING LIQUID 1L	18 €VAT Excl.	19 EVAT Excl.
CO 1088	400ml RUST REMOVER SOLVENT	25 €VAT Excl.	29 EVAT Excl

CAR BODY DEGREASER

Car body degreaser is a cleaning and degreasing product effective on all types of surfaces.

Specifications:

- compatible with all surfaces
- dries quickly, leaving no residue
- easy to use
- cleans and degreases all types of dirt
- · liquid Fluid dilutable
- PH in aqueous solution: at 15% = 13.1

		Selection price	Catalog price*
CO 0506	BODYWORK DEGREASER 1L	11 €VAT Excl.	12 €VAT Excl
CO 0507	BODYWORK DEGREASER 5L	25 €VAT Excl.	26 €VAT Excl.







CO 0507



HYDROPNEUMATIC MOBILE LIFTING COLUMN 1500kg

OH 9150

1299 €VAT Excl.


Instead of 1349 €VAT Excl.*

Specifications:

- 2 swivel wheels to facilitate handling
- safety pin: 5 secure heights
- · lifting by the wheel or the car body
- mobile and fast

Supplied with:

- SA9151: lifting under the wheel Max. working height: 735mm Min. height: 100mm Wheel diameter from 480 to 730mm
- Max. working height: 835mm Min. height: 140mm













GARNISHING TRIM SET (27PCS)

OC 8881




24 €VAT EXCL.

Instead of 33 €VAT EXC!



TN





OC 0724

length: 335mmwidth: 45mm

€VAT Excl.*



NASCAR CAP WITH 3D EMBROIDERY

AP 7000) 15 €VAT Excl.

FREE!

Specifications:

- capacity: 270kg
- folding galvanized steel structure (Ø32mm x 1.2mm).
- height: 1040mm
- width: 1080mm
- working range from 680 to 1040mm (adjustable feet)
- PU support plug
- weight: 6.4kg









CHARGING CABLE T2-T2 7.2kW 5m

OE 2041

€VAT Excl. 169 Instead of 179 €VAT Excl.*

Specifications:

- 7.2KW
- 16 A
- 1 phase
- length: 5m















CHARGING CABLE T2-T2 22kW 5m

OE 2043




Specifications:

- 22KW
- 32 A
- 3 phases
- · length: 5m
- plug: type 2













WARRANTY













PORTABLE CHARGER FOR ELECTRIC AND HYBRID VEHICLE T2 3.6kW 5m

OE 2046

Specifications:

- IP66: water and dust proof
- IK 10: resists the shock of a 5kg mass falling from 40cm.
- plugs: type 2 & type E
- max output current: 16 A.
- switchable current: 10A, 13A and 16A.
- total length: 5M.

€VAT Excl. 269

Instead of 279 €VAT EXCL.*





TN

TN

CHARGING STATION 11kW REEL 6m

OE 2047

Specifications:

- height: 437mm • width: 217mm
- thickness: 74mm
- IP66
- standard EN 61851-1

Contents:

- 11kW terminal block
- 6m cable with TS plug
- One wall hook







699 €VAT Excl.*



RECHARGEABLE WIRELESS SPEAKER PORTABLE LIGHT IK07

OE 0159 89 EVAT EXCL

FREE!













BCL/B1VL/B2VL ELECTRICAL CERTIFICATION PACK (117PCS)

OE 0373

This kit is dedicated to professionals involved in live electrical work. Dedicated to consignment officers, diagnostic technicians, body repairers/painters, paint strippers/recyclers, etc.



See the complete lineup on **clas.com**



HYBRID AND ELECTRIC VEHICLES INSULATED TOOLS 1000V (27PCS) (27PCS)

OE 0700


Standards: 60900 Compatible with authorizations: B1L, B1VL, B1TL, B2L, B2VL, B2TL, BCL, BEL, BRL, B1XL, B2XL.

349 €VAT EXCI.

Instead of 395 €VAT EXCL.*







PRECISION RATCHET+SCREWDRIVER SET (78PCS)

OS 1040BL

Compact case for hard-to-reach jobs, ideal for adding to a repair toolbox. Compact case for hard-to-reach jobs, ideal for adding to a repair toolbox.





€VAT Excl.

Instead of 27 €VAT Excl.*



See the complete line-up on clas.com











1/4"-1/2" TOOL SET (108PCS)

OS 3050BL

Intervention composition for 1/4" and 1/2" mechanical and industrial applications.



See the complete lineup on clas.com





€VAT Excl.*

NASCAR CAP WITH 3D **EMBROIDERY**

AP 7000 15 €VAT Excl.*



FREE!















TN

1/4"-3/8"-1/2" TOOL SET (172PCS)

OS 3280BL

Intervention solutions for mechanical and industrial applications 1/4", 3/8" and 1/2"



See the complete lineup on clas.com



139 €VAT Excl.*

NASCAR CAP WITH 3D **EMBROIDERY**

AP 7000) 15 €VAT Excl.*



FREE!





1/4"-3/8"-1/2" D. TOOL SET (128 PCS)

OS 3270



SAVE 80€

€VAT Excl.

Instead of 279 €VAT Excl.*

1/2" CROSS TORQUE WRENCH 70-170Nm 490mm + 3 SOCKETS

OM 0755) 109 €VAT Excl.*



FREE!





